



DEFENSE LOGISTICS AGENCY  
DEFENSE NATIONAL STOCKPILE CENTER  
1745 JEFFERSON DAVIS HIGHWAY  
ARLINGTON, VIRGINIA 22202



IN REPLY  
REFER TO

DNOSC-OD (Kevin Reilly/746-7359/jn)

JUL 24 1992

SUBJECT: Results of Oak Ridge Associated Universities's (ORAU)  
Survey of Curtis Bay Depot

U.S. Nuclear Regulatory Commission  
Region 1  
475 Allendale Road  
King of Prussia, PA 19406

Dear Mr. Reber:

We have reviewed the preliminary report that was compiled from the radiological survey performed by Oak Ridge Institute for Science and Education, Oak Ridge Associated Universities, at our Curtis Bay Depot, Curtis Bay, MD.

The information provided does indicate that some remedial action is necessary to comply with the current NRC guidelines and open the area for unrestricted use.

I have been in contact with Mr. Richard Bangart, Director of the Low Level Waste Division, regarding assistance in the preparation of the scope of work for this project. Mr. Bangart has stated that the final report prepared by ORAU will give us the basis for this work and that the Nuclear Regulatory Commission (NRC) will review our final contract to insure we have covered all aspects of concern to the NRC. The NRC will also perform the confirmatory study once work is complete. Hopefully, this "14 year old problem" will be alleviated and not be affected by any future requirements.

I am waiting for the final report to formulate the scope of work. Once completed I will forward this information to the NRC for approval and concurrence that this work will satisfy the needs of both agencies.

I will be contacting you as soon as we have completed our contract requirements. Thank you for your assistance.

*[Signature]*  
F. KEVIN REILLY  
Industrial Hygienist

9302190249 920724  
FDR ADOCK 04000341  
C PDR

*[Handwritten signature]*

NLC 1/0