

Official

MAY 14 1985

General Electric Company
ATTN: Mr. C. M. Vaughn, Manager
Regulatory Compliance
P. O. Box 780
Wilmington, NC 28402

Dear Mr. Vaughn:

SUBJECT: NRC INSPECTION APRIL 15-19, 1985, REPORT NO. 70-1113/85-05

As discussed in the exit interview on April 19, 1985, with Dr. D. M. Montgomery of this office, five samples are being sent under separate cover for confirmatory analysis of uranium content.

Each vial contains 5 mL of solution and is 1% HCl by volume. You are requested to analyze each sample for uranium in duplicate and send the results to the NRC: RII. The samples are acidic and should be processed in the same manner as urine samples in accordance with your approved procedure.

If you have any questions, please contact Dr. Montgomery at (404) 221-2600.

Sincerely,

K. P. Barr, Chief
Nuclear Materials Safety
and Safeguards Branch
Division of Radiation Safety
and Safeguards

cc: C. M. Vaughan, Manager
Regulatory Compliance

bcc: License Fee Management
Document Control Desk

RII *PKS*
DMontgomery
5/8/85

RII *[Signature]*
DCollins
5/8/85

RII *[Signature]*
JKahle
5/9/85

RII *[Signature]*
EMcAlpine
5/9/85

8507110392 850514
PDR ADOCK 07001113
C PDR

1