

JUL 10 1985

License No. 29-16049-01  
Docket No. 030-10279  
Control No. 02592

Fairleigh Dickinson University  
ATTN: Mr. Richard Touma  
Assistant Vice President for  
Academic Services  
110 Fuller Place  
Hackensack, New Jersey 07601

Gentlemen:

Enclosed is a Corrected Copy to Amendment No. 07 of License No. 29-16049-01. You should review this license amendment for correctness and to assure that any changes in procedures required by the conditions are implemented.

Amendment No. 07 has been corrected to include Dr. William Fordham as an authorized user and to delete Dr. David Smith per your letter dated December 21, 1984. These corrections have been made in accordance with a request made by Dr. Freund of your staff in a telephone conversation with John Miller of my staff.

We wish you success in operating a safe and effective licensed program.

Sincerely,

Original Signed By:  
Laurence F. Friedman, Ph.D.

John E. Glenn, Chief  
Nuclear Materials Safety Section B  
Division of Radiation Safety  
and Safeguards

Enclosure: Corrected Copy Amendment No. 7

RI:DRSS  
JMiller/mlb  
7/ 8 /85  
for Glenn J.E.  
7/09/85

OFFICIAL RECORD COPY

ML 29-16049-01/LTR - 0001.0.0  
07/03/85

8507250315 850710  
REG1 LIC30  
29-16049-01 PDR

ML10