TELEDYNE
BROWN ENGINEERING
Environmental Services

50 VAN BUREN AVENUE
P.O. BOX 1235
WESTWOOD, NEW JERSEY 07675-1235
(201) 664-7070 FAX (201) 664-5586

September 5, 1996

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555

Re:	Response to Notice of Violation dated August 6, 1996 Docket Nos. 030-05219, 030-08681, 030-14482, 070-00124 License Nos. 29-00055-06, -14, -15, and SNM-107

Dear Sir/Madam:

With respect the above referenced Notice of Violation, the following is submitted:

1. Reason for Violation - It was apparent that by the technician's discussion with the NRC inspector that the reason was human error. The technician added six months onto December and came up with July instead of June.

2. Corrective Steps Taken - I have enclosed a copy of the form that the technician must fill out after each shipment. This form will allow management personnel to track the 6-month time limit for containers.

3. Future Corrective Steps - None other than that identified in Item 2. above.

4. The drums that were on-site longer than six months have been shipped to Scientific Ecology Group for processing. This information was provided to Mr. Ladun of Region I in my letter of August 2, 1996.

If you have any questions, please contact me.

Sincerely,

TELEDYNE BROWN ENGINEERING
Environmental Services

Steven A. Black, Manager, RSO
Radiological Services Department

Enclosures

cc: Donald F. Schutz, Chairman RSC
Eugene O'Brien
Regional Director - U.S. NRC Region I

SEP - 9 1996

9610160234 961004
PDR ADOCK 03005219
C PDR

MEMORANDUM

TELEDYNE
BROWN ENGINEERING
Environmental Services

Date Completed: _____

Completed By: _____

To: S. A. Black, Jane Kracov

Re: Six Month Date

I have queried the Radwaste Inventory and obtained the date of the "oldest drums" in the warehouse. They are as follows:

Date	Manifest	Date	Manifest

Please make note that these containers must leave our premises no later than 180 days from the earliest date indicated above.