

CERTIFICATE OF DISPOSITION OF MATERIALS

(All items MUST be completed, please print)

LICENSEE NAME AND ADDRESS Dow Chemical USA New England Laboratory PO Box 400 Wayland, MA 01778	LICENSE NUMBER 20-19203-01 LICENSE EXPIRATION DATE 4/30/85
--	---


THE LICENSEE OR ANY INDIVIDUAL EXECUTING THIS CERTIFICATE ON BEHALF OF THE LICENSEE CERTIFIES THAT: (Check and/or complete the appropriate item(s) below.)

A. MATERIALS DATA (Check one and complete, as necessary)

<input type="checkbox"/>	1. NO MATERIALS HAVE EVER BEEN POSSESSED OR PROCURED BY THE LICENSEE UNDER THIS LICENSE.	
OR		
<input checked="" type="checkbox"/>	2. ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSEE UNDER THE LICENSE NUMBER CITED ABOVE HAVE BEEN TRANSFERRED ON	
DATE 1/21/85	TO Interex Corp., 3 Strathmore Road, Natick, MA 01760	WHICH HAS NRC LICENSE NUMBER 20-14082-01
OR		
<input type="checkbox"/>	3. ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSEE UNDER THE LICENSE NUMBER CITED ABOVE HAVE BEEN TRANSFERRED ON	
DATE	TO	
	WHICH HAS LICENSE NUMBER	ISSUED BY THE STATE OF
OR		
<input checked="" type="checkbox"/>	4. MATERIALS HAVE BEEN DISPOSED OF IN THE FOLLOWING MANNER. (Describe specific disposal procedures--if additional space is needed, use the reverse of this form, or provide attachments)	

Scintillation spectrometer with sealed radium-226 source (20 μ cu)
was donated to Wellesley College, Wellesley, Mass.
Contact person: Gary Harris.

8507260161 850628
REG1 LIC30
20-19203-01 PDR



B. OTHER DATA

<input type="checkbox"/>	1. OUR LICENSE HAS NOT YET EXPIRED. PLEASE TERMINATE IT.
<input type="checkbox"/>	2. WAS A RADIATION SURVEY CONDUCTED TO CONFIRM THE ABSENCE OF LICENSED RADIOACTIVE MATERIALS AND TO DETERMINE WHETHER ANY CONTAMINATION REMAINS ON THE PREMISES COVERED BY THE LICENSE? (Check one)
<input type="checkbox"/>	NO
<input checked="" type="checkbox"/>	YES, THE RESULTS (Check one)
<input checked="" type="checkbox"/>	ARE ATTACHED, OR
<input type="checkbox"/>	WERE FORWARDED TO NRC ON (Date)

3. THE PERSON TO BE CONTACTED REGARDING THE INFORMATION PROVIDED ON THIS FORM	TELEPHONE NUMBER
NAME John J. Flynn	617/655-2020

4. MAIL ALL FUTURE CORRESPONDENCE REGARDING THIS LICENSE TO Dow Chemical USA, PO Box 400, Wayland, MA 01778
--


FEE EXEMPT

RETURN TO: DIRECTOR, DIVISION OF FUEL CYCLE AND MATERIAL SAFETY OFFICE OF NUCLEAR MATERIAL SAFETY AND SAFEGUARDS U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555	CERTIFYING OFFICIAL SIGNATURE John J. Flynn PRINTED NAME AND TITLE John J. Flynn, Operations Supervisor	DATE 4/29/85
--	---	-----------------

WIPE TEST
LAB #14

TESTED BY: KLR

DATE: 4/26/85




- ⑫ CONTROL
- ⑬ BACK-GROUND STANDARD
- ⑭ ¹⁴C STANDARD

WIPE TEST
LAB # 8

TESTED BY: *KER*

DATE: *4/26/85*



- ⑧ OFFICE PHONE
- ⑨ CONTROL
- ⑩ B.G. STANDARD
- ⑪ ¹⁴C STANDARD

18939

4/26/85

PROGRAM #: 12

REGION A: LL-UL= 0- 19 LCR= 0 BKG= 0 % 2 SIGMA= .2

REGION B: LL-UL= 2- 19 LCR= 0 BKG= 0 % 2 SIGMA= .2

TIME= 1.00 QIP= SIE/REC SCR= B/A K= 1.000

P#	S#	TIME	CPMA/K	%DEV	CPMB/K	%DEV	QIP	FLAGS	SCR	MIN
12	1	1.00	24	40.8	1	24	40.8	391.	1.000	1
12	2	1.00	56	26.7	2	56	26.7	422.	1.000	4
12	3	1.00	14	53.4	3	14	53.4	437.	1.000	5
12	4	1.00	9	66.6	4	9	66.6	435.	1.000	7
12	5	1.00	16	50.0	5	16	50.0	443.	1.000	9
12	6	1.00	10	63.2	6	10	63.2	476.	1.000	10
12	7	1.00	15	51.6	7	15	51.6	423.	1.000	12
12	8	1.00	57	26.4	8	57	26.4	393.	1.000	14
12	9	1.00	63	25.2	9	63	25.2	382.	1.000	16
12	10	1.00	34	34.3	10	34	34.3	410.	1.000	17
12	11	1.00	19	45.8	11	19	45.8	383.	1.000	19
12	12	1.00	12	57.7	12	12	57.7	395.	1.000	21
12	13	1.00 Background	6	81.6	13	6	81.6	446.	1.000	23
12	14	1.00 ¹⁴ C	4491	2.98	14	4491	2.98	443.	1.000	24
12	15	1.00	5	89.4	1	5	89.4	444.	1.000	26
12	16	1.00	9	66.6	2	9	66.6	450.	1.000	28
12	17	1.00	11	60.3	3	11	60.3	428.	1.000	30
12	18	1.00	8	70.7	4	8	70.7	383.	1.000	31
12	19	1.00	11	60.3	5	11	60.3	392.	1.000	33
12	20	1.00	9	66.6	6	9	66.6	372.	1.000	35
12	21	1.00	35	33.8	7	35	33.8	403.	1.000	37
12	22	1.00	8	70.7	8	8	70.7	421.	1.000	39
12	23	1.00	15	51.6	9	15	51.6	403.	1.000	40
12	24	1.00 Background	7	75.5	10	7	75.5	430.	1.000	42
12	25	1.00 ¹⁴ C	3794	3.25	11	3794	3.25	413.	1.000	44

LAB#14

LAB#8

BETWEEN: William D. Miller, Chief
License Fee Management Branch
Office of Administration

Regional License Section
Material Licensing Branch
FCMS, Office of Nuclear Material
Safety & Safeguards

LICENSE FEE TRANSMITTAL

A. REGION 1

1. APPLICATION ATTACHED

Applicant/Licensee: Dow Chemical USA

Application Dated: 4/25/85

Control No.: 018939

License No.: 20-19203-01

2. FEE ATTACHED

Amount: _____

Check No.: _____

3. COMMENTS

Signed _____

Date _____

LICENSE FEE MANAGEMENT BRANCH

1. Fee Category and Amount: 3M FEE EXEMPT

2. Correct Fee Paid. Application may be processed for:
Termination

Amendment _____

Renewal _____

License _____

Signed Tracy Brown

Date 5/8/85

68
5/9/85