

YANKEE ATOMIC ELECTRIC COMPANY

Telephone (617) 872-8100
TWX 710-380-7619

1671 Worcester Road, Framingham, Massachusetts 01701

2.C.2.1
FYR 85-62

May 30, 1985

United States Nuclear Regulatory Commission
Washington, D. C. 20555

Attention: Mr. John A. Zwolinski, Chief
Operating Reactors Branch No. 5
Division of Licensing

References: (a) License No. DPR-3 (Docket No. 50-29)
(b) YAEC Letter to USNRC, dated May 9, 1985 (FYR 85-55)

Subject: Supplemental Information for Proposed Change No. 184 - Safety
Valve Setpoint Tolerance


Dear Sir:

Reference (b) transmitted additional information to supplement our proposed Technical Specification change of Reference (c) to revise the setpoint tolerance for the pressurizer code safety valves. This letter provides revised Figures 1-4 previously submitted in Reference (b). These revised figures show the effect of crediting the high Main Coolant System pressure trip.

If you have any questions, please contact us.

Very truly yours,

YANKEE ATOMIC ELECTRIC COMPANY



J. A. Kay
Senior Project Engineer - Licensing

JAK/dps

8506040191 850530
PDR ADOCK 05000029
PDR

Acc
11

Figure 1
Loss of Load Transient
Turbine Trip From Full Power




Figure 2
Loss of Load Transient
Turbine Trip From Full Power




Figure 3

Loss of Load Transient
Turbine Trip From Full Power




Figure 4

Loss of Load Transient
Turbine Trip From Full Power

