

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		
1. United States Testing Company, Inc.	3. License number	29-02477-01
2. 1415 Park Avenue Hoboken, New Jersey 07030	4. Expiration date	September 30, 1999
	5. Docket or Reference No	030-33619/41-25235-02
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Cesium 137	A. Sealed source (Technical Operations Model 77302)	A. Not to exceed 150 millicuries per source and 450 millicuries total
B. Cesium 137	B. Sealed sources registered pursuant to 10 CFR 32.210 or an equivalent Agreement State regulation	B. Not to exceed 10 millicuries per source and 500 millicuries total
C. Americium 241	C. Sealed neutron source registered pursuant to 10 CFR 32.210 or an equivalent Agreement State regulation	C. Not to exceed 50 millicuries per source and 1500 millicuries total
D. Nickel 63	D. Plated foil in Hewlett- Packard Model 18173A and 19282-69501 detector cells	D. Not to exceed 15 millicuries and 300 millicuries total
E. Nickel 63	E. Foil in Shimadzu Model FDC-9 detector cells	E. Not to exceed 10 millicuries and 300 millicuries total
F. Carbon 14	F. Any	F. 200 microcuries
9. Authorized use		
A., B., C., E., and F. Storage only.		
D. In electron capture detector cells which are distributed under a specific license issued by the U.S. Nuclear Regulatory Commission or any Agreement State.		

CONDITIONS

10. Licensed material may be used only at the licensee's facilities located at 1415 Park Avenue, Hoboken, New Jersey; 616 North Street, Jim Thorpe, Pennsylvania and at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

OFFICIAL RECORD COPY ML 10

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

29-02477-01

Docket or Reference number

030-33619/41-25235-02

11. A. Licensed material in items 6.A. through 6.D. shall be used by, or under the supervision and in the physical presence of, individuals who have been trained as specified in the application dated May 23, 1988 and letter dated December 6, 1988. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual. Licensed material in items 6.D. through 6.F. shall be used by or under the supervision of Daniel Drozdowski or Alan Schoffman. Licensed material in items 6.B. and 6.C. may be used by or under the supervision of and in the physical presence of individuals who have successfully completed the manufacturer's training program for gauge users and who have been designated by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed materials by the individual.
- B. The Radiation Safety Officer for this license is Lee Fredericks.
12. Licensed material shall not be used in or on human beings.
13. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
14. A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

29-02477-01

Docket or Reference number

030-33619/41-25235-02

- (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by Radiation Detection Company or Troxler Electronics Laboratories, Inc. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
15. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.
16. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
17. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
18. In lieu of using the conventional radiation caution colors (magenta or purple on yellow background) as provided in 10 CFR 20.203(a)(1), the licensee is hereby authorized to label detector cells, containing licensed material and used in gas chromatography devices, with conspicuously etched or stamped radiation caution symbols.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

29-02477-01

Docket or Reference number

030-33619/41-25235-02

21. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated October 13, 1987
 - B. Application dated May 23, 1988
 - C. Letter dated October 19, 1988
 - D. Letter dated November 9, 1988
 - E. Letter dated December 6, 1988
 - F. Letter dated May 8, 1989
 - G. Letter dated April 27, 1990
 - H. Letter dated February 25, 1991
 - I. Letter dated March 16, 1992
 - J. Letter dated April 6, 1992
 - K. Letter dated April 30, 1992
 - L. Letter dated July 24, 1992

For the U.S. Nuclear Regulatory Commission

Date SEP 20 1994

Original Signed By:

By Sheri Ann Arredondo

Nuclear Materials Safety Branch
Region I
King of Prussia, Pennsylvania 19406

SEP 20 1994

License No. 29-02477-01
Docket No. 030-33619
Control No. 120148

United States Testing Company, Inc.
ATTN: Alan Schoffman, Ph.D.
Senior Vice President
1415 Park Avenue
Hoboken, New Jersey 07030

Dear Dr. Schoffman:

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I office, the Licensing Assistance Section, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Until your license is terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Not possess and use materials authorized in Items 6, 7, and 8, on the license until:
 - a. you have constructed the facilities and obtained the equipment described in the license application and supporting documentation; and
 - b. you have notified the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406 in writing, that activities authorized by the license will be initiated.
3. Notify NRC, in writing, within 30 days:
 - a. when an authorized user or Radiation Safety Officer, permanently discontinues performance of duties under the license or has a name change; or

- b. when the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
- 4. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
 - a. when you decide to terminate all activities involving materials authorized under the license; or
 - b. if you decide not to complete the facility, acquire equipment, or possess and use authorized material.
- 5. Request and obtain a license amendment before you:
 - a. permit anyone to work as an authorized user under the license;
 - b. change Radiation Safety Officers;
 - c. order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - d. add or change the areas of use, or address or addresses of use identified in the license application or on the license; or
 - e. change ownership of your organization.
- 6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by the NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C.

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Thank you for your cooperation.

Sincerely,

Original Signed By:
Sheri Ann Arredondo

Sheri A. Arredondo
Nuclear Materials Safety Branch
Division of Radiation Safety
and Safeguards

Enclosures:

1. License No. 29-02477-01
2. 10 CFR Parts 2, 19, 20, 30, and 170
3. Requirements for Materials Licensees
4. NRC Forms 3 and 313

DRSS:RI
Arredondo/cmm

9/20/94



United States Testing Company, Inc.

MS 16
K-6

1415 Park Avenue
Hoboken, New Jersey 07030
Tel.: 201-792-2400
Fax: 201-656-0636

September 20, 1994

United States Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, Pennsylvania 19406-1415

Attn: Sherri Arredondo

RE: **NRC Materials License for United States Testing Company, Inc.**
License # 41-25235-02

Dear Sherri:

As per our phone conversation on Friday of last week, I would like to request the following amendments to our NRC radioactive materials license:

- Item 2 Change address to 1415 Park Avenue, Hoboken, NJ 07030
- Item 11 Delete Randall Sweet and William Cain; the newly appointed RSO will be Mr. Lee Fredericks.
- Item 25 Change adress to address in Item 2, 1415 Park Avenue, Hoboken, NJ.

Please be advised that the materials listed on the above-referenced license are simply stored at this location with the exception of the Nickel 63 used in our Hewlett-Packard gas chromatographs. It is our intent that the Nickel 63 be assu~~red~~ under the manufacturer's license with all other materials being app~~ropriately~~ately disposed of or relocated. When that has been accomplished, we will submit a license termination request.

OFFICIAL RECORD COPY

ML 10

120148/120151

SEP 22 1994



Member of the SGS Group (Société Générale de Surveillance)

SEP 20 1994

FAX RECD


Ms. Sherri Arredondo

Page 2

09/20/94

Should you have any questions regarding this matter or need my assistance in any way, please do not hesitate to contact me. Thank you.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lee Fredericks".

Lee Fredericks

Radiation Safety Officer

cc: A. Schoffman
T. Cuthbertson



United States Testing Company, Inc.

1415 Park Avenue
Hoboken, New Jersey 07030
Tel.: 201-792-2400
Fax: 201-656-0636

September 19, 1994

United States Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, PA 19406-1415

RE: **NRC License # 41-25235-02**

Dear Sir/Madam:

This letter is being sent to confirm Company management support for Lee Fredericks as Radiation Safety Officer. We adhere strictly to the appropriate NRC regulations for our sources and understand that along with this comes the obligation of training, documentation and fees to accomodate the regulations.

If there are any questions, please contact me directly.

Very truly yours,

A handwritten signature in cursive script, appearing to read "Alan Schoffman".

Alan Schoffman, Ph.D.
Senior Vice President



Member of the SGS Group (Société Générale de Surveillance)

CERTIFICATE OF ACHIEVEMENT

This is to Certify that


LEE H. FREDERICKS

Has Completed 40 Hours of Training in

Health Physics Technician Level I

November 2-6, 1992





Jack Earley
Radiation Safety Associates, Inc.



United States Testing Company, Inc.

1415 Park Avenue
Hoboken, New Jersey 07030
Tel.: 201-792-2400
Fax: 201-656-0636

L 02477
030-33619
03620

April 14, 1994

United States Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, Pennsylvania 19406-1415
Attn: Ms. Kathy Dolce

RE: NRC Materials License for United States Testing Company, Inc.
License # 41-25235-02

Dear Ms. Dolce:

This letter is being sent to inform you that the United States Testing Company, Inc. is requesting an amendment to their NRC radioactive materials license. The changes that we are requesting are as follows:

Item 2 Change address to 1415 Park Avenue, Hoboken, NJ 07030

Item 6A Delete Cesium 137

Item 6B Delete Cesium 137

Item 6C Delete Americium 241

Item 7A Delete

Item 7B Delete

Item 7C Delete

Item 8A Delete

Item 8B Delete

Item 8C Delete

Transferred to RIV May 1 IV

Log	May 2 II
Remitter	
Check No.	2010438869
Amount	8360
Fee Category	3P
Type of Fee	and
Date Check Rec'd.	6/7/94
Date Completed	
By:	Rem

RECEIVED AS 120148

REC'D IN LAS JUL 27 1994

APR 18 1994



Member of the SGS Group (Société Générale de Surveillance)

OFFICIAL RECORD COPY

ML 10

VOIDED

~~255000~~

United States Testing Company, Inc.

page 2


Item 9A	Delete
Item 9B	Delete
Item 9C	Delete
Item 10A	Delete A. 1, 2, 3 (keep Item B)
Item 11	Delete Randall Sweet and William Cain; the newly appointed RSO will be Ms. Ellen McCabe, and in her absence, the alternate designation will be Mr. Lee Fredericks.
Item 12A	Delete
Item 12C	Delete
Item 16	Delete
Item 19	Delete
Item 24	Change to "... in Condition 10.B".
Item 25	Change address to address in Item 2, 1415 Park Avenue, Hoboken, NJ.

In addition, materials listed in Item 6. A, B, C, Item 7. A, B, C, and Item 8. A, B, C, are presently being amended in Region V, License #41-25235-02.

Also, as per your recommendation, please find attached copies of my certificates in training, and a letter of support from our Corporate Vice-President.

If you have any further questions regarding this information, please do not hesitate to contact me at ext. 348. Thank you for your time and assistance in this matter.

Very truly yours,



Ellen McCabe
Radiation Safety Officer

cc: A. Schoffman
T. Cuthbertson
L. Fredericks



United States Testing Company, Inc.

1415 Park Avenue
Hoboken, New Jersey 07030
Tel.: 201-792-2400
Fax: 201-656-0636

March 28, 1994

United States Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, PA 19406-1415

RE: NRC License #41-25235-02

Dear Sir:

This letter is being sent to confirm Company management support for Ellen McCabe as a Radiation Safety Officer. We adhere strictly to the appropriate NRC regulations for our sources and understand that along with this comes the obligation of training, documentation and fees to accommodate the regulations.

If there are any questions, please contact me directly.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Alan Schoffman". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Alan Schoffman, Ph.D.
Senior Vice President

AS:frd



Member of the SGS Group (Société Générale de Surveillance)

Certificate of Training

RADIATION TRAINING PROGRAM

THIS IS TO CERTIFY THAT

ELLEN McCABE #0930

HAS SATISFACTORILY COMPLETED SCITEC CORPORATION'S
WASHINGTON STATE APPROVED RADIATION TRAINING COURSE
CONSISTING OF EIGHT CLASSROOM HOURS.

SCITEC
CORPORATION



Instructor

L. Flynn

Date

February 20, 1992



SGS Industrial Services

Certificate of Training

This is to certify that

Ellen McCabe

has satisfied the requirements of

United States Testing's Radiation Safety Program, and
by product material licensing agreements.

on the subject of
RADIATION SAFETY

LEAD SPECTRUM ANALYZER

Given this Twentieth day of March, 1992

Radiation Safety Officer

J. A. Mohrbacher
Corporate, Radiation Safety Officer

*Recertification Due: / /

MAY 16 1994

United States Testing Company, Inc.
ATTN: Ellen McCabe
1415 Park Avenue
Hoboken, NJ 07030

Gentlemen:

This refers to your letter dated April 14, 1994, for an amendment to Materials License 41-25235-02.

Your request is subject to an amendment fee of \$360 as specified in fee Category 3P of 10 CFR 170.31 of the enclosed July 20, 1993, Federal Register notice. Payment of the \$360 fee should be made to the U.S. Nuclear Regulatory Commission and mailed to the following address:

U.S. Nuclear Regulatory Commission
ATTN: Rita Messier
License Fee and Debt Collection Branch, OC/DAF
Mail Stop MNBB 4503
Washington, D.C. 20555

Your application will be processed by the Region IV Licensing staff located at 611 Ryan Plaza Drive, Suite 400, Arlington, TX 76011. The fee, however, is required prior to issuance of the amendment. When submitting the fee, please refer to CONTROL NUMBER 255888.

If we do not receive a reply from you within 30 calendar days from the date of this letter, we shall assume that you do not wish to pursue your application and will void this action.

Sincerely,

SIGNED BY:

BITA E. MESSIER

Rita Messier
License Fee and Debt Collection Branch
Division of Accounting and Finance
Office of the Controller

Enclosure:
July 20, 1993, Federal Register notice

cc: Region IV

DISTRIBUTION

Pending Fee File
OC/DAF R/F
LFDCB R/F (2)

OFFICE: OC/LFDCB *fun* OC/LFDCB *SK*
NAME: RMessier SKimberley
DATE: 5/16/94 5/16/94

LMF/A:\ustestco.ANC

120148



United States Testing Company, Inc.

1415 Park Avenue
Hoboken, New Jersey 07030
Tel.: 201-792-2400
Fax: 201-656-0636

May 31, 1994

United States Nuclear Regulatory Commission
License Fee and Debt Collection Branch
Division of Accounting and Finance
Office of the Controller
Washington, DC 20555-0001

Attn: Ms. Rita Messier

Dear Ms. Messier:

Please find enclosed a check for \$360.00 as requested in your letter dated May 16, 1994, for the amendment to our Materials License #41-25235-02.

If you have any further questions, please do not hesitate to contact me at ext. 348. Thank you for your time in this matter.

Sincerely,

A handwritten signature in cursive script, reading "Ellen McCabe". The ink is dark, and the signature is fluid and legible.

Ellen McCabe
Radiation Safety Officer

120148



Member of the SGS Group (Société Générale de Surveillance)

RECEIVED

NRC

RTV WCFO

(FOR LENS USE)

INFORMATION FR LTS

BETWEEN:

94 JUN 30 AM 11:39

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

: PROGRAM CODE: 03121

: STATUS CODE: 0

: FEE CATEGORY: 3P

: EXP. DATE: 19980531

: FEE COMMENTS:

: DECOM FIN ASSUR REQ: N

LICENSE FEE TRANSMITTAL

A. REGION II

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: UNITED STATES TESTING CO., INC.

RECEIVED DATE: 940429

DOCKET NO: 3033035

CONTROL NO.: 255888

LICENSE NO.: 41-25235-02

ACTION TYPE: AMENDMENT

*VOIDED Per Diane, Billie G
Send to send
to RTV-WC*

2. FEE ATTACHED

AMOUNT: -----

CHECK NO.: -----

3. COMMENTS

*Please send to RTV
for processing*

SIGNED

DATE

*Orange J. Herne
4/29/94*

5. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED *15/1*)

1. FEE CATEGORY AND AMOUNT: *BP* *\$360*

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT -----

RENEWAL -----

LICENSE -----

3. OTHER -----

SIGNED

DATE

*Rita Messier
6/17/94*

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 03620
STATUS CODE: 3
FEE CATEGORY: _____
EXP. DATE: 0
FEE COMMENTS: _____
DECOM FIN ASSUR REQD: _____

LICENSE FEE TRANSMITTAL

A. REGION *I*

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: UNITED STATES TESTING COMPANY, INC.
RECEIVED DATE: 940727
DOCKET NO: 3033619
CONTROL NO.: 120148
LICENSE NO.:
ACTION TYPE: NEW LICENSE

2. FEE ATTACHED

AMOUNT: *SEE 255888*
CHECK NO.: *FEE SHEET*

3. COMMENTS

*MS03407 ENTERED
7/27/94. ✓*

SIGNED
DATE

M. E. Leshin
7/27/94

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED /__1)

1. FEE CATEGORY AND AMOUNT: _____

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT _____
RENEWAL _____
LICENSE _____

3. OTHER _____

SIGNED
DATE

VOID SHEET

TO: License Fee Management Branch

FROM: Region I

SUBJECT: VOIDED APPLICATION

Control Number: 255888

Applicant: United States Testing Company, Inc.

Date Voided: 9/20/94

Reason for Void: Initiated as an amendment for license no. 41-25325-02, however,
change of address (Tennessee to New Jersey) requires recontrol
as a new license in Region I. Fees OK - change of state.
Not returned to fee s but waiver needed for Sandy Kimberley,
LF&DCB, OC.

Michael A. Perkins 9/20/94
Signature Date

Attachment:
Official Record Copy of
Voided Action

FOR LFMB USE ONLY

Final Review of VOID Completed:

Refund Authorized and processed

No Refund Due

Fee Exempt or Fee Not Required

Comments: _____

Log completed

Processed by: _____

OFFICIAL RECORD COPY

ML 10