

REGION IV
LICENSEE REPORT EVALUATION

LICENSEE: Cleveland-Cliffs

ASSIGNED TO: Spitzberg

LIC. NO.: - SUA-1352 -

DATE: 7-26-83

REPORT TYPE: Quarterly

REPORT DATE: July 21, 1982

COMMENTS/RECOMMENDATIONS:

Submitted in accordance with LC 29. Last amendment - No. 3. - 3/10/82.

Report concerns pilot in-situ uranium recovery facility. Two test well patterns, both in groundwater restoration phase.

Monitor well sampling - monitor wells 238 and 298 remain on excursion status for uranium (UCL = 1.05 mg/l). Licensee has been notified of failure to obtain confirmation samples and failure to notify NRC for previous excursions of wells 238, 240, 241 and 298.

Written excursion notifications submitted 11/21/81 and 5/7/82 in accordance with LC 17.

Amendment request to raise UCL for SO_4 and to modify excursion monitoring approved 3/10/82 (No. 3).

Surface discharge - restoration water discharged in accordance with LC 34 exceeded discharge limits for U and Ra-226 due to failure of exchange resin. Notification by letter CCIC-7WMUR on 7/13/82. Discharging ceased.

Uranium particulate sampling << MPC.

Radon sampling - no recordable amounts.

PREPARED BY: R. Dan Spitzberg

DATE: 8/4/82

APPROVED BY:

DATE:

RIV Official File Copy