



Exhibit A

Western Division

R. M. DeGabriele, General Manager, Western Operations
R. M. Tuthill, Manager-Uranium
R. W. Riedel, Assistant to the General Manager
E. D. Lindquist, Assistant Manager-Special Projects

300 Country Club Road
P.O. Box 3140
Casper, Wyoming 82602-3140
Phone: 307-234-9133

October 22, 1982

Mr. John Wagner
Wyoming Department of Environmental Quality
Water Quality Division
1111 East Lincolnway
Cheyenne, WY 82002

Dear John;

Re: NPDES Permit No. WY-0030783

Enclosed is the 1982 third quarter surface discharge report. A total of 4,443,007 gallons of water were discharged. All individual assay results were below our maximum allowable discharge limits.

Sincerely,

CLEVELAND-CLIFFS

Donald J. Wodek
Administrator - Health and Safety

DJW:ceg

Enclosure

C: Mr. Roger Williams
U.S. Environmental Protection Agency
1860 Lincoln St., Suite 900
Denver, Colorado 80295

Mr. John Linehan, Section Leader
Uranium Recovery Division
Division of Waste Management
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Source Material License No. SUA-1352
Docket No. 040-08714

DJW/JW1

9609190201 820930
PDR ADOCK 04008714
C PDR

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 158-R-0073

NAME THE CLEVELAND CLIFFS IRON CO.
ADDRESS P. O. BOX 3140
CASPER, WY
82602
FACILITY COLLINS DRAW R AND U IN-SITU
LOCATION _____

(2-16) WY0030783
PERMIT NUMBER
(17-19) 001
DISCHARGE NUMBER

MONITORING PERIOD
FROM YEAR 82 MO 07 DAY 01 TO YEAR 82 MO 09 DAY 30
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	<div></div>	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.050	0.139	MGD	N/A	N/A	N/A	N/A		Daily	Inst
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			1/7	INST
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	N/A	N/A	N/A	1	1	1	MG/L		1/7	Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	20	30			1/7	GRAB
TOTAL ZINC	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	N/A	0.055	MG/L		1/90	Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	.5	1.0			1/90	GRAB
DISS. RADIUM 226	SAMPLE MEASUREMENT	N/A	N/A	N/A	4.9	10.1	15.0	PC/L		1/30	Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	3	10			1/30	GRAB
TOTAL RADIUM 226	SAMPLE MEASUREMENT	N/A	N/A	N/A	—	—	—	PC/L		—	—
	PERMIT REQUIREMENT	N/A	N/A		N/A	10	30			NOT	RQ'D
TOTAL URANIUM	SAMPLE MEASUREMENT	N/A	N/A	N/A	2.09	3.31	3.98	MG/L		1/30	Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	2.0	4.0			1/30	GRAB
COD	SAMPLE MEASUREMENT	N/A	N/A	N/A	—	—	—	MG/L		—	—
	PERMIT REQUIREMENT	N/A	N/A		N/A	100	200			NOT	RQ'D

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC § 1001 AND 33 USC § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

TYPED OR PRINTED

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

IN ADDITION TO THE DAILY MAXIMUM LIMITATION, ANALYSIS OF AN

SINGLE GRAB SAMPLE SHALL NOT EXCEED 150% OF THE DAILY MAXIMUM CONCENTRATION FOR
TSS., DISS. RA. 226, T. RA. 226 AND T. URANIUM.

PERMITTEE NAME/ADDRESS (The name of the facility Name/Location if different)

NAME THE CLEVELAND CLIFFS IRON CO.

ADDRESS P. O. BOX 3140

CASPER, WY

82602

FACILITY COLLINS DRAW R AND U IN-SITU

LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

WYD030783

001

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
82	07	01		82	09	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Form Approved
OMB No. 158-R0073

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
PH	SAMPLE MEASUREMENT	N/A	N/A	N/A	8.43	N/A	8.43	S.U.	1/90	Grab
	PERMIT REQUIREMENT	N/A	N/A		6.0	N/A	9.0		1/90	GRAB
OIL AND GREASE	SAMPLE MEASUREMENT	N/A	N/A	N/A	—	—	—	MG/L	—	—
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	10		CONT	VISL
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Donald J. Wodek

SIGNATURE OF PRINCIPAL EXECUTIVE

OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

TYPED OR PRINTED

307 234-9133 82 10 20

AREA CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SINGLE GRAB SAMPLE SHALL NOT EXCEED 150% OF THE DAILY MAXIMUM CONCENTRATION FOR TSS., DISS. RA. 226, T. RA. 226 AND T. URANIUM.