

MATERIALS LICENSE

Amendment No. 02

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

Licensee 1. RT Environmental Services, Inc. 2. Suite 306, Pureland Complex 510 Heron Drive Bridgeport, New Jersey 08014	In accordance with the letter dated August 9, 1996, 3. License Number 29-30190-01 is amended in its entirety to read as follows: 4. Expiration Date July 31, 2002 5. Docket or Reference No. 030-33736	
6. Byproduct, Source, and/or Special Nuclear Material A. Cesium 137 B. Americium 241	7. Chemical and/or Physical Form A. Sealed sources B. Sealed neutron sources	8. Maximum Amount that Licensee May Possess at Any One Time Under This License A. 100 millicuries B. 500 millicuries

9. Authorized use

- A. and B. For possession and use in Troxler Electronic Laboratories, Inc., Campbell Pacific Nuclear Corp., Humboldt Scientific, Inc., Seaman Nuclear Corporation, or Soiltest, Incorporated devices which have been evaluated and approved for licensing purposes under a license issued by the U.S. Nuclear Regulatory Commission or any Agreement State.

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 510 Heron Drive, Bridgeport, New Jersey and may be used only at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. A. Licensed material shall only be used by, or under the supervision and in the physical presence of, Chad Gaulrapp, or individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed in the licensee's routine and emergency operating procedures and who have been designated in writing by the Radiation Safety Officer.
- B. The Radiation Safety Officer for this license is Chad Gaulrapp.
12. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
13. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.

961007022B 960927
PDR ADOCK 03033736
C PDR

m 210 0/1

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

29-30190-01

Docket or Reference Number

030-33736

Amendment No. 02

14. A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by Troxler Electronic Laboratories, Inc.. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

29-30190-01

Docket or Reference Number

030-33736

Amendment No. 02

15. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
18. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated March 27, 1992
 - B. Letter dated June 15, 1992
 - C. Letter dated December 12, 1994

Date SEP 27 1996

For the U.S. Nuclear Regulatory Commission

Original Signed By:

By

Steven R. Courtemanche

Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

SEP 27 1996

Mr. Chad Gaulrapp
Radiation Safety Officer
RT Environmental Services, Inc.
Suite 306, Pureland Complex
510 Heron Drive
Bridgeport, NJ 08014

Dear Mr. Gaulrapp:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Please note that all future requests to amend your license should be signed by an officer of the company rather than an administrative assistant to ensure proper review of the commitments made in the amendment request.

Thank you for your cooperation.

Sincerely,

Original Signed By

Steven R. Courtemanche
Division of Nuclear Materials Safety

License No. 29-30190-01
Docket No. 030-33736
Control No. 123555


Enclosure:
Amendment No. 02

DOCUMENT NAME: R:\WPS\MLTR\L2930190.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	SCourtemanche/src						
DATE	09/27/96		09/ /96		09/ /96		09/ /96

OFFICIAL RECORD COPY **ML 10**

TELEPHONE CONVERSATION RECORD	Date: September 27, 1996	Time: 10:30
Mail Control No.: 123555	License No.: 29-30190-01	Docket No.: 030-33736
Person Called: Michelle Perna, Administrative Asst.	Licensee: RT Environ. Services, Inc.	Telephone No.: (609) 467-2276
Person Calling: Steven Courtemanche / (610) 337-5075		
Subject: Change of RSO		
<p>Summary: Ms. Perna stated that Mr. Chad Gaulrapp had attended the gauge user course as stated in their letter but had attended the RSO course in Harrisburg, PA last week instead of the stated course in the letter. The licensee currently does not have any other authorized users besides Mr. Gaulrapp. Ms. Perna further stated that she is not an officer of the company and does not have signature authority for the company. I informed her that, in the future, amendment requests should be by an officer of the company. Mr. Gaulrapp is also to be made the contact person for the license.</p>		
<p>Action Required/Taken: Document call for above licensing action.</p>		
Signature: 		Date: 9/27/96

RT Environmental Services, Inc.

August 9, 1996

United States Nuclear Regulatory Commission
ATTN: Mr. John McGraff
Nuclear Materials Safety Branch
Region I
475 Allendale Road
King of Prussia, Pennsylvania 19406-1415

RE: LICENSE NUMBER: ~~27-28753-04~~ 29-30180-01 new
DOCKET NUMBER: 030-33736
CONTROL NUMBER: 13094

Dear Mr. McGraff:

As per our telephone conversation of today, RT Environmental Services, Inc., (RT) in accordance with Condition 3a of RT's License noted above, would like to notify the Nuclear Regulatory Commission that Melvin Miguel Hebert will no longer be our Radiation Safety Officer.


The new Radiation Safety officer will be Mr. Chad Gaulrapp. Mr. Gaulrapp will be attending the Nuclear Gauge Safety Training class in Lansing, Michigan on August 27. Upon completion of this training, he will then attend the Radiation Safety Officer training on September 11, 1996 in Jacksonville, Florida.

Could you please forward any and all proper paperwork to assign Mr. Gaulrapp as our new Radiation Safety Officer.

If you should have any questions, please do not hesitate to call me at (609)467-2276.

Sincerely,

RT ENVIRONMENTAL SERVICES, INC.



Michelle D. Perna
Administrative Assistant

MDP:mp

cc: G. Brown, RT Environmental
T. Brady, RT Environmental
C. Gaulrapp, RT Environmental
NRC Central File



Suite 306, Pureland Complex ■ 510 Heron Drive, P.O. Box 521 ■ Bridgeport, NJ 08014
(609) 467-2276 ■ Fax: (609) 467-3476

123555

OFFICIAL RECORD COPY

ML 10

AUG 12 1996



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

JAN - 9 1995

License No. 29-30190-01
Docket No. 030-33735
Control No. 130914

R. Curt Wicker
Radiation Safety Officer
RT Environmental Services, Inc.
P.O. Box 521
Bridgeport, New Jersey 08014

Dear Mr. Wicker:

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I office, the Licensing Assistance Section, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Until your license is terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Not possess and use materials authorized in Items 6, 7, and 8, on the license until:
 - a. you have constructed the facilities and obtained the equipment described in the license application and supporting documentation; and
 - b. you have notified the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406 in writing, that activities authorized by the license will be initiated.

3. Notify NRC, in writing, within 30 days:
 - a. when an authorized user or Radiation Safety Officer, permanently discontinues performance of duties under the license or has a name change; or
 - b. when the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
4. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
 - a. when you decide to terminate all activities involving materials authorized under the license; or
 - b. if you decide not to complete the facility, acquire equipment, or possess and use authorized material.
5. Request and obtain a license amendment before you:
 - a. permit anyone to work as an authorized user under the license;
 - b. change Radiation Safety Officers;
 - c. order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - d. add or change the areas of use, or address or addresses of use identified in the license application or on the license; or
 - e. change ownership of your organization.
6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by the NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C.

R. Curt Wicker
R. I. Environmental Services, Inc.

-3-

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Thank you for your cooperation.

Sincerely,

Duncan White for

Walter J. Pasciak, Chief
Industrial Applications Section
Division of Radiation Safety
and Safeguards

Enclosures:

1. License No. 29-30190-01
2. 10 CFR Parts 2, 19, 20, 30, 71, and 170
3. NRC Forms 3 and 313
4. Requirements for Materials Licensees
5. Policy and Guidance Directive PG2-07 dated September 1994

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001RT ENVIRONMENTAL SERVICES, INC.
ATTN: MICHELLE D. PERNA
ADMINISTRATIVE ASSISTANT
PURELAND COMPLEX, SUITE 306
510 HERON DRIVE
P.O. BOX 521
BRIDGEPORT, NJ 08014

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

8-9-96

LICENSE NUMBER

29-30190-01

CONTROL NUMBER

123555

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3P	\$	\$	\$ 300.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	300.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	300.00

☒ Your request was received without the prescribed application fee.

☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

- ☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:
- ☐ We received your Check No. _____ in payment of the fee.
- ☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.
- ☐ Your request was combined, prior to review, with your request, Control No. _____.

III. CHECK RETURNED

- ☐ Enclosed is Check No. _____ which was returned to us by the bank for:
- ☐ INSUFFICIENT FUNDS
- ☐ ACCOUNT CLOSED
- ☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

- ☐ License No. _____, Amendment No. _____, issued on _____, was issued without the required fee being collected. The fee required is noted in Section I of this form.
- ☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.

SIGNATURE - LICENSE FEE ANALYST

BRENDA BROWN

LFDCB

BB BB

8/19/96

LFDCB

Distribution:

MAF Correspondence FY

LFDCB Chief

Invoice File w/encl

Answer File

LFDCB Analyst

LFDCB R/F

DAF R/F

DATE

8-19-96

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

```

: PROGRAM CODE: 03121
: STATUS CODE: 0
: FEE CATEGORY: 3P
: EXP. DATE: 20020731
: FEE COMMENTS: -----
: DECOM FIN ASSUR REQD: N
:
: .....
```

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED
APPLICANT/LICENSEE: RT ENVIRONMENTAL SERVICES, INC.
RECEIVED DATE: 960812
DOCKET NO: 3033736
CONTROL NO.: 123555
LICENSE NO.: 29-30190-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED
AMOUNT: _____
CHECK NO.: _____

3. COMMENTS

SIGNED
DATE

Rachel Iron
8/13/96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED 1/1)

1. FEE CATEGORY AND AMOUNT: 3P \$300

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT -----
RENEWAL -----
LICENSE -----

3. OTHER

SIGNED
DATE

001 002 003 004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 040 041 042 043 044 045 046 047 048 049 050 051 052 053 054 055 056 057 058 059 060 061 062 063 064 065 066 067 068 069 070 071 072 073 074 075 076 077 078 079 080 081 082 083 084 085 086 087 088 089 090 091 092 093 094 095 096 097 098 099 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 101

Log Aug 11
Remitter
Check No. 0014043 (Dep St. Louis)
Amount \$300
Fee Category SP
Type of Fee AMS
Check Field 9/14/96
BA

1976 AUG 19 8:38