

MATERIALS LICENSE

Amendment No. 02

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

Licensee		In accordance with the letter dated August 19, 1996, 3. License Number 37-30192-01MD is amended in its entirety to read as follows:	
1. Geodax Technology dba Keystone Nuclear Pharmacy			
2. 16269 Conneaut Lake Road, Suite 105 Meadville, Pennsylvania 16335		4. Expiration Date April 30, 2005	
		5. Docket or Reference No. 030-33740	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Any byproduct material with atomic numbers 1 through 83, except molybdenum 99, technetium 99m, iodine 131 and xenon 133	A. Any, except sealed sources	A. Not to exceed 100 millicuries per radionuclide and 1 curie total	
B. Molybdenum 99	B. Any, except sealed sources	B. 30 curies	
C. Technetium 99m	C. Any, except sealed sources	C. 30 curies	
D. Iodine 131	D. Any, except sealed sources	D. 900 millicuries	
E. Xenon 133	E. Any, except sealed sources	E. 400 millicuries	
F. Any byproduct material authorized under 10 CFR 35.57(a)	F. Sealed sources	F. 12 millicuries	
G. Depleted Uranium	G. Metal	G. 101 kilograms	
9. Authorized use			
A. through E. Preparation and distribution of radioactive drugs and production of technetium 99m pertechnetate for distribution to authorized recipients in accordance with 10 CFR 32.72.			
F. Calibration and checking of the licensee's instruments. Distribution of sealed sources to authorized recipients in accordance with 10 CFR 32.74.			
G. Shielding for molybdenum 99/technetium 99m generators.			

CONDITIONS

10. Licensed material may be used only at the licensee's facilities located at 16269 Conneaut Lake Road, Suite 105, Meadville, Pennsylvania.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number 37-30192-01MD

Docket or Reference Number 030-33740

Amendment No. 02

11. Licensed material listed in Item 6 above is authorized for use by, or under the supervision of the following individuals for the materials and uses indicated:
 - A. In accordance with 10 CFR 32.72(b)(2)(i) or (4), pharmacists working as authorized nuclear pharmacists.
 - B. Authorized Nuclear Pharmacists, Ray D. Courtney, B.S., R.Ph., David L. Gilliland, Ph.D., R.Ph., Ray Holland, B.S., R.Ph., Bruce Lewandowski, Pharm.D., R.Ph., and Jeffrey T. Gillespie, R.Ph.
 - C. At least one individual authorized by Paragraph A or B of this Condition shall be physically present at the authorized place of use whenever licensed material is being used.
12. The Radiation Safety Officer for this license is Ray D. Courtney, B.S., R.Ph.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d), 40.36(b), and 70.25(d) for establishing financial assurance for decommissioning.
14. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
15. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.
16. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
17.
 - A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
 - B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
 - C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
 - D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

37-30192-01MD

Docket or Reference Number

030-33740

Amendment No. 02

- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by the licensee. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
18. Reagent kits may be redistributed to persons licensed pursuant to 10 CFR 35.200 or under equivalent licenses of Agreement States.
19. The licensee is authorized to hold radioactive material with a physical half-life of less than 65 days for decay-in-storage before disposal in ordinary trash, provided:
- A. Waste to be disposed of in this manner shall be held for decay a minimum of ten half-lives.
 - B. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

37-30192-01MD

Docket or Reference Number

030-33740

Amendment No. 02

- C. A record of each such disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
20. Radioactive waste may be picked up from the licensee's customers and disposed of in accordance with the statements, representations and procedures in the application dated March 13, 1995.
21. Notwithstanding the requirements of 10 CFR 20.1904(b), the licensee is authorized to remove or dispose of empty uncontaminated containers (syringes and vials) to unrestricted areas without removing or defacing the radioactive material labels or otherwise indicating that the container no longer contains radioactive materials provided the waste containers are deposited in waste barrels that will be incinerated and are delivered directly from the licensee's facility to the incinerator without being opened at any point, and for any reason, prior to incineration.
22. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated March 13, 1995
 - B. Letter dated March 28, 1995
 - C. Letter dated April 14, 1995
 - D. Letter dated April 18, 1995
 - E. Letter dated December 8, 1995
 - F. Letter dated August 19, 1996

For the U.S. Nuclear Regulatory Commission

Original Signed By:

John D. Kinneman

By

Nuclear Materials Safety Branch
Region I

King of Prussia, Pennsylvania 19406

Date

SEP 23 1996

SEP 23 1996

Ray D. Courtney, R.Ph.
Manager/RSO
Geodax Technology
dba Keystone Nuclear Pharmacy
16269 Conneaut Lake Road, Suite 105
Meadville, PA 16335

Dear Mr. Courtney:

This refers to your license amendment request. Enclosed with this letter is the amended license. Please note that as part of this amendment, in accordance with 10 CFR 30.36, effective February 15, 1996, the expiration date of your license has been extended by a period of five years. The new expiration date is stated in Item 4 of the license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers. The original certificate of Mr. Jeffrey T. Gillespie is also enclosed with this letter. Original certificates and diplomas need not be submitted for review unless you are specifically requested to do so.

Thank you for your cooperation.

Sincerely,

ORIGINAL SIGNED BY:

John D. Kinneman, Chief
Nuclear Materials Safety Branch 2
Division of Nuclear Materials Safety

License No. 37-30192-01MD
Docket No. 030-33740
Control No. 123582


Enclosures:
Amendment No. 02
Original Certificate

DOCUMENT NAME: R:\WPS\MLTR\L3730192.01D

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N			
NAME	SLodhi		Kinneman				
DATE	08/28/96		08/29/96		08/ /96	08/ /96	

OFFICIAL RECORD COPY **ML 10**



KEYSTONE NUCLEAR PHARMACY

16269 Conneaut Lake Rd.
Suite 105
Meadville, PA 16335
(814) 337-8823
FAX (814) 337-0867

August 19, 1996

NRC Region I
Regional Administrator
King of Prussia, Pa

030-33740

re: NRC Materials License : 37-30192-01MD

Dear Sirs/Madam,

As RSO and Manager of Keystone Nuclear Pharmacy I wish to amend License # 37-30192-01MD, Keystone Nuclear Pharmacy, to include as an authorized nuclear pharmacist, Jeffrey T. Gillespie, R.Ph. His Purdue University certification as well as his experience is enclosed. I also wish to inform you of an address change; due to the implementation of the 911 emergency system this location has been given a new address. As of September 1, 1996 the new address of Keystone Nuclear Pharmacy will be 16269 Conneaut Lake Rd., Suite 105, Meadville, Pa 16335. The physical location will remain the same but the mailing location will be new.

Sincerely,

Ray D. Courtney, RPh

Ray D. Courtney, RPh
Mgr, RSO, Keystone Nuclear Pharmacy

123582

OFFICIAL RECORD COPY

ML 10

AUG 20 1996

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (MNB 7714), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2800
ATLANTA, GA 30323-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD
LISLE, IL 60532-4351

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW
MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
811 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S.
TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

RADIOACTIVE MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION V
1450 MARIA LANE
WALNUT CREEK, CA 94596-5366

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A. NEW LICENSE
☒ B. AMENDMENT TO LICENSE NUMBER 37-32192-01 md
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

Geudex Technology, Inc. d.b.a.
Keystone Nuclear Pharmacy
16269 Conneaut Lake Rd Suite 105
Mendville, Pa 16835

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

See above

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Ray D Courtney

TELEPHONE NUMBER
(814) 337-8823

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time	6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE	8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS
9. FACILITIES AND EQUIPMENT	10. RADIATION SAFETY PROGRAM
11. WASTE MANAGEMENT	12. LICENSEE FEES (See 10 CFR 170 and Section 170.31) FEE CATEGORY AMOUNT ENCLOSED \$
13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT. THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 38 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF. WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 (18 STAT 749) MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.	

CERTIFYING OFFICER - TYPE OR PRINTED NAME AND TITLE

Ray D Courtney, RPH RSC/manager

SIGNATURE

Ray D Courtney RPH

DATE

8-19-96

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		

APPROVED BY

DATE

OFFICIAL RECORD COPY

ML 10

123582

AUG 20 1996

COMMONWEALTH of PENNSYLVANIA
DEPARTMENT of STATE
BUREAU OF PROFESSIONAL AND OCCUPATIONAL AFFAIRS
P.O. BOX 265, HARRISBURG, PA 17105-2645

PHARMACEUTIST

CERTIFICATE NUMBER

RP-035950-L

CERTIFICATION DATE

AUG 14 1988

CLASSIFICATION

ISSUED

SEP 21 1994

EXPIRES

SEP 30 1996

ISSUED TO

JEFFREY THOMAS GILLESPIE
R D 1 BOX 586 4TH ST
CONNEAUT LAKE PA 16316

Jeffrey T. Gillespie
SIGNATURE

Carol J. Kelly

COMMISSIONER OF PROFESSIONAL AND OCCUPATIONAL AFFAIRS

COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF STATE

BUREAU OF PROFESSIONAL AND OCCUPATIONAL AFFAIRS

P.O. BOX 266, HARRISBURG, PA 17105-2649

PHARMACEUTIST

CERTIFICATE NUMBER

RP-035950-L

CERTIFICATION DATE

AUG 12 1988

CLASSIFICATION

ISSUED

SEP 21 1994

EXPIRES

SEP 30 1996

ISSUED TO

Jeffrey T. Gillespie
SIGNATURE

JEFFREY THOMAS GILLESPIE
R D 1 BOX 586 4TH ST
CONNEAUT LAKE PA 16316

Carol J. Smith
COMMISSIONER OF PROFESSIONAL AND OCCUPATIONAL AFFAIRS

EXPERIENCE WITH RADIATION
 (Actual use of Radionuclides Under Supervision of a Qualified
 Instructor)
Jeff Gillespie

RADIONUCLIDE	MAXIMUM AMOUNT used at one time	WHERE EXPERIENCE WAS GAINED	DURATION OF EXPERIENCE (actual clock hours)	TYPE OF USE (see key)
Mo-99	16600	KEYNP	1500	1,2,6
Tc-99m	15000	"	2100	1,2,3,4,5,6
I-131	300	"	50	1,2,3,4,5
Xe-133	100	"	100	1,3,4,5
I-123	2	"	40	1,3,4,5
Sr-89	8	"	10	1,3,4,5
Ba-133	0.3	KEYNP	68	2
Ga-67	20	"	130	1,3,4,5
Tl-201	125	"	2100	1,3,4,5
Co-57	6	"	68	2
Cs-137	0.3	"	68	2
In-111	10	"	55	1,2,3,4,5

The numbers entered under "Type of Use" correspond to experience in the following activities:

1. Ordering, receiving, and unpacking radioactive materials safely, including performance of related radiation surveys.
2. Calibration of dose calibrators, scintillation detectors, and survey meters.
3. Calculation, dispensing, and calibration of patient doses, including proper use of radiation shields.
4. Following appropriate internal control procedures to prevent mislabeling errors.
5. Learning emergency procedures to handle and contain spilled materials safely, including related procedures for decontamination, surveys, and wipe tests.
6. Elution of technetium-99m generator systems, assay of the eluate for technetium-99m and for molybdenum-99 contamination, and processing the eluate with reagent kits to prepare technetium-99m labeled radiopharmaceuticals.

TRAINING RECEIVED IN BASIC RADIOISOTOPE HANDLING TECHNIQUES

Jeff Gillespie

LOCATION	DATE	COURSE TITLE	COURSE BREAKDOWN IN CLOCK HOURS				
			A	B	C	D	E
Purdue Univ.	2/96-7/96	Video Workbook	52	30	12	20	22
Purdue Univ.	4/96-5/96	On-site Training	35	21	11	0	14
		TOTAL	87	51	23	20	36

- A. Radiation Physics and Instrumentations
- B. Radiation Protection
- C. Math Pertaining to Radioactivity
- D. Radiation Biology
- E. Radiopharmaceutical Chemistry

PURDUE UNIVERSITY

WEST LAFAYETTE, INDIANA

SCHOOL OF PHARMACY AND PHARMACAL SCIENCES

Department of Medicinal Chemistry and Pharmacognosy

Division of Nuclear Pharmacy



This certificate is awarded to

Jeffrey T. Gillespie

as evidence of completion of the

NUCLEAR PHARMACY CERTIFICATE PROGRAM

August 1996

Robert K. Chalmers

Dean, School of Pharmacy
and Pharmacal Sciences

Stanley M. Shaw

Nuclear Pharmacy Program
Director

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 02500
STATUS CODE: 0
FEE CATEGORY: 3C 2B
EXP. DATE: 20050430
FEE COMMENTS: _____
DECOM FIN ASSUR REQD: N
.....

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: GEODAX TECHNOLOGY
RECEIVED DATE: 960820
DOCKET NO: 3033740
CONTROL NO.: 123582
LICENSE NO.: 37-30192-01MD
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: \$520.00
CHECK NO.: 14853

3. COMMENTS

SIGNED
DATE

M. A. Perkins
8/26/96

4. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED / __ /)

5. FEE CATEGORY AND AMOUNT: 3C 2B \$520

6. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT ☒
RENEWAL _____
LICENSE _____

7. OTHER _____

SIGNED
DATE

AC
9/3/96

1996 AUG 29 PM 4:14

Log	<u>Aug 14 I</u>
Remitter	_____
Check No.	<u>14853</u>
Amount	<u>\$520</u>
Fee Category	<u>3C 2B</u>
Type of Fee	<u>Amo</u>
Date Check Rec'd	<u>Aug 29, 1996</u>
Date Completed	<u>Sept. 3, 1996</u>
By:	<u>AC</u>

BETWEEN:

```
: PROGRAM CODE: 02500  
: STATUS CODE: 0  
: FEE CATEGORY: 3C 2B  
: EXP. DATE: 20050430  
: FEE COMMENTS:  
: DECOM FIN ASSUR REQD: N
```

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: GEODAX TECHNOLOGY
RECEIVED DATE: 960820
DOCKET NO: 3033740
CONTROL NO.: 123582
LICENSE NO.: 37-30192-01 MD
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: \$520.00
CHECK NO.: 074853

3. COMMENTS

SIGNED
DATE

M. A. Perkins
8/26/94

8. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED /_/)

1. FEE CATEGORY AND AMOUNT: (3C) 2B \$520

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT ☒
RENEWAL ☐
LICENSE ☐

3. OTHER

SIGNED
DATE

AC 9/3/96

Log Aug 14 I
Remitter _____
Check No. 14853
Amount \$520
Fee Category BC 2B
Type of Fee AMD
Date Check Rec'd Aug 29, 1996
Date Completed Sept 3, 1996
By: SC