

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

53-29063-01


Docket or Reference Number

030-33126

Amendment No. 2

Pacific Rim Consulting
and Inspection Corporation
3375 Koapaka Street, Suite H-465
Honolulu, HI 96819

In accordance with NRC Form 314 dated August 26, 1996, License No. 53-29063-01 is hereby terminated.



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date SEP 10 1996

080017

By

Beth A. Plange

Materials Branch
Region IV, WCFO
Walnut Creek, California 94596

of 1
ML40

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

Program Code: 03121

Status Code: 0

Fee Category: 3P

Exp. Date: 20030430

Fee Comments:

Decom Fin Assur Reqd: N

96 SEP 13 PM 1:20

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
Applicant/Licensee: PACIFIC RIM CONSULTING AND
Received Date: 960909
Docket No: 3033126
Control No.: 572404
License No.: 53-29063-01
Action Type: Termination

2. FEE ATTACHED

Amount:

Check No.: none

3. COMMENTS

Signed
Date

- B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / 1)
1. Fee Category and Amount: 3P

2. Correct Fee Paid. Application may be processed for:

Amendment
Renewal
License

3. OTHER

Signed
Date

RECEIVED BY LFMS

Date

Log

By

Date Completed



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV

Walnut Creek Field Office
1450 Maria Lane
Walnut Creek, California 94596-5368

SEP 10 1996

Pacific Rim Consulting and
Inspection Corporation
ATTN: Kenneth A. Benish
President
P.O. Box 5478
Pago Pago, American Samoa 96799

SUBJECT: LICENSE TERMINATION

Enclosed is the termination amendment for License No. 53-29063-01.

Also enclosed is a copy of the Order Suspending License (due to non-payment of fees) dated July 5, 1996.

Upon receipt of the signed Order, referenced above, attempts were made to reach you regarding the status of the licensed program. When we located your former Radiation Safety Officer, he returned the last remaining licensed material to the manufacturer and completed the enclosed NRC Form 314 on your behalf. Both Humboldt Scientific Inc. and Troxler Electronics Laboratories, Inc. provided records of receipt and leak testing analyses for gauges which had been in your possession under License 53-29063-01. This information allowed us to terminate the license. As the license has been terminated, you are no longer authorized to possess or use portable gauges containing licensed material.

If you have questions concerning these matters, I can be reached at (510) 975-0219.

Sincerely,

Frank A. Wenslawski, Chief
Materials Branch

Enclosures: As Stated

Docket: 030-33126
License: 53-29063-01
Control: 572404

cc w/o enclosures: David J. Scott

Pacific Rim Consulting and
Inspection Corporation

-2-

bcc:

D.B. Spitzberg

Docket File

WCFO Inspection File

LFDCB, T-9 E10

State of HI (License Only)

DOCUMENT NAME: G:\beth\PRCIC

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

MB	N	MB						
BPrange <i>BAP</i>		FWenslawski						
09/10/96		09/ /96	09/ /96	09/ /96	09/ /96	09/ /96	09/ /96	

OFFICIAL RECORD COPY

NRC FORM 314

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0028

EXPIRES: 05/31/95

6-89
10 CFR 30.39(a)(1)(iv)
10 CFR 40.42(a)(1)(iv)
10 CFR 70.39(a)(1)(iv)

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 30 MINUTES. THIS MANDATORY SUBMITTAL IS USED BY NRC AS PART OF THE BASIS FOR ITS DETERMINATION THAT THE FACILITY HAS BEEN CLEARED OF RADIOACTIVE MATERIAL BEFORE THE FACILITY IS RELEASED FOR UNRESTRICTED USE. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (RMB) 7716, U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20545-0001, AND TO THE PAPERWORK REDUCTION PROJECT (PRP) 0028, OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

CERTIFICATE OF DISPOSITION OF MATERIALS

INSTRUCTIONS: ALL ITEMS MUST BE COMPLETED -- PRINT OR TYPE
SEND THE COMPLETED CERTIFICATE TO THE NRC OFFICE SPECIFIED ON THE REVERSE

LICENSEE NAME AND ADDRESS

PACIFIC RIM CONSULTING & INSPECTION CORP
3375 KOWAKA ST
SUITE H-465
HONOLULU HI 96819

LICENSE NUMBER

53-29063-01

LICENSE EXPIRATION DATE

APRIL 30, 1998

A. MATERIALS DATA (Check one and complete as necessary)

THE LICENSEE OR ANY INDIVIDUAL EXECUTING THIS CERTIFICATE ON BEHALF OF THE LICENSEE CERTIFIES THAT:
(Check one and/or complete the appropriate item(s) below.)

- ☐ 1. NO MATERIALS HAVE EVER BEEN PROCURED OR POSSESSED BY THE LICENSEE UNDER THIS LICENSE.
- ☒ 2. ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSEE UNDER THE LICENSE NUMBER CITED ABOVE HAVE BEEN DISPOSED OF IN THE FOLLOWING MANNER. (If additional space is needed, use the reverse side or provide attachments.)

Describe specific material transfer actions and, if there were radioactive wastes generated in terminating this license, the disposal actions including the disposition of low-level radioactive waste, mixed waste, Greater-than-Class-C waste, and sealed sources, if applicable.

For transfers, specify the date of the transfer, the name of the licensed recipient, and the recipient's NRC license number or Agreement State name and license number.

If materials were disposed of directly by the licensee rather than transferred to another licensee, licensed disposal site or waste contractor, describe the specific disposal procedures (e.g., decay in storage).

1- GAUGE WAS RETURNED TO TROXLER ELECTRONICS
2 GAUGES WERE RETURNED TO HUMBOLDT MANUFACTURING

B. OTHER DATA

- ☒ 1. OUR LICENSE HAS NOT YET EXPIRED; PLEASE TERMINATE IT.
2. A RADIATION SURVEY WAS CONDUCTED BY THE LICENSEE TO CONFIRM THE ABSENCE OF LICENSED RADIOACTIVE MATERIALS AND TO DETERMINE WHETHER ANY CONTAMINATION REMAINS ON THE PREMISES COVERED BY THE LICENSE. (Check one)

☐ NO (Attach explanation)

☒ YES, THE RESULTS (Check one)

☐ ARE ATTACHED, or

☐ WERE FORWARDED TO NRC ON (Date)

3. THE PERSON TO BE CONTACTED REGARDING THE INFORMATION PROVIDED ON THIS FORM

NAME

DAVID J. SCOTT

TELEPHONE NUMBER
(Include Area Code)

(808) 261-1788

4. MAIL ALL FUTURE CORRESPONDENCE REGARDING THIS LICENSE TO

PACIFIC RIM OF AMERICAN JAMAICA LTD
PO BOX 5478
PAGO PAGO AMERICAN JAMAICA 96799

CERTIFYING OFFICIAL


I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

SIGNATURE

DATE

DAVID J. SCOTT



8/6/96

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECTS. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

Post-It® Fax Note 7671		Date	9/9	# of pages	1
To	BETH PRANGE		From	DAVID J. SCOTT	
Co./Dept	NRC		Co.	HB&P	
Phone	(510) 975-0381		Phone	(808) 261-1788	
Fax #	(510) 975-0381		Fax	(808) 261-1789	

572404

HUMBOLDT SCIENTIFIC INC.
551-D PYLON DRIVE
RALEIGH, NC 27606

FAX: (919) 833-5283
TEL: (919) 832-6509

FACSIMILE TRANSMISSION DATE: 02 SEP. 1996

PAGE 1 OF 1

TO: USNRC
MATERIAL RADIATION PROTECTION SECTION
1450 MARIA LANE, SUITE 210
WALNUT CREEK, CA 94596

FROM: R. L. BERRY

REF: PACIFIC RIM CONS & TST

ATTN: BETH PRONGE

WE RECEIVED A HUMBOLDT SCIENTIFIC, INC MODEL 5001 SERIAL 1377 ON 02 MAY, 1996 AND ANOTHER, SERIAL 1378 ON 23 AUGUST, 1996 FROM PACIFIC RIM CONSULTING AND INSPECTION CORPORATION IN HONOLULU, HI. THEIR NRC LICENSE IS/WAS 53-29063-01.

THE DEVICES WERE SHIPPED BY FEDERAL EXPRESS BY DAVID J. SCOTT AND WERE PACKED AND LABELED IN CONFORMANCE WITH USDOT REGULATIONS.

THE LATTER RECEIPT COMPLETES THE RETURN OF ALL DEVICES CONTAINING BYPRODUCT MATERIAL SUPPLIED TO THEM BY HUMBOLDT SCIENTIFIC, INC. IN MAY, 1993.

THIS SHOULD ALLOW YOU TO CLOSE YOUR FILE ON THEM AND WE ARE JUST AS HAPPY TO RECEIVE THIS MATERIAL AS I WAS CONCERNED AS TO ITS SAFE STORAGE.

REGARDS,
HUMBOLDT SCIENTIFIC, INC.

R. L. Berry
R. L. BERRY, JR.
RADIATION SAFETY OFFICER

HUMBOLDT SCIENTIFIC INC.

551-D PYLON DRIVE
RALEIGH, NC 27606

FAX: (919) 833-5283

TEL: (919) 832-6509

FACSIMILE TRANSMISSION DATE: 9-4-96PAGE 1 OF 1TO: USARCFROM: R.L. BERRYWILLOW CREEK, CAREF: 53-29063-01ATTN: BETH PRONGE

LEAK TEST CERTIFICATE

Wipe Date 5/2/96

DESCRIPTION OF DEVICE/SOURCE

Model 5001 Ser 1377

SOURCE 1 SOURCE 2

Material CS-137 Am:KcSource Ser 6787GH H501327

RSO Name _____

Telephone () - _____

Do Not Write In This Space
For HSI Use Only

REMOVABLE ACTIVITY

Bet/Gam Alpha

0 uCi 0 uCi

Humboldt Scientific

By A. BerryDate 5-2-96

Instructions

- 1 Use wipe procedures as described in the device manual.
- 2 Enter all information under description.
- 3 Print or type return address in the space provided.
- 4 Wipe source(s) and put filter paper in the plastic bag.
- 5 Keep the middle copy and mail this form and bag to Humboldt.
- 6 Regulations require that sources with removable activity greater than 0.005 uCi be removed from service for repair and decontamination or disposal. Authorities must be notified.

5200174

Return

Address

Label

Please

Type or

Print

Clearly

GAVE RECEIVED FROM
PACIFIC RIM FOR DISPOSAL

HUMBOLDT SCIENTIFIC INC. 551D Pylon Drive, Raleigh, NC 27606, (919) 832-6509

LEAK TEST CERTIFICATE

Wipe Date 8/24/96

DESCRIPTION OF DEVICE/SOURCE

Model 5001 Ser 1378

SOURCE 1 SOURCE 2

Material CS-137 Am:KcSource Ser 6792GH H501329

RSO Name _____

Telephone () - _____

Do Not Write In This Space
For HSI Use Only

REMOVABLE ACTIVITY

Bet/Gam Alpha

0 uCi 0 uCi

Humboldt Scientific

By A. BerryDate 8/24/96

Instructions

- 1 Use wipe procedures as described in the device manual.
- 2 Enter all information under description.
- 3 Print or type return address in the space provided.
- 4 Wipe source(s) and put filter paper in the plastic bag.
- 5 Keep the middle copy and mail this form and bag to Humboldt.
- 6 Regulations require that sources with removable activity greater than 0.005 uCi be removed from service for repair and decontamination or disposal. Authorities must be notified.

5200174

Return

Address

Label

Please

Type or

Print

Clearly

GAVE RECEIVED FROM
PACIFIC RIM COS.
FOR DISPOSAL

HUMBOLDT SCIENTIFIC INC. 551D Pylon Drive, Raleigh, NC 27606, (919) 832-6509



TROXLER ELECTRONIC LABORATORIES, INC.-TROXLER INTERNATIONAL, LTD.
3008 Cornwallis Road, P.O. Box 12057, Research Triangle Park, NC 27709 - U.S.A.
Telephone: 919-549-8661 Fax: 919-549-0761

TO: Beth Prange

REF: _____

TOTAL
PAGES: 1

ATTN: _____

DATE: 8-29-96FROM: MarvaFAX#: 510-975-0381

3008 Cornwallis Rd. P.O. Box 12057 Research Triangle Park,
North Carolina 27709, U.S.A.

Device - Model # 3440 Serial # 20793
Source(s) - Serial # 752193 Serial # 4716288
Date of Test: 7-25-96 RO 50506

Please print legibly and firmly. This is your return address label.

Your Name: _____

Telephone: () _____

TROXLER COPY

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alpha contamination, and, that the results of this analysis shows the removable activity to be less than 0.005 microcuries.

M. Williams
7-25-96

TROXLER

814 X 070
96 AUG 22 PM 11:53


August 19, 1996

Ms. Beth Prange
NRC
1450 Maria Lane, Suite 210
Walnut Creek, CA 94596

Dear Ms. Prange:

This is confirm that we are in possession of one Troxler Model 3440 portable moisture-density gauge (serial no. 20793) formerly in the possession of Pacific Rim Consulting and Inspection Corporation of Honolulu, Hawaii. This gauge was received by Troxler on July 22, 1996 and is the only Troxler gauge the licensee possessed. Please feel free to contact me if you have any further questions.

Sincerely,



Stephen A. Browne
Corporate Radiation Safety Officer

cc: Chris Morie

Troxler Electronic Laboratories, Inc. • Troxler International, Ltd.

3008 Cornwallis Road, P.O. Box 12057, Research Triangle Park, North Carolina 27709, U.S.A.
Telephone 919/549-8661 • FAX 919/549-0761

UNITED STATES
NUCLEAR REGULATORY COMMISSION

In the Matter of

Pacific Rim Consulting and
Inspection Corporation
3375 Koapaka Street Suite #345
Honolulu, Hawaii 96819

)
)
)
)
)
)

Docket No. 030-33126
License No. 53-29063-01

ORDER SUSPENDING LICENSE
(EFFECTIVE IMMEDIATELY)

I

Pacific Rim Consulting and Inspection Corporation (Licensee) is the holder of Materials License No. 53-29063-01, issued by the Nuclear Regulatory Commission (NRC or Commission) pursuant to the Atomic Energy Act of 1954, as amended, that authorizes the activities stated therein. The license has an expiration date of April 30, 1998.

II

Pursuant to 10 CFR 171.16, the Licensee is required to pay an annual fee for this license. In accordance with 10 CFR Part 15, the Licensee was sent an original invoice, a second notice, and a final notice requesting payment. The final notice of payment due specifically informed the Licensee that, "non-payment of your fee may result in the revocation of your license in accordance with the enforcement provisions of the Commission's regulations," namely, 10 CFR 171.23. To date, the annual fee(s) listed below have not been paid as required by 10 CFR Part 171.

<u>Invoice Date</u>	<u>Delinquent Invoices</u> <u>Invoice Number</u>	<u>Amount Billed</u>	<u>Comment</u>
1. 8/20/94	AM06592-94	\$2,470.00	FY 1994 Annual Invoice (PAID \$170.87)
2. 7/22/95	AM06342-95	\$1,700.00	FY 995 Annual Invoice (PAID \$465.40)

III

Based on the above, I have concluded that the Licensee has willfully violated NRC requirements. In addition, prior notice of the violation and an opportunity to achieve compliance was provided. Therefore, pursuant to 10 CFR 2.202, I find that the violation requires that this Order be immediately effective. In view of the foregoing and pursuant to Sections 81, 161b, 161c, 161i, 161o, 182, and 186 of the Atomic Energy Act of 1954, as amended, and the Commission's regulations in 10 CFR 2.202, 170.41, 171.23, and 10 CFR Part 30, IT IS HEREBY ORDERED, EFFECTIVE IMMEDIATELY, THAT:

- A. License No. 53-29063-01 is suspended with respect to receipt and use of licensed nuclear materials; the license remains in effect with respect to the possession, transfer, and storage of licensed nuclear material remaining in the Licensee's possession, as contamination or in other forms, until the Commission notifies the Licensee in writing that the License is terminated;
- B. Until notified by the Commission in writing that the License is terminated, the Licensee shall:
 - 1. restrict activity involving licensed nuclear material to decommissioning and safe, secure storage or transfer of material; and
 - 2. continue to control entry into restricted areas until the Licensee has determined and NRC has confirmed that such areas are suitable for release for unrestricted use;

- C. The Licensee shall dispose of any licensed nuclear material, acquired or possessed under the authority of License No. 53-29063-01, and shall take all actions required by 10 CFR 30.36;
- D. Within 30 days from the date of this Order, if the Licensee manufactures, distributes, or provides services to other licensees, the Licensee must notify, in writing, each customer or client that authorization to provide any of these services has been suspended. Furthermore, the Licensee must notify its customers and clients that they may need to amend their licenses to be in compliance with NRC requirements if their license specifically states reliance on the service of the Licensee. The Licensee must provide the Regional Administrator for NRC Region IV at 611 Ryan Plaza Drive, Suite 400, Arlington, TX 76011-8064 evidence of the notification and a list of customers or clients notified;
- E. The License shall be terminated upon satisfaction of the requirements of 10 CFR 30.36.

The Deputy Chief Financial Officer/Controller may relax or rescind, in writing, any of the above conditions upon a showing by the Licensee of good cause. A request for relaxation of the above conditions shall be submitted to the Deputy Chief Financial Officer/Controller, with a copy to the Regional Administrator, in writing and under oath or affirmation.

IV

In accordance with 10 CFR 2.202, the Licensee must, and any other person adversely affected by this Order may, submit an answer to this Order, and may

request a hearing on this Order, within 30 days of the date of this Order. Where good cause is shown, consideration will be given to extending the time to request a hearing. A request for extension of time must be made in writing to the Controller, and include a statement of good cause for the extension.

The answer shall be in writing and under oath or affirmation, and shall specifically admit or deny each allegation or charge made in this Order and set forth the matters of fact and law on which the Licensee or other person adversely affected relies and the reasons as to why this Order should not have been issued. Any answer or request for hearing shall be submitted to the Secretary, U.S. Nuclear Regulatory Commission, ATTN: Chief, Docketing and Service Branch, Washington, DC 20555. Copies shall also be sent to the Deputy Chief Financial Officer/Controller, U.S. Nuclear Regulatory Commission, Washington, DC 20555; the Assistant General Counsel for Hearings and Enforcement at the same address; the Regional Administrator, NRC Region IV, 611 Ryan Plaza Drive, Suite 400, Arlington, TX 76011-8064; and to the Licensee if the answer or hearing request is by a person other than the Licensee. If a person other than the Licensee requests a hearing, that person shall set forth with particularity the manner in which his or her interest is adversely affected by this Order and shall address the criteria set forth in 10 CFR 2.714(d).

If the Licensee or a person whose interest is adversely affected requests a hearing, the Commission will issue an Order designating the time and place of any hearing. If a hearing is held, the issue to be considered at such hearing shall be whether this Order should be sustained.

Pursuant to 10 CFR 2.202(c)(2)(i), the Licensee, or any other person adversely affected by this Order may, in addition to demanding a hearing, at the time the answer is filed or sooner, move the presiding officer to set aside the immediate effectiveness of the Order on the ground that the Order, including the need for immediate effectiveness, is not based on adequate evidence but on mere suspicion, unfounded allegations, or error. The motion must state with particularity the reasons why the order is not based on adequate evidence and must be accompanied by affidavits or other evidence relied on.

V

In the absence of any request for hearing, or written approval of an extension of time in which to request a hearing, this Order shall be final 30 days from the date of this Order without further order or proceedings. If an extension of time for requesting a hearing has been approved, the provisions specified in Part III shall be final when the extension expires if a hearing request has not been received. AN ANSWER OR REQUEST FOR HEARING SHALL NOT STAY THE IMMEDIATE EFFECTIVENESS OF THIS ORDER.

VI

In lieu of filing an answer to the Order, the Licensee may pay the total amount specified below, within 30 days of the date of this Order. This Order is withdrawn if, within 30 days of the date of this Order, the Licensee pays the total amount specified below:


Amounts Due

Calculated Through: July 1, 1996

<u>Invoice Date</u>	<u>Invoice Number</u>	<u>Amount Billed</u>	<u>Late Charges Due</u>	<u>Amount Paid</u>	<u>Amount Due</u>
1. 8/20/94	AM06592-94	\$2,470.00	\$289.53	\$465.40	\$2,294.13
2. 7/22/95	AM06342-95	1,700.00	260.54	403.00	1,557.54
				Total Amount:	\$3,851.67

The total amount listed above is a delinquent debt to the United States. Failure to pay the total amount within 30 days of the date of this Order may, pursuant to 10 CFR Part 15, result in referral of the delinquent debt to a collection agency, referral to the U.S. General Accounting Office or the U.S. Department of Justice for collection, or other action deemed appropriate. Pursuant to 10 CFR 15.29, the Commission may not consider an application for a license from the Licensee unless all previous delinquent debts of the Licensee to the NRC, including the delinquent debt(s) identified in this Order, have been paid in full. In addition, failure to meet the requirements of this Order may subject the Licensee and its agents to civil penalties and criminal sanctions.

FOR THE NUCLEAR REGULATORY COMMISSION


for Ronald M. Scroggins
Deputy Chief Financial
Officer/Controller

Dated at Rockville, Maryland
this 5th day of July, 1996