

MATERIALS LICENSE

Amendment No. 03

ORC

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		In accordance with letter dated November 16, 1994,
1. Universal Security Instruments, Inc.		3. License Number 19-23643-01E is amended in its entirety to read as follows:
2. 10324 South Dolfield Road Owings Mills, MD 21117		4. Expiration Date September 30, 2002
		5. Docket or Reference No. 030-29464
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Americium 241	A. Foil source (Amersham Model AMM-1001H)	A. Not applicable (See Condition 10)

9. Authorized Use

Pursuant to Section 32.26, 10 CFR Part 32, the licensee is authorized to distribute smoke detector devices specified in Condition 10 to persons exempt from the requirements for a license pursuant to Section 30.20, 10 CFR Part 30, or equivalent provisions of the regulations of any Agreement State.

CONDITIONS

10. The following smoke detector devices may be distributed pursuant to this license provided the amount of Americium 241 contained in the device does not exceed the amounts specified in the following table:

Device Model	Tradename	Maximum Quantity per Device
SS-750	Universal	1.0 microcurie
SS-755	Universal	1.0 microcurie
DT-950	Datatrak	1.0 microcurie

11. This license does not authorize possession or use of licensed material.
12. The licensee may distribute only from its facilities located at 10324 South Dolfield Road, Owings Mills, MD, or 2902 Val Verde Court, Compton, CA.

9611060154 960924
PDR ADOCK 03029464
C PDR

91 ML00
Cyt to Reg I

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

19-23643-01E

Docket or Reference number

030-29464

Amendment No. 03

CONDITIONS

(Continued)

13. The licensee shall file periodic reports as specified in Section 32.29(c), 10 CFR Part 32.
14. Except as specifically provided otherwise by this license, the licensee shall conduct its program in accordance with the statements, representations and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Letter dated March 16, 1988;
 - B. Letter dated August 28, 1988;
 - C. Letter dated November 30, 1988;
 - D. Letter dated December 9, 1988;
 - E. Application dated September 16, 1991;
 - F. Letter dated June 30, 1992;
 - G. Letter dated August 26, 1992; and
 - H. Registration Certificate NR-0657-D-101-E.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

DATE: September 24, 1996

BY: Original signed by:

Susan L. Greene
Medical, Academic, and Commercial
Use Safety Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards
Washington, DC 20555

S. Babinec

-3-

suspending, modifying, or revoking your license as specified in the "General Statement of Policy and Procedures for NRC Enforcement Actions," (NUREG-1600).

If you have any questions, please feel free to contact me at (301) 415-7843.

Sincerely,

Original signed by:

Susan L. Greene
Medical, Academic, and Commercial
Use Safety Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Docket No. 030-29464

Enclosure: Amendment No. 03

cc: Roland G. Fletcher, Manager
Radiological Health Program
Air and Radiation Management Administration
Maryland Department of the Environment
2500 Broening Highway
Baltimore, MD 21224

DISTRIBUTION:

License File 19-23643-01E

NMSS r/f

IMNS c/f

IMAB r/f

TWRich

LWCamper

Region I

DOCUMENT NAME: G:\USICVR.CJB

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

OFFICE	IMAB:NMSS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
NAME	SLGreene:cjb	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DATE	09/27/96	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

OFFICIAL RECORD COPY

September 24, 1996

Universal Security Instruments
ATTN: Stephen F. Babinec
Radiation Safety Officer
10324 South Dolfield Road
Owings Mills, Maryland 21117-3586

Dear Mr. Babinec:

Enclosed is Amendment No. 03 amending NRC License No. 19-23643-01E by deleting your distribution facility located at 130 New Plant Court, Owings Mills, MD.

The Sealed Source Safety Section (SSSS) notified you by letter dated June 1, 1996 (Enclosure 2), that your request to amend Registration Certificate No. NR-0657-D-101-E to add smoke detector models SS-770, SS-775, SS-785, SS-790, DT-970, DT-975, DT-985, and DT-990 was voided. By letters dated June 27, 1995, and September 20, 1995, the SSSS has unsuccessfully attempted to obtain additional information in order to continue the evaluation of your November 16, 1994, request to add the smoke detector models. During our November 1, 1995, telephone conversation, you requested an extension of time in order to compile the requested information. This information was never received.

It is noted that by letter dated August 21, 1996, you requested that we continue to "hold" your request; however, your amendment request for the registration certificate had been voided by the SSSS and, as of the date of this letter, the additional information still has not been received. Note that should you decide to submit the necessary additional information within 1 year of the date of this notice, and provided there are no changes to your request, an additional fee will not be required. If you do decide to resubmit, you should reference your earlier submissions, note the fact that you included an application fee with your earlier submission, and reference Mail Control No. 021700.

Please review the enclosed document carefully and be sure that you understand all the conditions. If there are any errors or questions, please contact me so that appropriate corrections and answers can be provided.

Please be advised that you must conduct your program involving radioactive materials in accordance with the conditions specified in your NRC license, representations made in your license application, and other rules, regulations, and orders of the U.S. Nuclear Regulatory Commission, now or hereafter in effect, to include the following:

1. Comply with applicable NRC regulations in 10 CFR Part 30, "Rules of General Applicability to Domestic Licensing of Byproduct Material"; 10 CFR Part 32, "Specific Domestic Licenses to Manufacture or Transfer Certain Items Containing Byproduct Material"; and other applicable regulations.

NOTE: Licensees authorized to distribute or initially transfer products containing byproduct material must also possess a valid possession license issued either by NRC or an Agreement State(s) which authorizes possession and use of byproduct material.

2. Distribute only those products containing radioactive material which are specifically authorized in your license.
3. Notify NRC in writing within 30 days of any change in mailing address (no fee is required if the location of radioactive material remains the same).
4. Request and obtain appropriate amendments if you plan to change control or ownership of your organization, change locations of distribution of products containing radioactive material, or make any other changes in your program which are contrary to the license conditions or representations made in your license application and any supplemental correspondence with NRC. A license fee may be charged for the amendments if you are not in a fee-exempt category.
5. Submit a complete renewal application (with proper fee) or termination request (no fee required) at least 30 days before the expiration date on your license. You should receive a reminder notice approximately 90 days before the expiration date. Continued distribution of products containing radioactive material after your license expires is a violation of NRC regulations.
6. In accordance with 10 CFR 30.36, request termination of your license if you plan to permanently discontinue activities involving distribution of products containing radioactive material.

You will be periodically inspected by NRC. Failure to conduct your program in compliance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action(s) against you. This could include issuance of a notice of violation; proposed imposition of a civil penalty; or an order



August 21, 1996

U.S. Nuclear Regulatory Commission
Sealed Source Safety Section
Source Containment and Devices Branch
Division of Industrial and Medical Nuclear Safety
NMSS Mail Stop 8F5
Washington, DC 20555

Attention: Mr. Chris Brown
Mr. Steve Baggett
Ms. Susan Greene

SUBJECT: Amendment to NRC License #19-23643-01E and Registration
Certificate NR-0657-D-101-E

Dear Sirs/Madam:


In regards to the amendment to my NRC License 19-23643-01E and Registration Certificate NR-0657-D-101-E, I must relate in this letter that I am still continuing to compile documentation for submittal.

Due to decreases in our company work force, I have been forced to spend divided time on this project and other engineering projects.

At this point, I believe I am approximately 75% complete in compiling documentations and anticipate forwarding these informations within the next two to three weeks. Please continue to "hold" my request for submitting amendment request/documentation.

Please forward fax number for reference purposes.

Regards,


Stephen F. Babinec
Product Co-Ord. Engineer
Direct Dial: 410/363-3000, Ext. 214

SFB:ly
0821-USNRC



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

June 17, 1996

MEMORANDUM TO: Susan Greene, Licensing Reviewer
Commercial Section
Medical, Academic, and Commercial
Use Safety Branch

FROM: Chris L. Brown, General Engineer
Sealed Source Safety Section
Source Containment and
Devices Branch

SUBJECT: SSD TECHNICAL ASSISTANCE REQUEST:
UNIVERSAL SECURITY INSTRUMENTS, INC.
CONTROL NO. - 021700
LICENSE NO. - 19-23643-01E

In response to a technical assistance request from the Commercial Section dated December 21, 1995 for the need of a SSD review associated with Universal Security Instruments, INC.'s license application. We have again attempted on several occasions to obtain additional information from the applicant necessary to continue the SSD safety review. However, to date, we have received no response from the applicant. Therefore, we are again returning the application with no further action.

If you have any questions, please contact me at 415-5787 or Mr. Steven Baggett at 415-7273.

Attachment: As stated

cc: Skimberley, LFDCB

June 17, 1996

Stephen F. Babinec
Universal Security Instruments
10324 South Dolfield Road
Owings Mills, MD 21117-3586

Dear Mr. Babinec:

This letter is in response to your application dated November 16, 1994, requesting registration of the Model SS-785, SS-790, DT-985 and DT-990 smoke detectors, Mr. Broadus letters dated June 27, 1995, and September 20, 1995, which requested additional information in order to continue our evaluation of your request and a telephone conversation with Ms. Greene on November 1, 1996, requesting an extension for the requested information.

It was noted during the conversation with Ms. Green that you had incurred some delays in getting together the requested information. In addition, you stated that you needed an extension and that the requested information would be ready and forwarded to the NRC in about three weeks. To date, the requested information has not been received. Based on no action from you, we have voided out your application. This is without prejudice to the resubmission of a complete application.

If you have any questions, please contact me at (301) 415-5787 or Mr. Steven Baggett at (301) 415-7273.

Sincerely,

151
Christopher Brown, General Engineer
Sealed Source Safety Section
Medical, Academic, and Commercial
Use Safety Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
And Safeguards

cc w/encl: Skimberley, LFDCB

Distribution:

SSSS r/f SSD-95-01
SSD File # NR-0657-D-101-E

NE01
95-112

DOCUMENT NAME:

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	IMAB	<input type="checkbox"/>	IMAB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
NAME	CBrown	<input checked="" type="checkbox"/>	SBaggett	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DATE	06/14/96	<input checked="" type="checkbox"/>	06/14/96	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

OFFICIAL RECORD COPY

UNIVERSAL SECURITY INSTRUMENTS, INC.
10324 SOUTH DOLFIELD ROAD
OWINGS MILLS, MARYLAND 21117 USA
FAX NUMBER 410/363-2218

DATE	IN	OUT
COMPANY		
COPIES		
FILE		

FAX TO: NRC IMNS Division
ATTN: Ms. Susan Greene
USI SENDER: Steve Babinec
CARBON COPIES: Douglas A. Broadus

FAX #: 1/301-415-5369
DATE: November 2, 1995

SUBJECT: Amendment to NRC License #19-23643-01E and Registration
Certificate NR-0657-D-101-E To Add Several New Models
To Existing Product Line


Dear Ms. Greene:

Thank you for your telephone call today and the consideration taken to the extension of the request for additional materials needed in regards to amending our NRC License and Registration Certificate.

Please note that I anticipate supplying the informations requested in Mr. Douglas A. Broadus' letter dated June 27, 1995 in approximately three weeks. I am still awaiting some informations from our production facility in Mainland China. I have procured most of the documentation requested. I will be forwarding the balance of the documentation requested by FEDEX as soon as possible.

Thank you again for your consideration.

Regards,


Stephen P. Babinec
Product Co-Ord. Engineer
Direct Dial: 363-3000, Ext. 214

SFB:ly
1102-31

11/2/95

NOTE TO FILE: Universal Security Instruments, Inc. (USI)

FROM: Susan Greene

On November 1, 1995, I received a telephone call from Mr. Babinec of USI concerning a letter he had received from Mr. Doug Broaddus of the Sealed Source Safety Section which stated that because a response to letters dated June 27 and September 20, 1995, requesting additional information, had not been received, the USI application for device review had been considered abandoned by the applicant.

Mr. Babinec stated that he has had some delays in getting together the requested information, but that the application has not been abandoned by USI and the application package should be ready in the near future. At this time, Mr. Babinec requested an extension for submitting the requested information, stating that he had previously requested an extension by phone on October 10, 1995; however, it appears that this request was not forwarded to Mr. Broaddus. After discussing the situation with Mr. Broaddus, it was determined that, with this Note to File, the application would be re-instated awaiting a response from USI with the requested information. Mr. Babinec will be notified, by letter, that the application is no longer considered abandoned, pending a more definite date as to when the USI response to NRC's requests for additional information will be forthcoming.



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

October 30, 1995

MEMORANDUM TO: Carolyn Boyle, Licensing Assistant
Commercial Section
Medical, Academic, and Commercial
Use Safety Branch

FROM: Douglas A. Broaddus, Mechanical Engineer
Sealed Source Safety Section
Source Containment and
Devices Branch

SUBJECT: SSD TECHNICAL ASSISTANCE REQUEST:
UNIVERSAL SECURITY INSTRUMENTS, INC.
CONTROL NO. - 021700
LICENSE NO. - 19-23643-01E

This is in response to a technical assistance request from the Commercial Section dated December 21, 1995, for the need of a SSD review associated with Universal Security Instruments, Inc.'s license application. We have attempted on several occasions to obtain additional information from the applicant necessary to continue with the SSD safety review. However, to date, we have received no response from the applicant. Therefore, we are returning the application with no further action.

If you have any questions, please contact me at 415-5847 or Mr. Steven Baggett at 415-7273.

Attachment: As stated

cc: SKimberley, LFDCB
SGreene, IMAB

October 30, 1995

Mr. Stephen F. Babinec
Product Co-Ord. Engineer
Universal Security Instruments, Inc. (USI)
10324 South Dolfield Road
Owings Mills, MD 21117-3586

Dear Mr. Babinec:

This is in reference to our letter, dated September 20, 1995, reiterating the need for additional information to continue with our review of your application for amendment to registration certificate NR-0657-D-101-E, to add several new products. In addition, this letter indicated that if we did not receive a response within thirty (30) days we would consider your request as having been abandoned by you. To date, we have not received a response to our requests and, therefore, we consider your request as having been abandoned by you. This action is without prejudice to the resubmission of a complete application.

If you have any questions, please call me at (301) 415-5847.

Sincerely,

/S/
Douglas A. Broaddus, Mechanical Engineer
Sealed Source Safety Section
Source Containment and
Devices Branch
Division of Industrial and
Medical Nuclear Safety, NMSS

Distribution:

SCDB r/f

SSD 95-01

NR-0657-D-101-E

NE01

SGreene, IMAB

DOCUMENT NAME: C:\WPDOCS\SSDS\NR(USI)2.VOD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	SCDB	C					
NAME	DABroaddus						
DATE	10/30/95						

OFFICIAL RECORD COPY

September 20, 1995

Mr. Stephen F. Babinec
Product Co-Ord. Engineer
Universal Security Instruments, Inc. (USI)
10324 South Dolfield Road
Owings Mills, MD 21117-3586

Dear Mr. Babinec:

This is in reference to our letter to you dated June 27, 1995, requesting additional information necessary to continue with our review of your application for amendment to registration certificate NR-0657-D-101-E to add several new products. To date, we have not received a response to our request. If we do not receive the requested information within twenty (30) days from the date of this letter, we will consider your request as having been abandoned by you. This action is without prejudice to the resubmission of a complete application.

We look forward to receiving the requested information as soon as possible. If you have any questions, please call me at (301) 415-5847.

Sincerely,

Original Signed by

Douglas A. Broadus, Mechanical Engineer
Sealed Source Safety Section
Source Containment and
Devices Branch
Division of Industrial and
Medical Nuclear Safety, NMSS

Distribution:

SCDB r/f

SSD 95-01

NR-0657-D-101-E

NE01

SGreene, IMAB

DOCUMENT NAME: C:\WPDOCS\SSDS\NR(USI).VOD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "M" = No copy

OFFICE	SCDB	C					
NAME	DABroadus						
DATE	9/19/95						

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

June 27, 1995

Mr. Stephen F. Babinec
Product Co-Ord. Engineer
Universal Security Instruments, Inc. (USI)
10324 South Dolfield Road
Owings Mills, MD 21117-3586

Dear Mr. Babinec:

This responds to your letters dated July 1, and November 16, 1994, requesting amendment to NRC License No. 19-23643-01E and registration certificate NR-0657-D-101-E to add several new products. Reference is made to sections 32.26, 32.27, 32.28, and 32.29, 10 CFR Part 32 that contain the requirements for license to initially transfer gas and aerosol detectors to persons exempt from licensing. Your submission should contain the product information outlined in these sections. Per our telephone conversation on June 12, 1995, the following information is needed in order to continue the safety review of these products:

- 1) In your application you requested the addition of a new series of smoke detectors containing eight new models; however, it isn't clear what the relationship is between each model. Is the model SS-700 series the basic model type and are the other models the same basic model type, but with minor differences, such as an added battery or light source? In addition, would this series include the currently registered models? Please note that several different models may be authorized as part of a series; however, each model within the series must be of the same basic model type. A single device review would be required for each of the basic type detector models. As part of your submission, all currently listed and new models that are part of a series should be designated as such, and a description of the differences between each models within a series must be included. Information submitted previously does not need to be resubmitted, but may be referenced instead.
- 2) Paragraphs (11) and (12) of Section 32.26(b) require the applicant submit the procedures for and results of prototype testing of the product to demonstrate the effectiveness of the containment, shielding, and other safety features under both normal and severe conditions of handling, storage, use, and disposal of the product. Your application did not contain this information. I have enclosed a copy of the document "Recommendations for ionization chamber smoke detectors in implementation of radiation protection standards" for your information and use (see Enclosure 1). This document contains recommendations for prototype testing that you may find useful when developing your procedures. However, your procedures should be specific to the intended conditions of use for your products, and all of the procedures in this document may not be applicable.

- 3) Paragraph (5) of Section 32.26(b) requires the applicant provide details of construction and design of the product. Please provide the following design and construction information:

- Detailed drawings of the upper and lower housing with dimensions, tolerances, and materials of construction.

- Describe how the PC board is secured in the device and how the upper and lower housings are connected.

- 4) Paragraph (10) of Section 32.26(b) requires details of the proposed labeling of the device and point of sale package to satisfy the requirements of Section 32.29(b). Please provide details of the proposed labeling for both the product and point of sale package including information contained in the label, material of the label or depth of engraving (as applicable), size of the lettering, and placement and method of attachment of the label on the product.
- 5) Paragraphs (6), (13) and (14) of Section 32.26(b) refer to the external radiation levels at 5 and 25 centimeters from any accessible surface of the product and external radiation doses and dose commitments relevant to the safety criteria in Section 32.27. Please address these sections.
- 6) Paragraph (15) of Section 32.26(b) refers to the quality control procedures to be followed in the fabrication of the product. As discussed in our telephone conversation, the NRC has issued guidance in this area as Regulatory Guide 6.9, "ESTABLISHING QUALITY ASSURANCE PROGRAMS FOR THE MANUFACTURE AND DISTRIBUTION OF SEALED SOURCES AND DEVICES CONTAINING BYPRODUCT MATERIAL," issued February 1995. A copy of this guide is enclosed for your information (see Enclosure 2). This guidance contains elements of a quality assurance and control QA/QC program that have been deemed essential to an acceptable program. Specifically, Appendix C of this document contains the "QC Program Specifications for the Manufacture and Distribution of Smoke Detectors." These specifications have been deemed appropriate for such a program. Applicants may follow these specifications or, if desired, may submit an equivalent alternate program. A review of your program submitted August 26, 1992, indicates your program is not equivalent to the specifications contained in this document. The following was noted for your program:

- The procedures seem to indicate that the manufacturer of the product receives the foil sources and installs them into holders (buttons). However, your letter dated July, 1, 1994, indicates the manufacturer receives the foil sources already contained in an holder, Amersham product #196306. Please clarify this. If foils only are received from the source manufacturer, the left side of the flowchart should be used as a guide. If not, the right side should be used.

- Regulatory Guide 6.9, Appendix C, contains Lot Tolerance Percent Defective (LTPD) tables that have been modified slightly to reflect the NRC policy that no defects of these devices are

Mr. S. Babinec

-3-

acceptable from a health and safety standpoint. Therefore the acceptance number for defects, for all lot sizes, has been changed to zero (0). Currently your program specifies an acceptance number of one (1) defect per 75 units sampled for lots between 20,000 and 40,000 units. This is not considered acceptable. Please review the Regulatory Guide for applicability to your program and provide a revised program that is equivalent to the specifications contained in Appendix C. In addition, please clarify the procedures USI performs upon receipt of products from the manufacturer and prior to distribution of the products. It is unclear from the information provided in the August 1992 letter whether USI performs sampling for removable contamination and design conformity.

Please indicate the procedures the manufacturer and USI will follow if a defect is discovered (e.g., entire lot rejected or inspected, modifications performed, reinspection, etc.).

- 7) We note that many of the drawings contained in your request are marked as "confidential." Please note that license applications are available for review by the general public in the NRC Public Document Room and should not be submitted with "proprietary or confidential" information unless absolutely necessary. If you wish any of the information contained in your renewal application to be withheld from public disclosure, you must submit an application for withholding accompanied by an affidavit in accordance with Section 2.790(b)(1), 10 CFR Part 2 (see Enclosure 1). Failure to follow these procedures may result in disclosure of the proprietary and confidential information to the public. If you determine that the information is not "proprietary and/or confidential," you should clearly indicate so. Please advise us of your intention and how you intend to comply.

Our review of your request will continue upon receipt of the above information. Please reply within 30 days, in duplicate, and reference mail Control No. 021700. If you have any questions, please feel free to call me at (301) 415-5847 or Ms. Susan Greene at (301) 415-7843.

Sincerely,
Original Signed by

Douglas A. Broadus, Mechanical Engineer
Sealed Source Safety Section
Source Containment and
Devices Branch
Division of Industrial and
Medical Nuclear Safety, NMSS

Enclosures: As stated

Distribution:

SSSS Staff
NE01

SCDB r/f
IMAB r/f

SSD 95-01

NR-0657-D-101-E

DOCUMENT NAME: C:NR657101.DEF

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	SCDB	<input checked="" type="checkbox"/>	IMAB	<input checked="" type="checkbox"/>			
NAME	DABroadus		SLGreene				
DATE	6/26/95		6/27/95				

OFFICIAL RECORD COPY



February 23, 1995
(SEND VIA FAX 1/301-415-5369)

Linda Mitchell
License Fee & Debt Collection Branch, OC/DAF
U.S. Nuclear Regulatory Commission
Mail Stop T-9 E10
Washington, DC 20555

SUBJECT: Control Number 021700

Dear Ms. Mitchell:

In reference to your letter dated February 3, 1995 referencing my request for an amendment to NRC Materials Distribution License #19-23643-01E, I have enclosed Check # _____ in the amount of \$1,300 (CONTROL NUMBER 021700) which is a requirement to add the additional smoke detector models SS-785, SS-790, DT-985 and DT-990 as specified in Fee Category 9A of 10CFR170.31.

I understand that my application will be processed by your licensing staff and that after receipt of the above funds the amendment will be issued.

If you have any questions, please contact me at the below telephone number or fax number.

Regards,

Stephen F. Babinec
Product Co-Ord. Engineer
Direct Dial: 363-3000, Ext. 214

SFB:ly
0222-USNRC

cc: Jeff Welsh



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

January 18, 1995

Universal Security Instruments, Inc.
ATTN: Stephen F. Babinec
10324 South Dolfield Road
Owings Mills, MD 21117-3586

Gentlemen:

This refers to your letter dated November 16, 1994, for an amendment to NRC Materials Distribution License #19-23643-01E. We received the appropriate amendment fee of \$800 as specified in fee Category 3H of 10 CFR 170.31. However, your request is also subject to an amendment fee of \$1300 to add the additional smoke detector Models SS-770, SS-775, SS-785, SS-790, DT-970, DT-975, DT-985 and DT-990, as specified in fee Category 9A of 10 CFR 170.31 of the enclosed July 20, 1994, Federal Register notice. Payment of the additional \$1300 fee should be made to the U.S. Nuclear Regulatory Commission and mailed to the following address:

U.S. Nuclear Regulatory Commission
ATTN: Linda Mitchell
License Fee and Debt Collection Branch, OC/DAF
Mail Stop T-9 E10
Washington, D.C. 20555

Your application will be processed by the Licensing staff. The fee, however, is required prior to issuance of the amendment. When submitting the fee, please refer to CONTROL NUMBER 021700.

If you have any questions my telephone number is (301) 415-6062.

Sincerely,

Linda Mitchell

Linda Mitchell
License Fee and Debt Collection Branch
Division of Accounting and Finance
Office of the Controller

Enclosures:

July 20, 1994, Federal Register notice

cc: Susan Green, NMSS
Steve Baggett, NMSS

NRC FORM 567
(8-93)

U. S. NUCLEAR REGULATORY COMMISSION

REQUEST FOR A SEALED SOURCE OR DEVICE EVALUATION

INSTRUCTIONS: Send this request AND a copy of all related letters/applications and drawings to: The Sealed Source Safety Section, ATTN: Chief, OWFN Mail Stop 6 H3. Change the License Tracking System milestone to 19 and assign to reviewer code I-5.

NOTE: Retain a copy of this request with the application and background files.

REQUESTER <u>J. Bruce Carrico</u>		REGION/LOCATION: <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> IV <input type="checkbox"/> V <input checked="" type="checkbox"/> HQ <input type="checkbox"/> LFDCB	
TELEPHONE NUMBER <u>415-7826</u>	DATE <u>12/21/94</u>	TYPE OF ACTION REQUESTED (Check as appropriate)	
APPLICANT'S NAME <u>Universal Security Instruments, Inc.</u>		<input type="checkbox"/> SOURCE REVIEW <input type="checkbox"/> AMENDMENT OF REGISTRATION SHEET NUMBER(S)	
MAIL CONTROL NUMBER(S) <u>021700</u>		<input checked="" type="checkbox"/> DEVICE REVIEW	
LETTER/APPLICATION DATE <u>11-16-94/11-21-94</u>		<input type="checkbox"/> CUSTOM REVIEW	
LICENSE NUMBER(S) <u>19-23643-01E</u>			

COMMENTS

FOR SSSS USE ONLY

REVIEWER	MODEL NUMBERS	NUMBER ASSIGNED
DATE RECEIVED	DATE ASSIGNED	DATE TO FEES

TYPE OF ACTION (Indicate the number of each type)

COMMERCIAL DISTRIBUTION (FORM 567)		USE BY A SINGLE APPLICANT (CUSTOM)	
SOURCE (9C)	DEVICE (9A)	SOURCE (9D)	DEVICE (9B)
<input type="checkbox"/> NEW <input type="checkbox"/> AMENDMENT	<input type="checkbox"/> NEW <input type="checkbox"/> AMENDMENT	<input type="checkbox"/> NEW <input type="checkbox"/> AMENDMENT	<input type="checkbox"/> NEW <input type="checkbox"/> AMENDMENT
<input type="checkbox"/> NO SAFETY EVALUATION REQUIRED <input type="checkbox"/> NO FEES REQUIRED		<input type="checkbox"/> LICENSING ACTION REQUIRED IF KNOWN	
<input type="checkbox"/> OTHER (Specify)		<input type="checkbox"/> YES <input type="checkbox"/> NO	

TOTAL NUMBER OF REVIEW HOURS	NOTES
NUMBER OF DEFICIENCY LETTERS	
NUMBER OF DEFICIENCY CALLS	

FOR BILLING PURPOSES ONLY

<input type="checkbox"/> NAME CHANGE	<input type="checkbox"/> ADDRESS CHANGE	<input type="checkbox"/> NEW REGISTRATION -- ADD TO BILLING	<input type="checkbox"/> PRODUCT INACTIVE -- REMOVE FROM BILLING
--------------------------------------	---	--	---

FOR FEE USE ONLY

TYPE OF FEE	FEE CATEGORY			
AMOUNT RECEIVED	<input type="checkbox"/> 9A	<input type="checkbox"/> 9B	<input type="checkbox"/> 9C	<input type="checkbox"/> 9D
DATE OF CHECK	CHECK NUMBER	<input type="checkbox"/> MATANN UPDATED AS REQUIRED		
APPROVED BY	LOG	<input type="checkbox"/> MATSYS UPDATED AS REQUIRED		
	DATE RETURN	DATE		

COMMENTS



November 16, 1994

United States Nuclear Regulatory Commission
Commercial Section
Medical, Academic and Commercial Use Safety Branch
Division of Industrial and Medical Nuclear Safety
Mail Stop 8F5
Washington, DC 20555

SUBJECT: Amendment to NRC Materials Distribution License
#19-23643-01E *Assignment No. 94-38*

Enclosed is an application for an Amendment to NRC Materials Distribution License #19-23643-01E to distribute smoke detectors (gas and aerosol detectors) containing Americium 241 for use pursuant to Section 30.20 of 10 CFR Part 30. The application has been prepared in accordance with Section 32.26 of 10 CFR Part 32 and your Licensing Guide on these devices. Also enclosed is our check in the amount of \$800.00 for amending our Materials License (Fee Category 3H).

I am supplying the necessary information which you require for completion of an amendment to our NRC Materials Distribution License #19-23643-01E.

1. Universal Security Instruments, Inc. does still wish to distribute smoke detectors Model SS-750, SS-755, and DT-950.
 - a. Universal model SS-750, basic model single station ionization type.
 - b. Universal model SS-755, same construction except addition of silencer circuitry.
 - c. Datatrac model DT-950, tradename variation of model SS-750.
2. In addition to these models, we wish to distribute a new series of smoke detectors Model SS-770, SS-775, SS-785, SS-790, DT-970, DT-975, DT-985 and DT-990.
 - a. Universal model SS-770, basic model single station ionization type.
 - b. Universal model SS-775, same construction except addition of silencer circuitry.

November 16, 1994


Page Two

- c. Universal model SS-785, AC powered only multi-station ionization type.
- d. Universal model SS-790, AC powered with battery multi-station ionization type.
- e. Datatrak model DT-970, tradename variation of model SS-750.
- f. Datatrak model DT-975, tradename variation of model SS-755.
- g. Datatrak model DT-985, tradename variation of model SS-785.
- h. Datatrak model DT-990, tradename variation of model SS-790.

NOTE: All of the above models will not exceed 1.0 microCurie AM241 maximum quantity per device.

Also, please delete our distribution facility located at 130 New Plant Court. Since our fire in 1991 at 10324 South Dolfield Road; all product had been distributed from our West Coast, Val Verde Court, Compton, California warehouse. Our new building and warehouse at same 10324 South Dolfield Road location is our exclusive East Coast distribution point.

Sincerely,


Stephen P. Babinec
Product Co-Ord. Engineer
Radiation Safety Officer
Direct Dial: 363-3000, Ext. 214

BJ:SFB:ly
0621-USNRC

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST 3.25 HRS FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (MNB 7714) U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555, AND TO THE PAPERWORK REDUCTION PROJECT (3160-0120) OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATIONS FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION
DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY, NMSS
WASHINGTON, DC 20555

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS. IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT. SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I
NUCLEAR MATERIALS SAFETY SECTION B
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA. SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II
NUCLEAR MATERIALS SAFETY SECTION
101 MARIETTA STREET, SUITE 2900
ATLANTA, GA 30333

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN. SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III
MATERIALS LICENSING SECTION
799 ROOSEVELT ROAD
GLEN ELLYN, IL 60137

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING. SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
MATERIAL RADIATION PROTECTION SECTION
611 RYAN PLAZA DRIVE, SUITE 1000
ARLINGTON, TX 76011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC. SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V
NUCLEAR MATERIALS SAFETY SECTION
1450 MARIA LANE, SUITE 210
WALNUT CREEK, CA 94596

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item):

- ☐ A. NEW LICENSE
☐ B. AMENDMENT TO LICENSE NUMBER 19-23643-01E
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code):

USI
10324 S. Dolfield Rd.
Owings Mills, MD 21117

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED:

USI
10324 S. Dolfield Rd.
Owings Mills, MD 21117

Brookvale Int'l Corp.
2902 E. Val Verde Court
Compton, CA 90221

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION:

Stephen F. Babinec, Product Co-ord, Eng.

TELEPHONE NUMBER:

410-363-3000x214

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2 x 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL:

a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED:

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE:

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS:

9. FACILITIES AND EQUIPMENT:

10. RADIATION SAFETY PROGRAM:

11. WASTE MANAGEMENT:

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31):

FEE CATEGORY 170.31(3H) AMOUNT ENCLOSED \$ 800.00

13. CERTIFICATION (Must be completed by applicant): THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE—CERTIFYING OFFICER:

TYPED/PRINTED NAME:

Stephen F. Babinec

TITLE:

Production Co-ord Eng
Radiation Officer

DATE:

11/21/94

FOR NRC USE ONLY

TYPE OF FEE:

FEE LOG:

HQS:

FEE CATEGORY:

COMMENTS:

Amdt

Nov 1

3H

AMOUNT RECEIVED:

CHECK NUMBER:

\$800

095983

APPROVED BY:

Linda Mitchell

DATE:

021700

12-1-94

REGISTRY OF RADIOACTIVE SEALED SOURCES AND DEVICES
SAFETY EVALUATION OF DEVICE

NO: NR-657-D-101-E

DATE: DEC 16 1988

PAGE 1 OF 2

DEVICE TYPE: Ionization smoke detector

Model: Universal Models SS-750, SS-755
Datatrak Model DT-950

MANUFACTURER/DISTRIBUTOR:

Universal Security Instruments, Inc.
10324 South Dolfield Road
Owings Mills, MD 21117

SEALED SOURCE MODEL DESIGNATION:

Amersham Corporation Foil Source Model
AMM-1001H

ISOTOPE: Americium-241

MAXIMUM ACTIVITY: 1.0 microcurie

LEAK TEST FREQUENCY: Not required

PRINCIPAL USE: (P) Ion Generators, Smoke Detectors

REGISTRY OF RADIOACTIVE SEALED SOURCES AND DEVICES
SAFETY EVALUATION OF DEVICE

NO: NR-657-D-101-E

DATE: DEC 16 1988

PAGE 2 OF 2

DEVICE TYPE: Ionization smoke detector

REFERENCES:

The following supporting documents for Model SS-750, SS-755, and DT-950 ionization smoke detector devices are hereby incorporated by reference and are made a part of this registry document.

- o Universal Security Instruments, Inc.'s letters dated August 14, 1986, August 25, 1986, and October 8, 1986 with enclosures thereto.
- o Universal Security Instruments, Inc.'s letters dated March 16, 1988, August 28, 1988, November 30, 1988, and December 9, 1988 with enclosures thereto.

CUSTOM DEVICE: _____ YES X NO

ISSUING AGENCY: U.S. Nuclear Regulatory Commission

Date: DEC 16 1988

Reviewer: *John B. [Signature]*

Date: DEC 16 1988

Concurrence: *Stacy W. Bell*

LTS WORKSHEET

DOCKET NO : 03029464 LICENSE NO : 19-23643-01E STATUS: 0
MAIL CONTROL: 021700 RECEIPT DATE : 941128 ACTION TYPE: 4
DUE DATE : 950226
FED. GOVT : N INST. CODE : 23643 LICENSE REGION: 0
ISSUE DATE: ~~920918~~ 960924 ORIGINAL DATE: 861021 EXPIRATION DATE: 19970930
NAME : UNIVERSAL SECURITY INSTRUMENTS, INC DECOM FIN ASSUR REQD: N
SUBM: -
DEPT/BUREAU: _____ CONT PLAN REQD: N APPRV: -
BUILDING : _____
STREET : 10324 SOUTH DOLFIELD ROAD
CITY : OWINGS MILLS STATE: MD ZIP: 211173586
CONTACT PERSON: STEPHEN F. BABINEC PHONE: 410-363-3000
PRIMARY PGM CODE : 03255 SECONDARY PGM CODES: _____
INSPECTION REGION: 1 PRIORITY CODE: 5 INSPECTION CATEGORY: E
RADIATION SAFETY OFFICER: STEPHEN BABINEC
STATES WHERE USE IS AUTHORIZED: 1 0 - ALL LISTED STATES
1 - SAME AS STATE IN ADDRESS
2 - ALL STATES
3 - NON-AGREEMENT STATES
AUTHORIZED STATES: _____ (USE ONLY IF ABOVE IS ZERO)
REPORTING IDENTIFICATION SYMBOL: _____
APPROVAL FOR: REDISTRIBUTION: N STORAGE ONLY: N
TEMPORARY JOB SITES: N INCINERATION: N
BURIAL: N
EXEMPTIONS: (1) _____ (2) _____

*gmp -
please assign*

(Bruce)
SLG

amdt #03

POSSESSION LIMIT INFORMATION

PAGE: 2

MATERIAL TYPE : NPA FORM CODE: NPA AGGREGATE CODE: NPA
MODEL NUMBER : AMERSHAM MODEL AMM-1001H
DESCRIPTION : AMERICIUM-241 FOIL SOURCES
TOTAL QUANTITY : 0000000.000000000 UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

MATERIAL TYPE : ____ FORM CODE: ____ AGGREGATE CODE: ____
MODEL NUMBER : ____
DESCRIPTION : ____
TOTAL QUANTITY : ____ UNIT: ____
OTHER : # SOURCES: ____

NAME

AUTHORIZATION

ADDRESS WHERE MATERIAL IS USED OR POSSESSED

BUILDING: 3
ROOM: _____
STREET: 2902 VAL VERDE COURT
CITY: COMPTON
STATE: CA
BUILDING: 1
ROOM: _____
STREET: 10324 SOUTH DOLFIELD ROAD
CITY: OWINGS MILLS
STATE: MD 21117

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BUILDING: _____
ROOM: _____
STREET: _____
CITY: _____
STATE: _____

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03255
Status Code: 0
Fee Category: 3H
Exp. Date: 19970930
Fee Comments:
Decom Fin Assur Req'd: N
.....

LICENSE FEE TRANSMITTAL

A. REGION HG

1. APPLICATION ATTACHED

Applicant/Licensee: UNIVERSAL SECURITY INSTRUMENTS, INC
Received Date: 941128
Docket No: 3029464
Control No.: 021700
License No.: 19-23643-01E
Action Type: Amendment

2. FEE ATTACHED

Amount: \$800.00
Check No.: 095983

3. COMMENTS

Signed
Date

M. Moriarty
11-28-94

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / ☒)

1. Fee Category and Amount: 3H

\$800

2. Correct Fee Paid. Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed
Date

Linda Mitchell
12-1-94