

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

Licensee		In accordance with the letter dated September 5, 1996	
1. Nycomed Incorporated		3. License Number 37-30243-01 is amended in its entirety to read as follows:	
2. P.O. Box 6630 466 Devon Park Drive Wayne, Pennsylvania 19087-8630		4. Expiration Date October 31, 2000	
		5. Docket or Reference No. 030-33938	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Hydrogen 3	A. Any	A. 300 millicuries	
B. Carbon 14	B. Any	B. 200 millicuries	
C. Phosphorus 32	C. Any	C. 65 millicuries	
D. Phosphorus 33	D. Any	D. 40 millicuries	
E. Sulfur 35	E. Any	E. 50 millicuries	
F. Potassium 42	F. Any	F. 20 millicuries	
G. Chromium 51	G. Any	G. 20 millicuries	
H. Manganese 54	H. Any	H. 25 millicuries	
I. Iron 59	I. Any	I. 50 millicuries	
J. Rubidium 86	J. Any	J. 20 millicuries	
K. Technetium 99m	K. Any	K. 60 millicuries	
L. Iodine 125	L. Any	L. 40 millicuries	
M. Iodine 131	M. Any	M. 30 millicuries	
N. Barium 133	N. Any	N. 20 millicuries	
O. Gadolinium 153	O. Any	O. 50 millicuries	
P. Ytterbium 169	P. Any	P. 20 millicuries	

9. Authorized use

A. through P. Research and development as defined in 10 CFR 30.4; animal studies.

CONDITIONS

10. A. Licensed material may be used only at the licensee's facilities located at 466 Devon Park Drive, Wayne, Pennsylvania.
11. A. Licensed material listed in Items 6.A. through 6.P. shall be used by, or under the supervision of Christopher D. V. Black, Ph.D.; Vinay C. Desai, Ph.D.; Judith A. Johnson, M.S.; Lewis B. Kinter, Ph.D. or Dennis K. Fujii, Ph.D.
- B. Licensed material listed in Items 6.A. and 6.B. shall be used by, or under the supervision of Charles D. Kennedy, Jr.
- C. The Radiation Safety Officer for this license is Christopher D. V. Black, Ph.D.

9611050025 961024
PDR ADOCK 03033938
C PDR

ML10

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
37-30243-01

Docket or Reference Number
030-33938

Amendment No. 01

12. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material at a single location to quantities below the limits specified in 10 CFR 30.72 which require consideration of the need for an emergency plan for responding to a release of licensed material.
13. Licensed material shall not be used in or on human beings.
14. A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

37-30243-01

Docket or Reference Number

030-33938

Amendment No. 01

- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by the licensee. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
16. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
17. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.
18. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
19. A. Detector cells containing a titanium tritide foil or a scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperatures from exceeding that specified in the certificate of registration referred to in 10 CFR 32.210.
- B. When in use, detector cells containing a titanium tritide foil or a scandium tritide foil shall be vented to the outside.
20. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
21. Experimental animals, or the products from experimental animals, that have been administered licensed materials shall not be used for human consumption.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

Licens. Number

37-30243-01

Docket or Reference Number

030-33938

Amendment No. 01

22. The licensee is authorized to hold radioactive material with a physical half-life of less than 120 days for decay-in-storage before disposal in ordinary trash, provided:
- A. Waste to be disposed of in this manner shall be held for decay a minimum of ten half-lives.
 - B. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
 - C. A record of each such disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
23. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
24. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated August 11, 1995
 - B. Letter dated September 22, 1995
 - C. Letter dated September 5, 1996
 - D. Letter dated September 25, 1996

For the U.S. Nuclear Regulatory Commission

Original Signed By
James M. Bondick

By

Nuclear Materials Safety Branch
Region I
King of Prussia, Pennsylvania 19406

Date

OCT 24 1996

OCT 24 1996

Mr. Thomas F. Keelty
Assistant Director, Operations
Nycomed Incorporated
P.O. Box 6630
466 Devon Park Drive
Wayne, PA 19087-8630

Dear Mr. Keelty:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Thank you for your cooperation.

Sincerely,

Original Signed By
James M. Bondick

James M. Bondick
Health Physicist
Division of Nuclear Materials Safety

License No. 37-30243-01
Docket No. 030-33938
Control No. 123663

Enclosure:
Amendment No. 01


DOCUMENT NAME: R:\WPS\MLTR\L3730243.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	JBondick/jmb <i>JB</i>						
DATE	10/02/96	10/	/96	10/	/96	10/	/96

OFFICIAL RECORD COPY

ML 10



MS 16
Q-6

September 25, 1996

Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission
Region I
James M. Bondick
Health Physicist
475 Allendale Road
King of Prussia, Pennsylvania 19406

License number: 37-30243-01

Docket number: 030-33938

Mail Control number: 123663

Dear Mr Bondick


This letter is in reference to your letter dated Sep18 1996 regarding amendments to byproduct License No. 37-30243-01.

1.a. It is satisfactory to list Mr. Charles Kennedy, Jr. as an authorized user of tritium and Carbon 14 on the license at this time.

2. We do not wish to have Ru 103 listed on the license at this time.

Thank you for your timely response. If you require any additional information in support of this request, please contact me at (610) 225-4174 or 4175.

Thank you,


Thomas F Keelty
Assistant Director, Operations

cc: Christopher D. Black, Ph. D. - Radiation Safety Officer

SEP 18 1996

License No. 37-30243-01
Docket No. 030-33938
Control No. 123663

Mr. Thomas F. Keelty
Assistant Director, Operations
Nycomed Incorporated
466 Devon Park Drive
P.O. Box 6630
Wayne, PA 19087-8630

Dear Mr. Keelty:

This is in reference to your letter dated September 5, 1996 to amend byproduct material License No. 37-30243-01. In order to continue our review, we need the following additional information:

1. The following questions are in regard to your request to add Mr. Charles D. Kennedy, Jr. as an authorized user of H 3, C 14, Gd 153, Ru 103, S 35 and P 32. Mr. Kennedy's training and experience are not commensurate with your proposed use of all the radionuclides listed. It appears that Mr. Kennedy's experience with Gd 153, Ru 103, S 35 and P 32 are limited to packaged radioactive waste for disposal, and not as an authorized user for research and development as defined in 10 CFR 30.4, or not as an authorized user for animal studies as described in documents submitted in support of your license. Mr. Kennedy may be listed as an authorized user for hydrogen 3 and carbon 14.
 - a. Please advise us if it is satisfactory to list Mr. Charles Kennedy, Jr. as an authorized user of tritium and carbon 14 on the license at this time, or provide additional information regarding Mr. Kennedy's experience in the use of Gd 153, Ru 103, S 35, and P 32 in applications similar to those authorized by License No. 37-30243-01. Provide the maximum quantities of materials handled, where the experience was gained, the duration of experience, and the type of use.
2. Note that Ru 103 is not listed on your license. The requirements for specific licenses are discussed in 10 CFR 30. Please state whether you wish to have Ru 103 added to your license, and specify the following for Ru 103: 1) the chemical/and or physical form, 2) the maximum possession limit, 3) the typical amounts used in a given experiment, and 4) the purpose for which Ru 103 will be used. In addition, provide a list of individuals you wish to be named as authorized users of Ru 103 and include the maximum quantities of Ru 103 these individuals have used, where the experience was gained, the duration of the experience, and the type of use of Ru 103.

OFFICIAL RECORD COPY

ML 10

T. Keelty
Nycomed Incorporated

-2-

We will continue our review upon receipt of this information. Please reply in duplicate to my attention at the Region I Office and refer to Mail Control No. 123663. If you have any technical questions regarding this deficiency letter, please call me at (610) 337-6951.

If we do not receive a reply from you within 30 calendar days from the date of this letter, we shall assume that you do not wish to pursue your application.

Sincerely,

Original Signed By
James M. Bondick

James M. Bondick
Health Physicist
Division of Nuclear Materials Safety


Enclosure:
10 CFR Part 30

DOCUMENT NAME: R:\WPS\DLTR\D3730243.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	JBondick/jmb <i>qB</i>						
DATE	09/16/96	09/	/96	09/	/96	09/	/96

OFFICIAL RECORD COPY



September 5, 1996

030-33938

Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission
Region I
Pamela J Henderson
475 Allendale Road
King of Prussia, Pennsylvania 19406

License number: 37-30243-01

Docket number: 030-33938

Control number: 122173

Dear Ms. Henderson:


Information is provided for removing one authorized user from the license. Additionally, information is provided to add another authorized user to the license.

An authorized user, May Ho, Ph.D., listed as item 11.B. of the licence, has resigned from Nycomed. May resigned prior to executing any work with radioactive materials under the licence.

As per item 7 of the Application for Materials License, information is provided requesting that Charles D. Kennedy, Jr., B. S. be added to the license as an authorized user for limited isotopes. The isotopes include H-3, C-14, Gd-153, Ru-103, S-35, P-32. A completed Training and Experience of Authorized User form is attached.

If you require any additional information in support of this request, please contact me at (610) 225-4174 or 4175.

Thank you,


Thomas F Keelty
Assistant Director, Operations

cc: Christopher D. Black, Ph. D. - Radiation Safety Officer

OFFICIAL RECORD COPY

ML 10

123663

Nycomed Corporation
466 Devon Park Drive
Wayne PA 19087-8630

Form NRC 313(6/93) Application for Materials license

APPENDIX A
TRAINING AND EXPERIENCE OF AUTHORIZED USER.

Charles D. Kennedy, Jr., B. S.

Training:	Lecture /Lab	
1) 1989	SRG	Basic Radiation Safety
2) 1993	SWRG	Basic Radiation Safety Refresher Course
3) 1995	Nycomed	Basic Radiation Safety Refresher Course

Work with Radionuclides:

19 years experience in Drug Metabolism and Pharmacokinetics at

a)	SWRI	Rensselaer,	NY
b)	SRG	Rensselaer,	NY
c)	SWPRD	Rensselaer,	NY
d)	SWPRD	Collegeville,	PA
e)	Nycomed	Collegeville,	PA

LIST TRAINING (FORMAL COURSES) PERTINENT TO RADIATION SAFETY

Type of training	Where trained	Duration of training* clock hours
Principles of radiation protection	1 to 3 & a to e above	10 hrs /over 500 hrs
Radioactivity measurement/ Instrument	1 to 3 & a to e above	5 hrs /over 500 hrs
Physics & mathematics basic to use and measurement of radioactivity	1 to 3 & a to e above	10 hrs/over 500 hrs
Biological effects of radiation	1 to 3 & a to e above	3 hrs/over 500 hrs
Radiopharmaceutical chemistry	1 to 3 & a to e above	3 hrs/over 500 hrs

* Lecture or lab/ Supervised on the job

EXPERIENCE WITH RADIATION

Isotope	mCi Used	Location	Clock Hours	Type of use
H-3	10	a to e above	10 years	**
C-14	200	a to e above	17 years	**
Gd-153, Ru-103, S-35, P-32	<1 each	a to e above	5 years	***

** Routine and non-routine experiments in Drug Metabolism and Pharmacokinetics related to the absorption, distribution, metabolism and elimination of pharmaceutical agents (therapeutics, oncology and diagnostic imaging) in various animal species and humans including toxicokinetics,clinical pharmacokinetics, metabolite isolation and identification.

*** Packaged radioactive waste for disposal.

**CURRICULUM VITAE
NYCOMED INC.**

CHARLES D. KENNEDY, JR.

DATE: August 23, 1996

466 Devon Park Drive • Wayne, PA 19087-8630

EDUCATION

UNIVERSITY OF THE STATE OF NEW YORK

B.S., Biology, 1987

Inducted into the Alpha Sigma Lambda Evening Division Honor Society for Russell Sage College Evening Division, 1987.

North Country Community College

A.A.S., Biological Laboratory Technician, 1977

Biological Technology Award from North Country Community College, 1977

Certified as a Medical Laboratory Technician by the American Society of Clinical Pathologists, 1978.

EXPERIENCE

NYCOMED INC.

Principal Research Scientist, 10/94 - Present

Prepare for and conduct both routine and non-routine experiments to determine the disposition and metabolism of experimental compounds in animals and man.

STERLING WINTHROP, INC.

Principal Research Scientist, 6/93 - 10/94

Prepare for and conduct both routine and non-routine experiments to determine the disposition and metabolism of experimental compounds in animals and man.

STERLING WINTHROP, INC.

Senior Research Scientist, 6/91 - 6/93

Conduct of both routine and non-routine experiments to determine the disposition and metabolism of experimental compounds in animals and man.

Employee Signature

Charles D Kennedy Jr.

Date

26 Aug 96

STERLING WINTHROP, INC.

Research Biologist, 1985 - 1991

Conduct of both routine and non-routine experiments to determine the disposition and metabolism of experimental compounds in animals and man.

STERLING WINTHROP, INC.

Research Technician, 1977 - 1985

Assist in the conduct of both both routine and non-routine experiments to determine the disposition and metabolism of experimental compounds in animals and man.

SKILLS & CERTIFICATIONS

- RS/1
- Multichrom
- Lims
- Turbochrom -v4
- Radiation Safety
- Radiation Safety - Refresher course: 1993, 1995
- Bloodbourne Pathogen Training
- Pharamacokinetics for Pharmaceutical Scientists, San Francisco, Ca.
- Symposium on Contrast Agents in Ultrasound, Atlantic City, N.J.
- 15th Annual Rozman Symposium, Langhorne, PA.

Employee Signature

Charles D Kennedy J

Date

16 Aug 96

POSTER PRESENTATION

1. Johnson, J.A., Kennedy, C.D. Jr., Robinson, D.T.: Stereoselective Disposition and Biotransformation of Cicletinib Racemate Hydrochloride. ISSX Proceedings, Vol. 4, October, 1993.
2. Kennedy, C.D., Jr., Rudewicz, P. J., Newton, J. F., Baker, J. F., Berger, B. M., Von Noemeling, R. W., Stack, R. F., Zhi-Xin Xu, and Johnson, J.A.: Pharmacokinetics and Metabolism of the Androgen Receptor Antagonist Zanolone in Normal Human Males. ISSX Proceedings, Vol. 6, October 1994.
3. DiNoto, D.R., Kennedy, C. D., Jr., Seger, N. A., Stack, R. F., Rudewicz, P. J., Johnson, J. A.: Metabolism of the Human Leukocyte Elastase Inhibitor WIN 63759 in Sprague Dawley Rats and Beagle Dogs. ISSX Proceedings, Vol. 6, October 1994.
4. DiNoto, D. R., Kennedy, C. D., Johnson, J. A., Sherwin, P. F., Rocco, B., Anderson, K., Newton, J. F.: Pharmacokinetics and Biotransformation of the MRI Liver Contrast Agent Mangafodipir Trisodium Injection in Normal Human Male Volunteers. ISSX Proceedings, Vol. 8, August, 1995.

Current Responsibilities

Conduct of Experiments

- Responsible for participation in the design and supervision of the conduct of in vitro and in vivo animal and human metabolic experiments.
- Responsible for maintaining awareness of current experimental procedures and/or approaches in the field of Drug Metabolism and recommendation of new techniques.

Analytical Techniques

- Develop chromatographic separations for separation, quantification and isolation of intact drug and metabolites.
- Perform verification and maintenance of chromatographic and other laboratory equipment.
- Operate and supervise the use of other analytical instruments as required.

Employee Signature

Charles D. Kennedy Jr.

Date

26 Aug 96

- Develop or modify sample preparation techniques.

Data Manipulation and Recording

- Responsible for the completeness and accuracy of all laboratory study documentation.
- Responsible for the design and implimentation of improved methods of data recording and reduction.
- Prepare data summaries and presentations for management.
- Draft study/monthly reports, published reports and abstracts for metabolic studies.

Administrative

- Responsible for evaluation of new equipment and purchase recommendations.
- Responsible for day to day laboratory operations and scientific equipment.
- Responsible for at least one section/departmental administrative or liason fuction.

Employee Signature *Charles D. Kennedy Jr*

Date *26 Aug 96*

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

9-5-96

LICENSE NUMBER

37-30243-01

CONTROL NUMBER

123663

NYCOMED INCORPORATED
ATTN: THOMAS F. KEELTY
ASSISTANT DIRECTOR, OPERATIONS
466 DEVON PARK DRIVE
P.O. BOX 6630
WAYNE, PA 19087-8630

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3M	\$	\$	\$ 610.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	610.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	610.00

☒ Your request was received without the prescribed application fee.

☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

- ☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:
- ☐ We received your Check No. _____ in payment of the fee.
- ☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.
- ☐ Your request was combined, prior to review, with your request, Control No. _____.

III. CHECK RETURNED

- ☐ Enclosed is Check No. _____ which was returned to us by the bank for:
- ☐ INSUFFICIENT FUNDS
- ☐ ACCOUNT CLOSED
- ☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

- ☐ License No. _____, Amendment No. _____, issued on _____, was issued without the required fee being collected. The fee required is noted in Section I of this form.
- ☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.

SIGNATURE - LICENSE FEE ANALYST

BRENDA BROWN

LFDCB

BB *BB*
9/19/96

LFDCB

Distribution:

Region I Pending
BBrown LFARF RF
OC/DAF/SP (LF-3.2.7)

DATE

9-19-96

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03620
STATUS CODE: 0
FEE CATEGORY: 3M
EXP. DATE: 20001031
FEE COMMENTS: -----
DECOM FIN ASSUR REQD: Y
.....

LICENSE FEE TRANSMITTAL

A. REGION *I*

1. APPLICATION ATTACHED
APPLICANT/LICENSEE: NYCOMED INCORPORATED
RECEIVED DATE: 960909
DOCKET NO: 3033938
CONTROL NO.: 123663
LICENSE NO.: 37-30243-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED
AMOUNT: -----
CHECK NO.: -----

3. COMMENTS

SIGNED
DATE

M. A. Perkins

9/10/96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED *X*)

1. FEE CATEGORY AND AMOUNT: *3m* ----- *8610*

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT -----
RENEWAL -----
LICENSE -----

3. OTHER -----

SIGNED
DATE

Log	<i>Aug 22</i>
Permitter	
Check No	<i>35097</i>
Amount	<i>8610</i>
Fee Category	<i>3m</i>
Fee of Fee	<i>AmD</i>
Date Check Rec'd	<i>10/14/96</i>
Date Completed	<i>BAV</i>

10/11/96