

MATERIALS LICENSE

Amendment No. 03

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

Licensee

1. ENSR R & C

2. 281 Centennial Avenue
Piscataway, New Jersey 08854In accordance with the application dated
August 30, 1996,3. License Number 29-28695-01 is amended in
its entirety to read as follows:

4. Expiration Date November 30, 2001

5. Docket or
Reference No. 030-325116. Byproduct, Source, and/or
Special Nuclear Material7. Chemical and/or Physical
Form8. Maximum Amount that Licensee
May Possess at Any One Time
Under This License

A. Cesium 137

A. Sealed sources

A. Not to exceed 10
millicuries per source
and 60 millicuries total

B. Americium 241

B. Sealed neutron sources

B. Not to exceed 50
millicuries per source
and 300 millicuries total

9. Authorized use

A. and B. For possession and use in Troxler Electronic Laboratories, Incorporated, Campbell Pacific Nuclear Corporation, Humboldt Scientific, Incorporated, Seaman Nuclear Corporation, or Soiltest, Incorporated devices which have been evaluated and approved for licensing purposes under a license issued by the Nuclear Regulatory Commission or an Agreement State.

CONDITIONS

10. Licensed material may be used at the licensee's facilities located at 14 Worlds Fair Drive, Unit #14L, Franklin Township, New Jersey and at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

11. A. Licensed material shall be used by, or under the supervision and in the physical presence of Patricia J. D'Apolito, or individuals who have successfully completed the manufacturer's training program for gauge users and who have been designated by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.

B. The Radiation Safety Officer for this license is Patricia J. D'Apolito.

9611050067 961026
PDR ADOCK 03032511
C PDR

ML 10

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

29-28695-01

Docket or Reference Number

030-32511

Amendment No. 03

12. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders or detector cells by the licensee.
13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed 3 years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Sealed sources and detector cells need not be leak tested if they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source involved, the test results, and corrective action taken.
- F. The licensee is authorized to collect leak test samples for analysis by Troxler Electronics Laboratories, Inc. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

29-28695-01

Docket or Reference Number

030-32511

Amendment No. 03

14. The licensee may transport licensed material in accordance with the provisions of 10 CFR 71, "Packaging and Transportation of Radioactive Material."
15. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container shall be locked when in transport or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
18. The licensee shall not acquire licensed material in a sealed source or in a device that contains a sealed source unless the source or device has been registered with the Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated September 12, 1991
 - B. Facsimile dated November 7, 1991
 - C. Letter dated October 1, 1992
 - D. Application dated March 30, 1995

For the U.S. Nuclear Regulatory Commission

ORIGINAL SIGNED BY:
JO ANN V. STAMBAUGH

By

Nuclear Materials Safety Branch
Region I

King of Prussia, Pennsylvania 19406

Date

OCT 26 1996

OCT 26 1996

Mr. Richard M. Leuser
Vice President
ENSR R & C
281 Centennial Avenue
Piscataway, NJ 08854

Dear Mr. Leuser:

This refers to your license amendment request. Enclosed with this letter is the amended license. Please note that as part of this amendment, in accordance with 10 CFR 30.36, effective February 15, 1996, the expiration date of your license has been extended by a period of five years. Your new expiration date is stated in Item 4 of the license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Thank you for your cooperation.

Sincerely,

**ORIGINAL SIGNED BY:
JO ANN V. STAMBAUGH**

JoAnn V. Stambaugh
Division of Nuclear Materials Safety

License No. 29-28695-01
Docket No. 030-32511
Control No. 123648

Enclosure:
Amendment No. 03

DOCUMENT NAME: R:\WPS\MLTR\L2928695.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Stambaugh/jvs	9/26/96					
DATE	09/26/96	9/26/96	09/ /96	09/ /96	09/ /96	09/ /96	

OFFICIAL RECORD COPY

ML 10

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST 325 HRS. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (IMRB 7714) U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555, AND TO THE PAPERWORK REDUCTION PROJECT (3150 0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON DC 20503

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATIONS FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION
DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY, NMSS
WASHINGTON, DC 20555

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS, IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I
NUCLEAR MATERIALS SAFETY SECTION B
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II
NUCLEAR MATERIALS SAFETY SECTION
101 MARIETTA STREET, SUITE 2800
ATLANTA, GA 30333

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III
MATERIALS LICENSING SECTION
799 ROOSEVELT ROAD
GLEN ELLYN, IL 60137

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
MATERIAL RADIATION PROTECTION SECTION
611 RYAN PLAZA DRIVE, SUITE 1000
ARLINGTON, TX 76011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V
NUCLEAR MATERIALS SAFETY SECTION
1460 MARIA LANE, SUITE 210
WALNUT CREEK, CA 94606

030-32511

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item):

- ☐ A. NEW LICENSE
☒ B. AMENDMENT TO LICENSE NUMBER 29-28695-01 Docket # 030-32511
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code):

ENSR Remediation + Construction
281 Centennial Avenue
Piscataway N.J 08854

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED:

No Change

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION:

Patricia J D'Apolito

TELEPHONE NUMBER:

908 457 0550

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2 x 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL:

a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED:

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE:

Patricia J D'Apolito

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS:

9. FACILITIES AND EQUIPMENT:

10. RADIATION SAFETY PROGRAM:

11. WASTE MANAGEMENT:

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31):

SPECIAL NRC mat. AMOUNT
FEE CATEGORY 1, C. Amendment ENCLOSED \$ 290.00

13. CERTIFICATION (Must be completed by applicant): THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE - CERTIFYING OFFICER:

TYPED/PRINTED NAME:

TITLE:

DATE:

Patricia J D'Apolito

Patricia J D'Apolito

Director, H+S

8/30/96

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	COMMENTS
AMOUNT RECEIVED	CHECK NUMBER		

APPROVED BY:

DATE:

123648



An American NuKEM Company

**ENSR Remediation &
Construction**

281 Centennial Avenue
Piscataway, NJ 08854
(908) 457-0500
(908) 457-8511/FAX

page 2

APPLICATION FOR MATERIAL LICENSE AMENDMENT

August 30, 1996

License #29-18695-01
Docket #030-32511

- 5. No Change
- 6. No Change
- 7. Patricia J. D'Apolito (certificates attached)
- 8. No Change
- 9. No Change
- 10. No Change
- 11. No Change

Additional information:

Troxler Gauge Model #3430

Gauge Serial #20318

Radioactive Material:

Cs-137 - Source Serial #75-1657

Am-241:Be - Source Serial #47-15811

TROXLER ELECTRONIC LABORATORIES, INC.

HEREBY CERTIFIES THAT

PATRICIA D'APOLITO

of

ENSR R & C

HAS SUCCESSFULLY COMPLETED THE TROXLER ELECTRONIC LABORATORIES, INC.
TRAINING COURSE FOR THE USE OF NUCLEAR TESTING EQUIPMENT.

SUBJECTS INCLUDED IN THIS COURSE WERE AS FOLLOWS:

Radiological Safety

- | | |
|--|---|
| 1. Principles and practices of radiation protection. | 5. Radioactivity measurement standardization and monitoring techniques and instruments. |
| 2. Leak testing procedures. | 6. Accident and incident procedures. |
| 3. Mathematics and calculations basic to the use and measurement of radioactivity. | 7. Procedures for nuclear gauge storage and transportation. |
| 4. Biological effects of radiation. | 8. General safety precautions. |

Gauge Operation

- | | |
|-------------------------|----------------------|
| 1. Instrument theory | 4. Field application |
| 2. Operating procedures | 5. Gauge calibration |
| 3. Maintenance | |

CERTIFICATE #: 060454

FRANK D. JONES

INSTRUCTOR

10/28/93

DATE

WILLIAM F. TROXLER

PRESIDENT

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of



Basic Radioisotope Theory

October 17, 1994 thru October 17, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of


Health Effects of Ionizing Radiation

October 18, 1994 thru October 18, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College


Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO



Patricia Dapolito

For the Completion of

Radioisotope Laboratory Safety
October 19, 1994 thru October 19, 1994
00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of



Radiation Instrumentation

October 20, 1994 thru October 20, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of


Radiation Protection Program Management

October 21, 1994 thru October 21, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of



10 CFR Part 20

October 25, 1994 thru October 25, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

Cook College

Continuing Professional Education

THIS CERTIFICATE IS AWARDED TO


Patricia Dapolito

For the Completion of


Radioactive Waste Management

October 27, 1994 thru October 27, 1994

00.6 CEUs



Edward V. Lipman, Jr.
Director
Continuing Professional Education



Daryl B. Lund
Dean
Cook College

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001ENSR REMEDIATION & CONSTRUCTION
ATTN: PATRICIA J. D'APOLITO
DIRECTOR, H & S
281 CENTENNIAL AVENUE
PISCATAWAY, NJ 08854

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

8-30-96

LICENSE NUMBER

29-28695-01

CONTROL NUMBER

123648

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3P	\$	\$	\$ 300.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	300.00
PAYMENT RECEIVED	\$	290.00
AMOUNT DUE	\$	10.00

☒ Your request was received without the prescribed application fee.

☒ We received your Check No. 1847 in the amount of \$ 290.00. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

SIGNATURE - LICENSE FEE ANALYST

LFDCB

LFDCB

BRENDA BROWN

BB *BB*
9/19/96

II. FEE NOT REQUIRED

☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:

☐ We received your Check No. _____ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____.

Control No. _____

☐ Your request was combined, prior to review, with your request, Control No. _____.

III. CHECK RETURNED

☐ Enclosed is Check No. _____ which was returned to us by the bank for:

- ☐ INSUFFICIENT FUNDS
☐ ACCOUNT CLOSED
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. _____ Amendment No. _____, issued on _____, was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.

Distribution:

Region I Pending
BBrown LFARB RF
OC/DAF/SP (LF-3.2.7)

DATE

9-19-96

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 03121
STATUS CODE: 0
FEE CATEGORY: 3P
EXP. DATE: 20011130
FEE COMMENTS: _____
DECOM FIN ASSUR REQD: N

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: ENSR R & C
RECEIVED DATE: 960906
DOCKET NO: 3032511
CONTROL NO.: 123648
LICENSE NO.: 29-28695-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: \$290.00
CHECK NO.: 1847

3. COMMENTS

SIGNED M. A. Perkins
DATE 9/9/96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED)

1. FEE CATEGORY AND AMOUNT: 3P \$300

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT ☒
RENEWAL ☐
LICENSE ☐

3. OTHER

SIGNED _____
DATE _____

Log	Aug 21
Remitter	
Check No.	1847 / 1861
Amount	\$ 290 + 1810
Fee Category	3P
Type of Fee	AMD
Date Check Rec'd	10/10/96
Date Completed	CB

106 SEP 16 AM 11:19