

FILE COPY

JUN 17 1985

Henry R. Silverman, III, M.D.
3939 Monroe Street
Suite 123
Toledo, OH 43606

Gentlemen:

Enclosed is Amendment No. 03 to your NRC License No. 34-20317-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. You must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address.
5. Request and obtain appropriate amendment if you plan to change ownership of your organization, change locations of radioactive material, or make any other changes in your facility or program which are contrary to your license conditions or representations made in your license application and any supplemental correspondence with NRC. Any amendment request should be accompanied by the appropriate fee specified in 10 CFR Part 170.
6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.
7. Request termination of your license if you plan to permanently discontinue activities involving radioactive material prior to your expiration date.

8507230557 850613
REG3 LIC30
34-20317-01 PDR

Henry R. Silverman, III, M.D.

2

JUN 17 1985

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions and representations in your license application will result in enforcement action against you in accordance with the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C.

If you have any questions or require clarification of any of the above stated information, contact us at (312) 790-5625.

Sincerely,

Original Signed By
George M. McCann
Materials Licensing Section

Enclosure(s): Amendment No. 03

RIII

McCann/cm
06/10/85

CONVERSATION RECORD

TIME

9:10am

DATE

7 June 1985

TYPE

☐ VISIT☐ CONFERENCE☒ TELEPHONE☐ INCOMING☒ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT

WITH YOU Henry R. Silverman, III, M.D.

Colley Stover, nuclear medicine
technologist

SUBJECT

Q/N 79106

ORGANIZATION (Office, dept., bureau,

etc.) Henry R. Silverman III, M.D.

TELEPHONE NO.

(419) 472

3232

SUMMARY

Called and advised that procedures references in licensee's letters not found. Need to send us a copy.

Discussed NRC policy regarding quarterly linearity test. It was determined that licensee wanted to change frequencies for both the survey instruments and dose calibration. Agreed to amend licensee's license to calibrate their instruments as authorized in Regulatory Guide 10.8.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

Upbe up Cam

SIGNATURE

George W. Up Cam

DATE

7 June 1985

ACTION TAKEN

SIGNATURE

TITLE

DATE