

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302070

Licensee

1. Kenosha Testing and Engineering

2. 9016 58th Place
Suite 900
Kenosha, WI 53144In accordance with application dated
November 18, 19963. License Number 48-26643-01 is amended
in its entirety to read as follows:

4. Expiration Date June 30, 2005

5. Docket or
Reference No. 030-338296. Byproduct, Source, and/or
Special Nuclear Material7. Chemical and/or Physical
Form8. Maximum Amount that Licensee
May Possess at Any One Time
Under This License

A. Cesium-137

A. Sealed Source
(Troxler Dwg. No.
A-102112)A. No single source to
exceed 9 millicuries
each

B. Americium-241

B. Sealed Source
(Troxler Dwg. No.
A-102451)B. No single source to
exceed 44 millicuries
each

C. Americium-241

C. Sealed Source
(Troxler Dwg. No.
A-100337)C. No single source to
exceed 300 millicuries
each

D. Americium-241

D. Sealed Source
(Troxler Dwg. No.
A-100608)D. No single source to
exceed 100 millicuries
each

9. Authorized Use:

A. and B. To be used in Troxler Model 3400 Series moisture/density gauges.

A. To be used in Troxler Model 4640 Series surface density gauges.

C. To be used in Troxler Model 3241 Series asphalt content gauges.

D. To be used in Troxler Model 3241 Series asphalt content gauges.

190033

9612190409 961206
PDR ADDCK 03033829
C PDR

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

48-26643-01

Docket or Reference Number

030-33829

Amendment No. 01

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 7865 Green Bay Road, Kenosha, Wisconsin or 9016 58th Place, Suite 900, Kenosha, Wisconsin and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. The Radiation Safety Officer for this license is Robert M. Cords.
12. Licensed material shall only be used by, or under the supervision and in the physical presence of, Robert M. Cords or individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed in the licensee's routine and emergency operating procedures and who have been designated by the Radiation Safety Officer.
13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.
B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
C. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
D. Sealed sources need not be leak tested if:
 - (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

48-26643-01

Docket or Reference Number

030-33829

Amendment No. 01

- E. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(b)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Nuclear Materials Safety Branch, 801 Warrenville Road, Lisle, Illinois 60532-4351. The report shall specify the source involved, the test results, and corrective action taken.
- F. The licensee is authorized to collect leak test samples for analysis by Troxler Electronic Laboratories. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss, or theft.
16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.
17. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.
19. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

48-26643-01

Docket or Reference Number

030-33829

Amendment No. 01

20. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
21. The licensee may not possess and use materials authorized in Items 6, 7, and 8 until:
1. The licensee has constructed the facilities and obtained the equipment described in the application and supporting documentation; and
 2. The U. S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Materials Licensing Section, 801 Warrenville Road, Lisle, IL 60532-4351 has been notified that activities authorized by the license will be initiated.
22. Within 30 days of the date of a decision not to complete the facility, acquire equipment, or possess and use authorized material, the licensee must notify the Commission in writing, of the decision.
23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Applications dated April 3, 1995, November 18, 1996 (with attachments); and
 - B. Letter dated May 31, 1995.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date

September 6, 1996

By

Patricia J. Peck
Nuclear Materials Licensing Branch, Region III

DEC 09 1996

Robert M. Cords, President
Kenosha Testing and Engineering
7865 Greenbay Road
Kenosha, WI 53142

Dear Mr. Cords:

Enclosed is Amendment No. 01 to your NRC Material License No. 48-26643-01 in accordance with your request.

Please note that we have changed the mailing address (Item 2) and Condition No. 10 of your license to include the new address that will become effective on January 6, 1996. In addition, we have included both locations in Condition No. 10, since you will not be moving into your new facilities until June 6, 1997. Once you have completed your move, please submit a confirmatory survey of the facility located at 7865 Green Bay Road, to ensure that all sources have been removed. We will amend your license to delete this location upon receipt of this information.

Information submitted in response to this letter should be referenced as additional information to previous Control No. 02070.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Sincerely,

Original Signed By
Patricia J. Pelke
Nuclear Materials Licensing Branch

License No. 48-26643-01
Docket No. 030-33829

Enclosure: Amendment No. 01

DOCUMENT NAME: M:\03033829.CL6

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII								
NAME	PJPelke:brt								
DATE	12/16/96								

OFFICIAL RECORD COPY

302070

CONVERSATION RECORD

TIME

DATE

1:45 pm 12/4/96

☐ VISIT☐ CONFERENCE☒ TELEPHONE☐ INCOMING☒ OUTGOING

NAME OF PERSON(S) CONTACTED OR IN CONTACT

ROBERT CORDS

ORGANIZATION (OFFICE, DEPT. ETC.)

KENOSHA TESTING AND ENGINEERING

TELEPHONE NO.

414-697-1212

SUBJECT

AMENDMENT TO LN 48-26643-01/NEW MAILING ADDRESS AND LOCATION

SUMMARY

I CONTACTED R. CORDS TO CLARIFY WHETHER OR NOT THE MAILING ADDRESS ON THE LICENSE SHOULD ALSO BE CHANGED. R. CORDS INDICATED THAT "YES" THE MAILING ADDRESS SHOULD ALSO BE CHANGED, BUT THEY WILL NOT OCCUPY THE NEW FACILITIES UNTIL JANUARY 6, 1997. I INDICATED THAT WE WOULD AMEND THE LICENSE TO CHANGE THE MAILING ADDRESS, BUT THAT I WOULD USE THE CURRENT ADDRESS IN THE COVER LETTER THAT WILL TRANSMIT THE AMENDMENT. R. CORDS INDICATED THAT MAIL SERVICE IS NOT YET AVAILABLE AT THE NEW LOCATION.

ACTION REQUIRED

ISSUE AMENDMENT


NAME OF PERSON DOCUMENTING CONVERSATION

PATRICIA PELKE

SIGNATURE

DATE

12/4/96



ACTION TAKEN

SIGNATURE

TITLE

DATE



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351
November 27, 1996

Robert M. Cords, President
Radiation Safety Officer
Kenosha Testing and Engineering
7865 Green Bay Road
Kenosha, WI 53142

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter & Application Dated 11/18/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required)
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302070
License No. 48-26643-01

(10-94)
10 CFR 20, 32, 33,
34, 35, 36, 39 and 40

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-4 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARSHALL STREET, NW, SUITE 200
ATLANTA, GA 30333-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD
Lisle, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS,
LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA,
OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH,
WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR: (Check appropriate item)

- ☐ A. NEW LICENSE
☒ B. AMENDMENT TO LICENSE NUMBER 48-26643-01
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT: (Include Zip code)

Kenosha Testing and Engineering, Inc.
7865 Green Bay Road
Kenosha, WI 53142

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

9016 58th Place, Suite 900
Kenosha, WI 53144

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Robert M. Cords

TELEPHONE NUMBER

(414) 697-1212

SUBMIT ITEMS 5 THROUGH 11 ON 3-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time	6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE	8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS
9. FACILITY AND EQUIPMENT	10. RADIATION SAFETY PROGRAM
11. WASTE MANAGEMENT	12. LICENSEE FEES (See 10 CFR 170 and Section 170.21) FEE CATEGORY: _____ AMOUNT: ENCLOSED 1

THE APPLICANT, BY SIGNING THIS APPLICATION, UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

THE APPLICANT MUST MAKE OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT NAMED IN ITEM 2. CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMANCE WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 20, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 (42 STAT. 749) MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFY ONLY OFFICER - TYPE PRINTED NAME AND TITLE

Robert M. Cords, President

SIGNATURE

Robert M. Cords

DATE

11-16-94

FOR NRC USE ONLY

TYPE OF CASE	FILE NO.	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			5		
APPROVED BY				DATE	

RECEIVED

NOV 22 1996

REGION III

PRINTED ON RECYCLED PAPER



November 18, 1996

Materials Licensing Section
U.S. Nuclear Regulatory Commission, Region III
801 Warrenville Road
Lisle, IL 60532-4351

Re: License Amendment
Lic. #48-26643-01

Dear Sirs,

Attached is the application for an amendment to our existing license. In addition to the application, we have included any text changes for the attachments from our original Application for Material License.

Specifically, the amendment to our license is due to moving of our business location and requested changes for the Personnel Monitoring Program and Survey Meter. Other than moving the location of the business, our original application did not allow flexibility in who provided our badge monitoring service. With respect to our survey meter, we want to change the calibration period to one year from the current six month period.

The attachment documents portray our requested changes for:

- Location of operation. Attachment #1, Item #3
- Company Organizational Chart, Attachment #6
- Facility and Storage Location, Attachment #8, Item #9
- Facility Plan, Attachment #9
- Personnel Monitoring Program and Survey Meter, Attachment #11

No other changes to our original license application are requested. If you have any questions, please contact me at 414-697-1212.

Sincerely,
KENOSHA TESTING AND ENGINEERING INC.

Robert M. Cords, PE, RSO
President
RMC/kw

RECEIVED

NOV 22 1996


REGION III

ATTACHMENT #1

Item #3

The licensed material will be used at Kenosha Testing and Engineering Inc. (KTE), 9016 58th Place, Suite 900, Kenosha, Wisconsin and at all temporary job sites of the licensee anywhere in the United States where the U. S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material. The above address is also our permanent storage location.

Organization Chart
Kenosha Testing and Engineering Inc.



ATTACHMENT #8

Item #9

Facilities

The permanent storage facility is an existing commercial/industrial building located at

9016 58th Place
Kenosha Wisconsin

Attached (attachment #9) is a sketch of the facility. Note that the gauges will be stored in a locked closet when not in use. The storage closet is constructed with lead lined wall board similar to that used in medical facilities. Also note that the storage closet is located greater than 15 feet from the nearest full-time work area.


Gauges will be locked in the safe position when stored at the permanent storage facility and at temporary jobsites. Permanent and temporary storage areas will be locked when unattended. A utilization log (attachment #10) will be maintained at the permanent storage facility and at temporary jobsites indicating storage-removal date, authorized user (removal), job site/location of use, storage-return date and authorized user (return).

All possible means will be provided to ensure that the equipment is fully secured in the transporting vehicle and the equipment is away from the passenger compartment. When transporting in an enclosed vehicle (car or van), the vehicle will be locked. When transporting in an open bed vehicle, the gauge will be securely fastened and locked to the bed. In any situation, the case will be locked and braced to prevent shifting. When gauge is secured in vehicle, the vehicle will be locked when unattended. The gauge will be transported in a Type A transportation case. The U.S. DOT requires the case to be properly labeled.

At all times during transport, the operator will have a properly completed Bill of Lading and Emergency Response for each gauge being transported.

When in gauge is in the field, the authorized user will wear a dosimeter and maintain control over the gauge at all times. The gauge will never be left unattended. The gauge will be only used for its intended purpose. Before source handle is released, base will be coupled to measurement surface. Source will never be touched. Source will be returned to safe position following measurement. For extended periods of non-use, the source handle will be locked, gauge will be placed in the transport case, case secured in a transport vehicle as described above or returned to its permanent storage area as soon as possible.

See attached Operating and Emergency Procedures.



Kenosha Testing
9016 58th Place
Suite 900
Kenosha WI 53144

9012140409-1

Attachment #9

ATTACHMENT #11

Personnel Monitoring Program

Supplier: Siemens Dosimetry Service
2501 Barrington Road
Hoffman Estates, IL 60195-7372
or
Troxler Radiation Monitoring Services
Division of Troxler Electronic Labs, Inc.
PO Box 12057
Research Triangle Park, NC 27709

Type Thermoluminescent dosimeter (TLD)
Beta, Gamma, X-ray, and Neutron Measurement

Exchange Frequency: Quarterly

Dosimeter service provided by Siemens Dosimetry Service and Troxler Radiation Monitoring Services are accredited by The National Institute of Standards and Technology through NVLAP.

When using the gauges, the authorized user will wear the personnel monitoring device that has been assigned to them. When not using the gauge, the individual's personnel monitoring device will be returned to the designated storage or stored in a radiation free area by the user.

Survey Meter

The licensee will possess a radiation survey meter that has a measurement range from 0.01 to 100 mR/hr. The survey meter will be used to perform a survey following an incident. The survey meter will be calibrated by the manufacturer at intervals not to exceed 12 months. Before use, the survey meter will be checked to ensure proper response. If an improper response is noted, the unit will not be used and a working instrument will be obtained.

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03121
Status Code: 0
Fee Category: 3P
Exp. Date: 20050630
Fee Comments:
Decom Fin Assur Req: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: KENNERA TESTING AND ENGINEERING
Received Date: 961122
Docket No: 3033829
Control No.: 302070
License No.: 48-26643-01
Action Type: Amendment

2. FEE ATTACHED

Amount: 300
Check No.: 2650

3. COMMENTS

Signed
Date

D. Hersey
11-22-96

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered ☒)

1. Fee Category and Amount: 3P \$300

2. Correct Fee Paid. Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed
Date

SC
11/29/96

DEC 02 1996

Log	NOV 12 III
Remitter	
Check No.	2650
Amount	\$300
Fee Category	3P
Type of Fee	AMD
11/27/96	
11/29/96	

SC