

04008786370E

40-8786

URANIUM RESOURCES INC.

MARK S. PELIZZA
Environmental Manager

RETURN ORIGINAL TO PDR, HQ.

May 17, 1985

Mr. Bill Garland
Water Quality Administrator
Water Quality Division
Wyoming Department of Environmental Quality
Herschler Building - Third Floor
122 West 25th
Cheyenne, Wyoming 82002


Mr. Lyle D. Randen
Land Quality Administrator
Land Quality Division
Wyoming Department of Environmental Quality
Herschler Building - Third Floor
122 West 25th
Cheyenne, Wyoming 82002

Mr. R. Dale Smith, Director
Uranium Recovery Field Office
Region IV
U. S. Nuclear Regulatory Commission
Box 25325
Denver, Colorado 80225

Re: Operating Plan Clarification, 1985 Activities
North Platte Project

Gentlemen:

The following is a clarification of the Sampling and Analytical Program which was submitted to you by letter on May 14, 1984. The program stated that Well P-1 would be monitored daily for conductivity and uranium and if either of these parameters exceeded baseline they would be analyzed for the entire baseline suite to determine the responsible ion. The first clarification is the baseline which would be exceeded is the premining baseline. Secondly, uranium levels are not an indication of the presence of other ions. Therefore, only



DESIGNATED ORIGINAL

8507180003 850517
PDR ADOCK 04008786
C PDR

Certified By *Mary C. Hood*

FEE EXEMPT
Chad L. Ho
00624


North Platte Project
May 17, 1985
Page Two

if conductivity exceeds baseline would an analysis of the baseline suite be performed.

Please feel free to contact me if you have questions pertaining to this matter.

Sincerely,

UPANIUM RESOURCES INC.



Mark S. Pelizza
Environmental Manager

MSP:jsk

cc: Harry Anthony	- URI
Kelly Biddle	- URI
Raymond G. Larson	- URI
Phil Puecel	- DEQ
Roy Spears	- DEQ
Sandra Wastler	- NRC