

DEC 18 1996

Scott Johnson
Operations Manager
Chem-Nuclear Systems, Inc.
140 Stoneridge Drive
Columbia, SC 29210

Dear Mr. Johnson:

This refers to the telephone conversation between you and Mr. Michael Weber of my staff on December 16, 1996, regarding the letter dated June 10, 1996, from Advanced Medical Systems, Inc. (AMS), to Ms. Cynthia Pederson, Director, Division of Nuclear Materials Safety, NRC Region III. As Mr. Weber discussed with you, in the June 10th letter, AMS requests that Appendix C of AMS' Building Recovery Project report be withheld from public disclosure under 10 CFR 2.790. However, Appendix C is not owned by AMS, and as such, per 10 CFR 2.2790(b)(1)(ii), AMS is not the correct party to submit an affidavit for withholding this information. The owner of the information is Chem-Nuclear Systems, Inc. (CNSI). Therefore, if CNSI wishes to have Appendix C withheld from public disclosure, CNSI must submit the required application and affidavit for withholding of the material within 30 days of the date of this letter. The application and affidavit should identify the document or part sought to be withheld and the position of the person making the affidavit, and should contain a full statement of the reasons on the basis of which it is claimed that the information should be withheld from public disclosure. Please refer to 10 CFR 2.790 for additional requirements.

If you have any questions or require clarification on any of the information stated above, please call Mr. Weber at (630) 829-9825.

Sincerely,

John R. Madera, Chief
Nuclear Materials Inspection Branch 1

cc: Stephen J. Haddock, AMS

260025

DOCUMENT NAME: R:\LTRS2LIC\MTLS\030\96316055.L23

To receive a copy of this document, indicate in the box: "C" = Copy without enclosure "E" = Copy with enclosure "N" = No copy

OFFICE	RIII	C	RIII	NMSS	C	RIII
NAME	WEBER:dp <i>dp</i>		BERSON	ZOBLER <i>dp</i>		MADERA <i>dp</i>
DATE	12/16/96		12/19/96	12/16/96 (via e-mail)		12/18/96

OFFICIAL RECORD COPY

9612260263 961218
PDR ADOCK 03016055
C PDR

1/0
ml 31 SD