

December 20, 1996

Docket No. 030-33813

License No. 20-30212-01

Mr. John H. Spector, Chairman  
InterSpect Corporation  
36 Washington Street  
Wellesley, MA 02181

SUBJECT: INSPECTION NO. 030-33813/96-001

Dear Mr. Spector:

On November 19, 1996, Ihor Czerwinskyj of this office conducted a safety inspection at 222 Calvary Street, Waltham, Massachusetts of activities authorized by the above listed NRC license. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspector, interviews with personnel, and a selective examination of representative records. The findings of the inspection were discussed with Mr. Robert J. Galibois, at the conclusion of the inspection. This also refers to the telephone conversation on December 3 and 4, 1996 between Mr. Galibois and Mr. Czerwinskyj of the NRC.

Based on the results of this inspection, it appears that your activities were not conducted in full compliance with NRC requirements. A Notice of Violation is enclosed and categorizes each violation by severity level in accordance with the "General Statement of Policy and Procedure for NRC Enforcement Actions," (Enforcement Policy), NUREG 1600. You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

Please use the enclosed self-addressed green envelope when you respond to this letter to assist us in the timely processing of your response. In accordance with Section 2.790 of NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and your reply will be placed in the Public Document Room (PDR). To the extent possible, your response should not include any personal privacy, proprietary, or safeguards information so that it can be placed in the PDR without redaction. However, if you find it necessary to include such information, you should clearly indicate the specific information that you desire not to be placed in the PDR,

RETURN ORIGINAL TO

REGION I

9612300027 961220  
PDR ADOCK 03033813  
C PDR

OFFICIAL RECORD COPY

IE:07

John H. Spector  
InterSpect Corporation

-2-

and provide the legal basis to support your request for withholding the information from the public. The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

Your cooperation with us is appreciated.

Sincerely,

Original Signed By:  
Mohamed M. Shanbaky, Ph.D.

Mohamed M. Shanbaky, Chief  
Nuclear Materials Safety Branch I  
Division of Nuclear Materials Safety

Docket No.: 030-33813  
License No.: 20-30212-01

Enclosure:  
Notice of Violation

cc w/enclosure:  
Frank Castronovo, Ph. D., Radiation Safety Officer  
Commonwealth of Massachusetts

OFFICIAL RECORD COPY

John H. Spector  
InterSpect Corporation

-3-

Distribution: w/encl

PUBLIC

Nuclear Safety Information Center (NSIC)

Region I Docket Room (w/concurrences)

D. J. Holody, RI

DOCUMENT NAME: S:\pending\INTERSP.NOV

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	ICzerwinsky <i>S.C.</i>		MShanbaky <i>ms</i>				
DATE	12/20/96		12/24/96		12/ /96		12/ /96

OFFICIAL RECORD COPY