

Not to G Sharpe
596-55

JUL 25 1985

FCUP:NK
70-2968
SNM-1928, Amendment No. 1

Cleveland Electric Illuminating Company
ATTN: Mr. Murray R. Edelman
Vice President, Nuclear Group
P. O. Box 5000
Cleveland, OH 44101

Gentlemen:

In accordance with your application dated June 26, 1985, and pursuant to Title 10, Code of Federal Regulations, Part 40, Conditions 7D and 8D of Materials License No. SNM-1928 is hereby amended to increase the authorized possession limit of depleted uranium. Accordingly, Conditions 7D and 8D shall read as follows:

Condition 7D. Neutron detector storage casks

Condition 8D. 190 kg depleted uranium

All other conditions of your license shall remain the same.

Enclosed is a copy of our Safety Evaluation Report in support of this amendment.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Original Signed By:
W. T. Crow

W. T. Crow, Acting Chief
Uranium Fuel Licensing Branch
Division of Fuel Cycle and
Material Safety, NMSS

Enclosure: Safety Evaluation Report

Distribution w/encl:

Docket 70-2968	DWeiss, LFMB
Docket 50-440	GBennington, SGMT
NMSS R/F	WBrown, SGFF
FCUP R/F	SHO
VLTharpe	JStefano, NRR
NKetzlach (2)	CWoodhead, ELD
LCobb, IE	JGrobe, RES INSP.
Region III	
PDR	

8508050561 850725
PDR ADOCK 07002968
C PDR

OFFICE	FCUP	FCUP	FCUP				
SURNAME	NKetzlach;vt	VLTharpe	WTCrow				
DATE	07/25/85	07/25/85	07/25/85				