

## MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter 1, Parts 30, 31, 32, 33, 34, 35, 36, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s); and to import such byproduct and source material. This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

## Licensee

1. Nuodex, Incorporated

3. License number 29-20590-01

2. Box 365, Turner Place  
Piscataway, New Jersey 08854

4. Expiration date March 31, 1988

5. Docket or  
Reference No. 030-199516. Byproduct, source, and/or  
special nuclear material7. Chemical and/or physical  
form8. Maximum amount that licensee  
may possess at any one time  
under this license

A. Nickel 63

A. Foil contained in  
Hewlett-Packard Model  
18803-60520 detector  
cellsA. Not to exceed 15 milli-  
curies per foil

## 9. Authorized use

A. For use in gas chromatographs for sample analysis.

## CONDITIONS

10. Licensed material shall be used only at the licensee's facilities at Turner Place, Piscataway, New Jersey.
11. The licensee shall comply with the provisions of Title 10, Chapter 1, Code of Federal Regulations, Part 19, "Notices, Instructions and Reports to Workers; Inspections" and Part 20, "Standards for Protection Against Radiation."
12. Licensed material shall be used by, or under the supervision of Norman Eider.
13. In lieu of using the conventional radiation caution colors (magenta or purple on yellow background) as provided in Section 20.203(a)(1), Title 10, Code of Federal Regulations, Part 20, the licensee is hereby authorized to label detector cells and cell baths, containing licensed material and used in gas chromatography devices, with conspicuously etched or stamped radiation caution symbols without a color requirement.

MATERIALS LICENSE  
SUPPLEMENTARY SHEET

License number

29-20590-01

Docket or Reference number

030-19951

(continued)

## CONDITIONS


14. A. Each chromatograph detector containing Nickel 63 shall be tested for leakage and/or contamination at intervals not to exceed six months. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a detector received from another person shall not be put into use until tested.
- B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the surfaces of the device in which the foil is mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Commission.
- C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the foil from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the test with the U.S. Nuclear Regulatory Commission, Region I, 631 Park Avenue, King of Prussia, Pennsylvania 19406, describing the equipment involved, the test results, and the corrective action taken.
- D. Tests for leakage and/or contamination shall be performed by the licensee or by other persons specifically authorized by the Commission or an Agreement State to perform such services.
15. The licensee shall conduct a physical inventory every six (6) months to account for all detector cells received and possessed under the license. The records of the inventories shall be maintained for two (2) years from the date of the inventory for inspection by the Commission, and shall include the quantities and kinds of byproduct material, location of detector cells and the date of the inventory.
16. Detector cells containing licensed material shall not be opened or the foil sources removed from the detector cell by the licensee.
17. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, and 8 of this license in accordance with statements, representations, and procedures contained in application dated February 10, 1983, and letters dated December 22, 1982, February 10, 1983, and March 8, 1983. The Nuclear Regulatory Commission's regulations shall govern the licensee's statements in applications or letters, unless the statements are more restrictive than the regulations.

For the U.S. Nuclear Regulatory Commission

Date

APR 1 1983

By

  
Nuclear Materials and Safeguards Branch  
Region I  
King of Prussia, Pennsylvania 19406

# CONVERSATION RECORD

TIME

4:55 PM

DATE

3/20/85

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Norman Eider

ORGANIZATION (Office, dept., bureau, etc.)

NUODEX

TELEPHONE NO.

201-981-5000

SUBJECT

Letter dtd. 3/14/85

SUMMARY

Confirmed w/ Eider that the license

is no longer needed and should be terminated.

Note also Curken Scientific of

Hawkyville, CT does not have a license w/us presently.

ACTION REQUIRED

Proceed w/ termination request.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

Donir Forter

DATE

3/20/85

ACTION TAKEN

SIGNATURE

TITLE

DATE

BETWEEN: William O. Miller, Chief  
License Fee Management Branch  
Office of Administration

John E. Glenn, Chief  
Nuclear Materials Section B  
Division of Engineering and  
Technical Programs

LICENSE FEE TRANSMITTAL

No Fee  
Needed - Termination

A. REGION 1

1. APPLICATION ATTACHED

Applicant/Licensee: Nuclex, Incorporated

Application Dated: 3/14/85

Control No.: 03557

License No.: 29-20590-01

2. FEE ATTACHED

Amount: 0

Check No.: 0

3. COMMENTS

Signed Brenda Platchek

Date 3/21/85

B. LICENSE FEE MANAGEMENT BRANCH

1. Fee Category and Amount: 3P - Termination - No fee due

2. Correct Fee Paid. Application may be processed for:

Amendment ✓

Renewal \_\_\_\_\_

License \_\_\_\_\_

Signed Frances Brown

Date 3/28/85

40 J  
4/1/85