


DEC 2 1960

L&R:IB:WBC
Docket No. 27-7

Isotopes Specialties Company
Division of Nuclear Corporation
of America, Inc.
170 West Previdencia
Burbank, California



Attention: Mr. Alfred J. Moss, Chairman
Isotope Committee

Gentlemen:

Receipt is acknowledged of your application dated July 25, 1960.

Pursuant to Section 30.35(b) of 10 CFR 30, since your application for renewal was received more than thirty (30) days prior to expiration, the license shall not expire until the application has been finally determined by the Commission.

In reviewing this application we find that there are several items which require clarification or further information, before licensing action can be taken.

Supplement A of the application states that waste material received under license No. 4-580-6 may be reclaimed and used under license No. 4-580-7. You are requested to provide a detailed description of the types of anticipated operations indicating the nature of the isotopes and/or equipment to be reclaimed and the maximum levels of contamination which will be allowed on reclaimed items. The radiation safety procedures for such operations should also be submitted. You should also indicate whether this authorization is desired to provide a decontamination service to customers. Such use may be considered for coverage under a separate license.

Supplement B, III, "Storage of Radioactive Waste" should be expanded to indicate how waste material will be stored prior to encasement in concrete or impervious containers, to protect it from damage or dispersion due to weather.

A/106

DEC 2 1960

Isotopes Specialties Co.

-2-

Supplement B, II.A.4 indicates the information to be logged on radioactive waste received from Isotopes Specialties Company's customers. Upon amendment of License No. 4-580-6, we propose to add a condition specifying the records which shall be kept regarding each incoming container and each container as finally prepared for disposal, substantially in the following form:


The licensee shall maintain:

A. Records of the following items of information regarding each container of waste received from customers:

- (1) Name and address of customer.
- (2) Principal radioactive isotopes.
- (3) Amount of radioactivity.
- (4) Radiation level at the surface of the container and at 1 meter.
- (5) Level of removable contamination on the container surface.
- (6) Date received.

B. Records of the following items of information regarding each container of waste packaged for disposal:

- (1) Amount of radioactivity.
- (2) Radiation level at the surface of the container and at 1 meter.
- (3) Level of removable contamination on the container surface.
- (4) Most hazardous radioisotope.
- (5) Date of packaging.
- (6) Weight of final container.
- (7) Disposal location and date.



Therefore, any record system which will include this information may be used. Indication of the acceptability of this condition would be appreciated.

Supplement B, IV indicates that wastes may be processed by chemical dissolution, filtration, extraction, ion exchange, chemical polymerization and physical absorption. You are requested to provide detailed information regarding the types of waste material to be treated by each technique, the facilities available for such processing and the procedures to be followed.

DEC 2 1960

Isotopes Specialties Co.

-3-

Supplement B, VI.B.1.b. indicates the information to be provided on all radioactive waste containers. You are requested to indicate how this information will be semipermanently attached to the final sea disposal containers.


Supplement B, VI.B.1.d. states that solid waste will be put into the drum in increments of 4" to 6" and a slurry of cement will be carefully added to each incremental layer of waste to produce a solid mass. We are concerned that this technique may result in laminations of waste in which significant voids may exist, which may be compressible such that voids may be produced when the drum is subjected to pressure, or which may separate and allow buoyant items to rise to the surface of the ocean. If the technique proposed is such as to result in an integral mixing of the waste and concrete, please so verify. If laminations may result you are requested to describe the provision to be made for pressure relief, including the size and type of tube to be used and the method of installation; reinforcement to be provided to assure adherence of the multiple layers of waste and the securing of the 3" to 5" concrete cap to the drum contents to provide assurance that it will not come off during handling, transportation and disposal operations.

Supplement B, VI.B.1.e. states that other special containers may be used dependent upon the shape, toxicity and intensity of radiation of the waste. Drawings D-0047 and D-0048 showing an I beam and a nose cone encased in reinforced concrete have previously been approved. If it is proposed to construct forms and encase irregularly shaped items in concrete blocks, it will be necessary to submit a complete description of each type of such container to be used including such information as the minimum wall thickness, the reinforcement to be provided and the provision to be made for pressure relief if significant voids may exist in the package.

Review of your application will be continued upon receipt of the requested information.

Sincerely yours,

James R. Mason, Chief
Isotopes Branch
Division of Licensing and Regulation



OFFICE ▶	L&R:IB	L&R:RSE	L&R:IB			
SURNAME ▶	W.C. Cool:dg	Nussbaumer	Mason			
DATE ▶	12/1/60	12/ /60	12/2/60			