

**MATERIALS LICENSE**  
SUPPLEMENTARY SHEET

License number 34-01954-01

Docket or Reference number 030-02694

Amendment No. 35

Timken Mercy Medical Center  
1320 Timken Mercy Drive, N.W.  
Canton, OH 44708

In accordance with letter dated June 13, 1985, License Number 34-01954-01 is amended as follows:

Items 6., 7., 8., and 9. are amended to add:

6. Byproduct, source,  
and/or special nuclear  
material

7. Chemical and/or  
physical form

8. Maximum amount that  
licensee may possess  
at any one time  
under this license

G. Uranium (Depleted in  
Uranium 235)

G. Cadmium plated metal

G. 105 kilograms

9. Authorized Use

G. To be used as shielding in linear accelerator.

Condition 17. is amended to read:

17. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, and 8 of this license in accordance with statements, representations, and procedures contained in application dated January 20, 1978; and letters dated May 26, 1978, November 16, 1978, December 14, 1978, January 25, 1980, October 12, 1981, May 19, 1983, July 11, 1984, August 10, 1984, September 14, 1984, and June 13, 1985; letter received October 3, 1983; and ALARA Program dated October 12, 1981. The Nuclear Regulatory Commission's regulations shall govern the licensee's statements in applications or letters, unless the statements are more restrictive than the regulations.

For the U.S. Nuclear Regulatory Commission

Date July 8, 1985

Original Signed  
By William J. Adam, Ph.D.  
Materials Licensing Section, Region III

8508130544  
REG3 LIC30  
34-01954-01

850708  
PDR

COPY 2