

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	
1. Elmo Greer & Sons, Inc.	3. License number 16-23094-01
2. P. O. Box 730 London, Kentucky 40741	4. Expiration date September 30, 1990
	5. Docket or Reference No. 80-28825
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form
A. Cesium 137	A. Sealed sources (Troxler Dwg. A-102112)
B. Americium 241	B. Sealed neutron sources (Troxler Dwg. A-102451)
	8. Maximum amount that licensee may possess at any one time under this license
	A. Not to exceed 10 millicuries per source
	B. Not to exceed 50 millicuries per source
9. Authorized use	
A. and B. For use in Troxler Model 3401, 3401B, 3411 or 3411B gauges to measure moisture and/or density of construction materials.	

CONDITIONS

10. Licensed material shall be used only at temporary job sites of the licensee anywhere in the United States where the Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. The licensee shall comply with the provisions of Title 10, Chapter 1, Code of Federal Regulations, Part 19, "Notices, Instructions and Reports to Workers; Inspections" and Part 20, "Standards for Protection Against Radiation."
12. A. Licensed material shall be used by, or under the supervision and in the physical presence of, any licensee employee satisfactorily completing an NRC or Agreement State approved training program for Troxler devices and who has been trained in the licensee's operating and emergency procedures.
B. The Radiation Protection Officer for the activities authorized by this license is Tom L. Caudel.

8510310099 850920
REG2 LIC30
16-23094-01 PDR

MLD
1/1

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

16-23094-01

Docket or Reference number

030-28825

(cont'd)

CONDITIONS

13. Sealed sources containing licensed material shall not be opened or removed from the portable moisture/density gauges by the licensee.
14. A. (1) Each sealed source containing licensed material, other than Hydrogen 3, with a half-life greater than thirty days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six months. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a sealed source received from another person shall not be put into use until tested.
- (2) The periodic leak test required by this condition does not apply to sealed sources that are stored and not being used. The sources excepted from this test shall be tested for leakage prior to any use or transfer to another person unless they have been leak tested within six months prior to the date of use or transfer.
- B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Commission.
- C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Commission regulations. A report shall be filed within five (5) days of the test with the U.S. Nuclear Regulatory Commission, Region II, Division of Radiation Safety and Safeguards, Nuclear Materials Safety Section, 101 Marietta Street, Suite 2900, Atlanta, Georgia 30323, describing the equipment involved, the test results, and the corrective action taken.
- D. The licensee is authorized to collect leak test samples in accordance with the procedures described in the licensee's application dated July 19, 1985 for analysis by Troxler Electronics Laboratories, Inc. Alternatively, leak test samples may be collected and/or analyzed by other persons specifically authorized by the Commission or an Agreement State to perform such services.
15. The licensee shall conduct a physical inventory every six (6) months to account for all sealed sources received and possessed under the license. The records of the inventories shall be maintained for two (2) years from the date of the inventory for inspection by the Commission, and shall include the quantities and kinds of licensed material, location of the portable gauges and the date of the inventory.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number:

16-23094-01

Docket or Reference number

030-28825

(cont'd)

CONDITIONS

16. The licensee may transport licensed material or deliver licensed material to a carrier for transport in accordance with the provisions of Title 10, Code of Federal Regulations, Part 71, "Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions."
17. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, and 8 of this license in accordance with statements, representations, and procedures contained in application dated July 19, 1985. The Nuclear Regulatory Commission's regulations shall govern the licensee's statements in applications or letters, unless the statements are more restrictive than the regulations.



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date SEP 20 1985

By Paul R. Guinn
PAUL R. GUINN
Region II, Nuclear Materials
Safety Section
101 Marietta Street, Suite 2900
Atlanta, GA 30323

CONVERSATION RECORD

TIME

DATE

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

ROUTING

NAME / SYMBOL / INT

Location of Visit/Conference

☐ INCOMING

☒ OUTGOING

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

ORGANIZATION (OFFICE, DIVISION, BUREAU, etc.)

TELEPHONE NO.

SUBJECT

SUMMARY

Mark May stated that they do not have their own training program but are licensed to have individuals authorized who have satisfactorily completed any NRC or Agreement that approved training program for the proper license. They apply stated that Tom Powell and Joseph Powell had been trained by Reeves Engineering Services (which is an approved training course by Kentucky).

ACTION REQUIRED

Write NRC license w/ same training req. as Kentucky.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

ACTION TAKEN

SIGNATURE

TITLE

DATE

50271-101

© GPO : 1961 O - 361-526 (7227)

CONVERSATION RECORD

OPTIONAL FORM 271 (12-76)
DEPARTMENT OF DEFENSE