


DECONTAMINATION AND TREATMENT  
OF  
THE RADIOACTIVELY CONTAMINATED PATIENT  
AT  
SALEM COUNTY MEMORIAL HOSPITAL

Approved by \_\_\_\_\_

  
Roger E. Linnemann, M.D.  
Vice Chairman

Procedure No. M1-7  
Revision 8, (June, 1985)

REVISIONS PAGE

SALEM COUNTY MEMORIAL HOSPITAL

<u>Rev. No.</u>	<u>Date</u>
0	12/80
1	10/82
2	3/84
3	6/84
4	6/84
5	6/84
6	10/84
7	5/85 (Complete Manual)
8	6/85

DECONTAMINATION AND TREATMENT  
OF  
THE RADIOACTIVELY CONTAMINATED PATIENT  
AT  
SALEM COUNTY MEMORIAL HOSPITAL

TABLE OF CONTENTS

<u>TITLE</u>	<u>PAGE NO.</u>	<u>REV/DATE</u>
A. PURPOSE AND SUMMARY	1	7 5/85
B. PRECAUTIONS	2	7 5/85
C. PREREQUISITES		
1. Alert/Notification	2	7 5/85
2. Prior Action at Salem Nuclear Generating Station/Hope Creek Generating Station	3	7 5/85
D. LIMITATIONS AND ACTIONS	3	7 5/85
E. PROCEDURE		
1. Notification	3	8 6/85
2. Nursing Supervisor's Duties	5	7 5/85
3. Maintenance/Housekeeping Personnel's Duties	6	8 6/85
4. Emergency Room Nursing Personnel's Duties	8	7 5/85
5. Attending Physician's Duties	9	7 5/85
6. Control Point Attendant's Duties	10	7 5/85
7. Buffer Zone Attendant's Duties	11	7 5/85
8. President's Duties	12	7 5/85
9. Plant Radiation Protection Technician's (RPT) Duties	13	7 5/85
F. RETURN OF REA TO NORMAL USE	15	7 5/85
G. PATIENT TRANSFER TO DEFINITIVE CARE CENTER	15	7 5/85
H. PROCEDURE FOR HANDLING MULTIPLE VICTIMS	15	7 5/85

TABLE OF CONTENTS (Continued)

		<u>REV/DATE</u>
DIAGRAM I	Plan View of REA	7 5/85
DIAGRAM II	Attendant Garb	7 5/85
DIAGRAM III	Floor Covering for Patient Transfer	7 5/85
ATTACHMENT A	Admission Procedure for Radiation Accident Victims	7 5/85
ATTACHMENT B	Telephone Procedure for Radiation Accident Emergencies: Nursing Supervisor and Emergency Room Nurse	8 6/85
ATTACHMENT C	Emergency Treatment of Radiation Accident	7 5/85
ATTACHMENT D	Procedure for the Use of Protective Clothing and Dosimeters	7 5/85
ATTACHMENT E	Procedure for Patient Decontamination and Sample-Taking	7 5/85
ATTACHMENT F	Parts List for Decontamination and Sample- Taking Kits	7 5/85
ATTACHMENT G	REA-Stored Supplies and Equipment	7 5/85
ATTACHMENT H	Radiation Emergency Telephone Directory	8 6/85
ATTACHMENT I	Location of Manuals	8 6/85
ATTACHMENT J	Personnel Dosimetry Log & Patient Data Sheet	7 5/85



DECONTAMINATION & TREATMENT OF THE  
RADIOACTIVELY CONTAMINATED PATIENT AT  
SALEM COUNTY MEMORIAL HOSPITAL

A. PURPOSE AND SUMMARY

1. By agreement between Public Service Electric & Gas and Salem County Memorial Hospital, personnel at Salem Nuclear Generating Station/Hope Creek Generating Station sustaining injuries from ionizing radiation or injuries complicated by radiation exposure or radioactive contamination will be provided care and treatment at Salem County Memorial Hospital.
2. Most of these injury cases will present no hazard to hospital personnel and will be admitted and provided care and treatment in accordance with our standard operating procedures. However, in the event that an accident victim is radioactively contaminated, he will be admitted, decontaminated and treated in accordance with these procedures.
3. The purpose of these procedures is to assure the protection of the hospital staff, other patients and visitors during admission and treatment of the radioactively contaminated patient. The hospital's protection program starts at Salem Nuclear Generating Station/Hope Creek Generating Station with an alert or warning telephone call to the hospital with information that there has been a radiation accident, and one or more injured and contaminated persons may require treatment. On receipt of such a call, the staff will prepare to admit the patient(s) through the Radiation Emergency Area (REA). The REA will be set up in accordance with the directions given in Section E, "Procedure".
4. Hospital personnel will utilize protective clothing and personnel radiation dosimeters in accordance with directions contained in Attachment D, "Procedure for the Use of Protective Clothing and Dosimeters". Decontamination of the patient(s) as may be required, and the collection of contamination samples will follow the directions given in Attachment E.

B. PRECAUTIONS

There are three major types of radiation exposure which may cause injury:

1. penetrating radiation exposure from a source external to the body (gamma rays, neutrons);
2. internal exposure to radionuclides by ingestion, inhalation, absorption, or through a skin break;
3. skin and superficial tissue exposure by contamination of the surface of the body with radioactive materials, including subcutaneous radioactive foreign objects.

A patient who has been excessively exposed to external radiation will not present a hazard to attending personnel. Radiation that has injured a patient will no more harm the attendant than heat that has injured a burn patient will harm the attendant.

A patient who has received an overdose of radionuclides by ingestion or inhalation is no more of a hazard than the patient who has been given diagnostic radioisotopes in a hospital nuclear medicine department.

An individual whose clothing, skin and/or wounds are contaminated with radioactive material may present a radiation hazard to attending personnel in the absence of adequate procedures to prevent the spread of the contaminant or control of the radiation exposure from the contamination.

Since radiation injuries are not immediately life-threatening, primary attention should always be directed to traumatic life-threatening injuries, e.g., severe bleeding, airway obstruction, shock. Concomitantly, or as soon as possible, the patient should be decontaminated.

C. PREREQUISITES

1. Alert/Notification

As soon as it has been established by the Salem Nuclear Generating Station/Hope Creek Generating Station that a patient will be transported to the hospital for treatment, an alert call to this effect will be given. As soon as this has been established, nuclear station personnel will notify the hospital. The alert and notifica-

C. PREREQUISITES (Continued)

tion calls will be directed to the Hospital Switchboard Operator, (609) 935-1000, who in turn, will notify the Nursing Supervisor.

2. Prior Action At Salem Nuclear Generating Station/Hope Creek Generating Station

Before sending the patient(s) to the hospital, the nuclear station personnel will accomplish the following procedures:

- a. Administer first aid.
- b. Notify ambulance.
- c. Call the hospital and inform them of expected arrival time, description of apparent injuries and number of patients.
- d. Decontaminate the patient(s) to an extent compatible with injuries.
- e. Assign station personnel qualified in radiation protection procedures to accompany the patient(s).

D. LIMITATIONS AND ACTIONS

1. Salem County Memorial Hospital is the primary treatment facility where radioactively contaminated accident casualties from the Salem Nuclear Generating Station/Hope Creek Generating Station may be treated without explicit approval of the Medical Director of Public Service Electric & Gas Company.
2. All decontamination of hospital personnel, equipment and facilities shall be supervised by Salem Nuclear Generating Station/Hope Creek Generating Station personnel.

E. PROCEDURE

1. Notification

In accordance with paragraph C.1, Salem Nuclear Generating Station/Hope Creek Generating Station personnel will alert the hospital by calling the Switchboard Operator, who in turn calls one of the following persons in the order listed, during normal hospital hours.

- a. Nursing Supervisor.
- b. President.
- c. Senior Vice President.
- d. Vice President - Nursing.

E. PROCEDURE (Continued)

1. Notification (Continued)

The initial notification call will be directed to the Nursing Supervisor on duty who will obtain the following information:

- a. Date and time of call.
- b. Person calling.
  - (1) Name.
  - (2) Address.
  - (3) Telephone Number.

The call will then be transferred to E.R. personnel for the following information:

- (1) Location.
- (2) Date and time.
- (3) Number of patients.
- (4) Extent of injuries.
- (5) Contamination status.
- (6) Expected time of arrival.

After recording this information both parties should hang up and the Nursing Supervisor then redial the Salem Senior Shift Supervisor at 339-4027 or the Hope Creek Senior Shift Supervisor at 339-3669 or the Salem Shift Supervisor, Unit 1 at 339-3016 or the Salem Shift Supervisor, Unit 2 at 339-3026 or the Hope Creek Shift Supervisor at 339-3059. Verify the authenticity of the call with one of these people. If the call is verified, proceed with the Code Magenta Plan. If not, disregard the call and do not activate the plan.

The Nursing Supervisor will contact and instruct:

- (a) Switchboard Operator to declare Code Magenta\* (during normal hours).
- (b) Radiation Management Corporation, (215) 243-2990 - 24 hour emergency phone number.
- (c) Contact hospital President or designee.

\* Upon declaration of Code Magenta, personnel associated with radiation medical emergencies will report to the REA and perform their respective duties accordingly.

E. PROCEDURE (Continued)

2. Nursing Supervisor's Duties+

Prior to Patient Arrival

- A. Complete the top of the form seen under Attachment B (page B-1) of this manual.
- B. Notify Emergency Room physician and nurses.
- C. Report to Radiation Emergency Area and supervise preparation.
- D. Assign Nursing Personnel to assist physician in treatment room.
- E. Assign Control Point Attendant.
- F. Assign Buffer Zone nurse.

Patient Arrival

Supervise all activities in treatment room and buffer zone.

+ NOTE: Should Nursing Supervisor be involved in a code, Emergency Room personnel will perform these duties.

E. PROCEDURE (Continued)

3. Maintenance/Housekeeping Personnel's Duties

Upon notification of Code Magenta, open and prepare Radiation Emergency Area as follows:

Prior to Patient Arrival

Step 1

Clear treatment room of non-stationary supplies and equipment.

Step 2

Obtain radiation emergency supplies from storage closet.

Step 3

Lay floor covering (Herculite) throughout the REA. The pre-cut colored pieces are marked as to proper location.

a. Yellow Herculite, to be placed as follows:

- (1) Ambulance Entrance (outside door and anteroom -- secure this section).
- (2) Treatment Room.
- (3) Anteroom.

b. Green Herculite -- Buffer Zone.

c. White Herculite -- use for patient exit only.

Step 4

Attach decontamination table top to gurney and place 15-gallon water receptacle under drain.

Place 32-gallon lined waste receptacles in treatment room and buffer zone.

Step 5

Erect warning rope and signs across hallway and buffer zone.

E. PROCEDURE (Continued)

3. Maintenance/Housekeeping Personnel's Duties (Cont.)

Step 6

Attach hose with showerhead to faucet and adjust water temperature to luke warm.

Step 7

Open Decontamination and Sample Taking Kits on table in treatment room.

Step 8

If the possibility of two patients exists, move a second gurney to the area outside the REA until needed.



E. PROCEDURE (Continued)

4. Emergency Room Nursing Personnel's Duties\*

\*In absence of Nursing Supervisor, perform duties listed under E.2.

Prior to Patient Arrival

- A. Don protective clothing and dosimeters in accordance with directions contained in Attachment D of this manual.
- B. Complete bottom section of form seen under Attachment B (page B-1) of this manual.

Patient Arrival

- A. Assist attending physician in patient stabilization
- B. Collect bioassay samples in accordance with directions contained in Attachment E of this manual.
- C. Assist in patient decontamination in accordance with directions contained in Attachment E of this manual.
- D. Assist in patient transfer and exit procedures.
- E. Remove protective clothing and dosimeters in accordance with directions contained in Attachment D of this manual.
- F. Insure the ambulance remains in immediate area until released by nuclear station radiation protection personnel.



E. PROCEDURE (Continued)

5. Attending Physician's Duties

Prior to Patient Arrival

- A. Assure that the Radiation Emergency Area is set up for admission of a radioactively contaminated patient.
- B. Assure that necessary medical supplies and equipment are brought to the REA.
- C. Don protective clothing and dosimeters in accordance with directions contained in Attachment D and Diagram II of this manual.

Patient Arrival

- A. In the event of multiple patients, assure that appropriate treatment priority is assigned. If the patient is not critically injured, he should remain in the ambulance and be admitted according to triage method.
- B. Question the accompanying Salem Nuclear Generating Station/Hope Creek Generating Station personnel concerning the patient's contamination status and precautions that should be taken by the hospital staff.
- C. Administer emergency treatment.
- D. Insure that requested medical supplies are passed into decontamination/treatment room.
- E. Decontaminate the patient and collect samples of the contaminant in accordance with Attachment E of this procedure.
- F. Following decontamination and emergency treatment, direct the transfer of the patient from the REA to the appropriate section of the hospital for care or further treatment.
- G. Remove protective clothing and dosimeters in accordance with directions contained in Attachment D of this manual.

E. PROCEDURE (Continued)

6. Control Point Attendant's Duties

Prior to Patient Arrival

- A. Assure that the personnel entering the REA are wearing protective clothing, self-reading pocket dosimeters, film badges and ring TLDs.
- B. Don protective clothing and dosimeters in accordance with directions contained in Attachment D and Diagram II of this manual.
- C. Restrict access to only those personnel authorized entry by the attending physician or Nursing Supervisor.
- D. Maintain a record showing name, time and initial dosimeter reading of each person entering or exiting REA. (Refer to Attachment J).
- E. Record serial numbers of dosimeters, film badges and TLDs, as well as person's name (see Attachment J, Personnel Dosimetry Log).

Patient Arrival

- A. Assure that no person or article is allowed to leave the REA (after the radioactively contaminated patient is admitted) until it has been monitored by Salem Nuclear Generating Station/Hope Creek Generating Station personnel and found to be "clean", i.e., free of detectable radioactive contamination.
- B. Record results of radiation surveys performed by plant radiation protection personnel on anatomical diagrams provided in the decontamination kits and Section J of this manual using a separate diagram for each survey for each patient.
- C. Record dosimeter reading and collect dosimetry from all individuals exiting the REA.

E. PROCEDURE (Continued)

7. Buffer Zone Attendant's Duties

Prior to Patient Arrival

- A. Obtain medical supplies as requested by attending physician.
- B. Don protective clothing and dosimeters in accordance with directions contained in Attachment D and Diagram II of this manual.

Patient Arrival

- A. Pass medical supplies into treatment room as requested by attending physician. DO NOT ENTER TREATMENT ROOM UNLESS SPECIFICALLY REQUESTED TO DO SO BY ATTENDING PHYSICIAN.
- B. Following emergency treatment and decontamination, prepare for removal of the patient from the REA.

- (1) Roll white Herculite from hallway (Clean Area, Diagram III) into Treatment Room.
- (2) Wheel in a "clean" stretcher across the white pathway to the location immediately adjacent to the patient.

NOTE: It is important to remain on white Herculite while in REA to prevent cross-contamination.

- (3) Assist in the transfer of the patient from the decontamination table top to the clean stretcher.

E. PROCEDURE (Continued)

8. President's Duties

- A. Upon notification from switchboard operator of impending patient arrival from Salem Nuclear Generating Station/Hope Creek Generating Station, request that Code Magenta be declared. .
- B. Assure that a responsible hospital representative is available to address any media concerns.
- C. Assure that a representative from Public Service Electric & Gas Company is available to address any media concerns.
- D. Provide additional support as required.

E. PROCEDURE (Continued)

9. Plant Radiation Protection Technician's (RPT) Duties

Prior to Patient Arrival

A radiation protection technician (RPT #1) from the Salem Nuclear Generating Station/Hope Creek Generating Station will accompany the patient(s) in the ambulance and bring appropriate instrumentation. If staffing permits, a second radiation protection technician (RPT #2) will arrive at the hospital in a separate vehicle and assist in the duties outlined below.

Patient Arrival

RPT #1

- A. Provide advice and guidance to attending staff regarding radiation exposure and protective actions.
- B. Don protective clothing and dosimeters as provided by hospital staff.
- C. Perform frequent radiation surveys of patient and attendants.
- D. Maintain contamination control to treatment area.
- E. Provide advice and guidance to hospital staff regarding collection of samples and decontamination procedures in accordance with directions contained in Attachment E of this manual.
- F. Decontaminate REA and equipment following patient and attendant exit.

RPT #2

- A. Survey ambulance and attendants prior to departure. If contamination is found, ambulance should be returned to Salem Nuclear Generating Station/Hope Creek Generating Station for decontamination.
- B. Control patient and attendant exit procedures.
- C. Perform radiation surveys of patient and attendants upon exit from the REA.

E. PROCEDURE (Continued)

9. Plant Radiation Protection Technician's (RPT) Duties (Cont.)

RPT #2 (Cont.)

- D. Collect dosimetry from personnel exiting the REA at termination of emergency and return to Salem Nuclear Generating Station/Hope Creek Generating Station for processing.
- E. Decontaminate REA and equipment following patient and attendant exit.
- F. Maintain contamination control outside of treatment area.

F. RETURN OF REA TO NORMAL USE

Once the patient has been decontaminated, the REA and all equipment will be surveyed, decontaminated as required and released as soon as possible by Salem Nuclear Generating Station/Hope Creek Generating Station radiation protection personnel.

G. PATIENT TRANSFER TO DEFINITIVE CARE CENTER

1. If it is determined by the attending physician, the Medical Director, Public Service Electric & Gas Company and Radiation Management Corporation that the patient should be transferred to a definitive care center for the evaluation, diagnosis and long-term care of the radiation injury, this patient can be transferred to RMC's definitive care center located at the Hospital of the University of Pennsylvania in Philadelphia.
2. Arrangements for transportation of the patient will be coordinated through Radiation Management Corporation (215) 243-2990 -- 24-hour emergency phone number.

H. PROCEDURE FOR HANDLING MULTIPLE VICTIMS

1. Multiple injuries occurring at Salem Nuclear Generating Station/Hope Creek Generating Station would be managed by utilizing the principles of disaster planning. These include triage at all levels of care and primary attention to life-threatening injuries. Radiation exposure and contamination should receive secondary consideration. Upon notification from Salem Nuclear Generating Station/Hope Creek Generating Station that there has been an accident involving more than one patient, complete the form seen under Attachment B, Data Information Sheet. In addition, inquire as to the extent of medical assistance available on-site. The Data Information Sheet should be given to the Emergency Room Physician.
2. On-site medical personnel with the assistance of ambulance attendants should institute triage principles with primary attention to life-threatening injuries. The most seriously injured should receive priority evacuation. Minimum decontamination should include the removal of contaminated clothing. If time, availability of transportation and patients' medical condition warrant, further decontamination (e.g., bathing with soap and water) can be accomplished. Each contaminated patient sent to the hospital should be accompanied by a trained radiation technician. Less seriously in-



H. PROCEDURE FOR HANDLING MULTIPLE VICTIMS (Continued)

jured victims should be completely decontaminated at the plant and be transported to the hospital in a "clean" ambulance to the normal emergency room entrance.

3. Prior to patient(s) arrival, Salem County Memorial Hospital should initiate its Disaster Plan for handling multiple casualties, as well as its procedure for handling contaminated and injured patients. The medical triage team should dress in protective clothing (see Attachment D). The present REA and/or Emergency Room area should be set up and ready to receive multiple contaminated and injured patients.
4. Upon arrival of the ambulance the triage team should have the most seriously injured and contaminated brought into the decontamination/treatment room. The less seriously injured should remain in the ambulance. A decontamination team should be assigned to begin decontamination in the ambulance. Contaminated clothing can be removed and collected and decontaminated areas can be wiped with a damp cloth. If decontamination cannot be completed, the areas should be covered with plastic or cloth.
5. After the patients have been treated and decontaminated, the REA should be closed off; Salem Nuclear Generating Station/Hope Creek Generating Station personnel should survey and decontaminate hospital supplies, equipment, ambulances and the area prior to releasing it for routine usage.



# SALEM COUNTY MEMORIAL HOSPITAL

## RADIATION EMERGENCY AREA (REA)

Procedure No. M1-7  
Revision 7, (May, 1985)




DIAGRAM I

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT A

ADMISSION PROCEDURE FOR  
RADIATION ACCIDENT VICTIMS

ATTACHMENT A

Quick SORT Procedure for Handling Any  
Radiation Accident Victim at the  
Emergency Room Unloading Dock

1. Ascertain whether the patient is CONTAMINATED (Use GM Tube)
  - A. If so ... Admit the patient to REA Ambulance Entrance when set up as Radiation Emergency Area (REA).
  - B. If not ... Admit to normal Emergency Room.
  - C. If in doubt ... Admit patient to REA.
2. Treat traumatic injury.
3. If contaminated, decontaminate in REA.
4. Call for assistance.
  - Attending Staff, Emergency Room.
  - Radiation Management Corporation (RMC):  
  
Philadelphia (215) 243-2990 / (215) 841-5141  
Chicago (312) 310-8650

PROCEDURE FOR ADMISSION OF UNANNOUNCED ACCIDENT VICTIM(S)  
BY EMERGENCY ROOM PERSONNEL

Admission

Guidance is provided for the unannounced arrival of accident patients under two circumstances: (1) Emergency Room personnel become aware of the patient's status as a "radiation accident patient" before the patient has been removed from the ambulance; and (2) the patient has been brought into the Emergency Room before his status as a "radiation accident patient" has been determined.

ATTACHMENT A (Continued)

Patient Still in Ambulance

Clear an area of about 8 feet around ambulance and keep unnecessary personnel and vehicles away. Attend to patient's medical condition as required. Use surgical gloves and mask. If immediate life-saving measures are not necessary, observe patient from a distance. All equipment and supplies used to attend to patient MUST stay in vicinity of the ambulance. DO NOT carry anything back to the Emergency Room. Then:

- Request of Emergency Room staff that the Ambulance Entrance at the REA be set up as a Radiation Emergency Area;
- Clear every person out of REA before bringing patient in;
- Instruct driver to stay with ambulance until a radiation survey has been made;
- Bring necessary equipment and supplies to treat patient from Emergency Room to REA. All equipment, supplies and personnel entering REA MUST stay there until arrival of radiation monitoring personnel. Establish a guard at the door. Pass Emergency Room supplies and equipment into REA; but DO NOT allow personnel and equipment to come out;
- Personnel attending patient in REA should stand next to patient only as long as necessary to perform life-saving measures. At all other times, stand about five to eight feet back and observe patient; and
- Only persons attending the patient should be in the room.

Radiation Status Discovered After Admission to Emergency Room

- Immediately secure the entire area through which the patient has passed or is located. Keep all personnel and equipment in the area. DO NOT allow anyone or anything to leave.

ATTACHMENT A (Continued)

Radiation Status Discovered After Admission to Emergency Room (Continued)

- Establish a control point through which necessary personnel and equipment pass into restricted area;
- Make arrangements to admit other patients to uninvolved area of Emergency Room through an alternate route;
- Attend to patient's emergency medical condition as required. Use surgical gloves, mask and gown when treating patient. If immediate life-saving measures are not necessary, observe the patient from a distance (five to eight feet). Immediately request assistance from Radiation Management Corporation or Salem Nuclear Generating Station/ Hope Creek Generating Station (see Telephone Directory, Attachment I).

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT B

TELEPHONE PROCEDURE FOR NURSING SUPERVISOR  
AND  
EMERGENCY ROOM NURSE

ATTACHMENT B

DATA INFORMATION SHEET

The Nursing Supervisor should obtain the following information from the caller:

Date and Time of Call: \_\_\_\_\_  
\_\_\_\_\_

Person Calling:

Name of Caller: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Verify Call: The initial notification call will be directed to the Nursing Supervisor on duty who will obtain the following information:

Date and Time of Call: \_\_\_\_\_

Person Calling: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

The Emergency Room Nurse will obtain the following:

Accident:

Location: \_\_\_\_\_

Date and Time: \_\_\_\_\_

Number of Patients: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Extent of Injuries: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Contamination Status: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Expected Time of Arrival: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT C

EMERGENCY TREATMENT OF  
RADIATION ACCIDENTS



ATTACHMENT C

EMERGENCY TREATMENT OF RADIATION ACCIDENTS

GENERAL

Emergency treatment of radiation accidents may have to be given before contact with or arrival of specialists having expertise in evaluation and management of these accidents. In this case the management of the patient should take place in the following order:

- Resuscitation and Stabilization
- Initial Decontamination
- Evaluation of Radiation Status
- Initial Treatment of Radiation Injury

A. RESUSCITATION AND STABILIZATION

Since radiation injury is not immediately life-threatening, primary attention should always be directed to traumatic life-threatening injuries -- maintenance of airway, arrest of bleeding, treatment of shock and control of pain.

B. INITIAL DECONTAMINATION

Concomitantly with the procedure above, or as soon as possible, the patient should be decontaminated. In the initial decontamination .....

- Remove all clothing;
- Obtain samples of contamination (skin smears, tissue, fluids, etc.);
- Survey with a Geiger Mueller monitor and note levels of contamination on Patient Radiation and Medical Status Record Sheet (see Attachment J);
- Remove obvious dirt and debris; bathe, if necessary while protecting wounds;
- Repeat surveying and sampling as necessary;
- Flush wounds with copious amounts of sterile water and/or saline;

ATTACHMENT C (Continued)

DECONTAMINATION (Continued)

- Flush orifices with water or saline. Do not allow patient to swallow;
- Stop with initial decontamination when activity levels are measured in the few thousand counts/minute;
- See Attachment E for details on decontamination and sample taking.

C. EVALUATION OF RADIATION EXPOSURE STATUS

History:

When did the accident occur?

Source of Accident?

Type of radioisotopes involved?

How long was patient in accident environment? Where was he in relation to radiation source? Was there airborne contamination? Was the patient wearing breathing apparatus? Was there surface contamination? Any skin broken? Was source in contact with body? Was the patient wearing dosimeters?

Dose Evaluation: This will require the assistance of persons knowledgeable in radiation. This assistance can be by someone on location or by telephone. In any case, gather as much of the following information as possible:

- Dose rate (gamma, x-ray, neutrons, etc.) as measured by instruments in accident environment;
- Radiation exposure reading on patient's and others' dosimeters (TLD, film badge, direct reading dosimeter);
- Level of residual contaminant (beta, gamma) on patient using survey meter (mark area on Patient Data Sheets -- see Attachment J);
- Neutron exposure? Collect metal objects, hair or nails; and
- Calculation of dose to the patient and to attendants.

ATTACHMENT C (Continued)

Clinical Picture: A good estimation of the severity of the patient's external total body exposure can be obtained by observing the following clinical symptoms and signs: (R = Rems, air exposure)

- Nausea and vomiting ... ~ 100R
  - Beginning within 2 hours - >400R
  - Beginning after 4 hours - <200R
  - None within 24 hours - < 75R
- Erythema ... >300R (total body); >600R (surface contact)
- Diarrhea ... >400R
- CNS symptoms ... >2000R to the head
- Serial lymphocyte count within 48 hours ...
  - 1200/mm<sup>3</sup> good prognosis
  - 300-1200/mm<sup>3</sup> guarded prognosis
  - 300/mm<sup>3</sup> poor prognosis

D. INITIAL TREATMENT OF RADIATION INJURY

Detailed Decontamination: It is particularly important at this stage to remove high level contamination caused by penetrating missiles or splinters in wounds.

Overexposure: Since overexposure to radiation results in a slowly unfolding course over a long period of time, there is little in the way of specific treatment in the initial stage of the disease. Treatment is symptomatic and consists of making the patient comfortable and allaying his fears. He may require antiemetics, fluids, sedatives and analgesics. Order CBC with differential stat, at 4, 8 and 12 hours. Obtain blood sample (10 cc sterile heparinized blood) for chromosome analysis. Keep sample chilled in ice water.

Internal Contamination: Except in a few instances, there is also little to offer in the way of specific treatment in the initial stages. Generally, specific treatment to eliminate any absorbed radioactivity requires rather detailed and complex analyses of 24-hour urine collections and 72 hour continuous fecal collections. Arrange for whole body count as soon as patient's condition warrants. Arrange for thyroid uptake study for I-131.

ATTACHMENT C (Continued)

If it has been determined that the patient absorbed considerable amounts of ...

Tritium ( $^3\text{H}$ ) ..... force fluids.

Radioiodine ..... give Lugol's solution or other thyroid-blocking agent immediately (reduces thyroid uptake of I-131 by 50% if given within 4 hours post exposure; probably not effective after 12 hours).

E. PRINCIPLES OF RADIATION PROTECTION

Certain precautions to minimize exposure to attendants are necessary when dealing with a patient who has external contamination, specifically:

- Always wear two sets of disposable gowns, plastic aprons, shoe covers;
- As few attendants as necessary should be in the same room with patient;
- Only in the performance of emergency treatment and initial decontamination should attendants be next to patients. At all other times, e.g., while evaluating the patient, attendants should stand at least five to eight feet from the patient and observe him from a distance;
- Rope off and control the area in which the patient is being treated. ALL persons, equipment and supplies that enter this area MUST stay there until Radiation Emergency Teams arrive to assist in the monitoring and decontamination of people and equipment;
- Suggested permissible levels of attendant exposure in the course of treating a patient are:

to 5R	.... routine treatment and decontamination
to 25R	.... emergency treatment and decontamination
to 75R	.... lifesaving treatment and decontamination

ATTACHMENT C (Continued)

To estimate attendant exposure, pass the probe of the G-M survey meter or ion chamber with the beta window closed 6" above the patient. If the reading is 5R/hour, an estimate of attendant exposure would be 5R if treatment should take one hour. Experience shows that it is extremely unlikely that a contamination accident would be so severe that an attendant would receive an exposure of even 5R. In high radiation fields personnel may be rotated in order to minimize the exposure to any single individual. It is also suggested that anticipated exposures over 5R should be on a voluntary basis.

F. INITIAL BIOASSAY SAMPLES

Each of the following bioassay samples should be obtained as soon as possible and labeled with name, date, time and type of specimen. Avoid cross-contamination of samples from external sources of contamination or from other samples.

Blood:

- (1) 10 cc for radiobioassay;
- (2) 10 cc (sterile heparinized) for chromosomes; keep samples chilled in a glass of ice;
- (3) 10 cc oxalated for hemogram and differential\*
- (4) 10 cc for:
  - (a) chemistries;
  - (b) electrolytes

- Hair, nails, metals from neutron-exposed patient;

- Urine:

- (1) first urine;
- (2) 24 hour urine for several succeeding days

- Feces, total sample for several succeeding days;
- Sputum;
- Vomitus;
- Tissue and tissue exudates (note location);
- Irrigation fluids (note location); and
- Filter paper or cotton smears of orifices, wounds, skin areas (note locations).

\*differential - repeat t.i.d. for 3 days or more frequently if clinical condition warrants.

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT D

PROCEDURE FOR THE  
USE OF PROTECTIVE CLOTHING AND DOSIMETERS



ATTACHMENT D

PROCEDURE FOR THE USE OF PROTECTIVE CLOTHING AND DOSIMETERS

All work past the Monitoring (Control) Point requires protective clothing, independent of the degree of contamination present on the patient or his clothing. Each person entering REA should don two surgical gowns, two sets of surgical gloves, and two vinyl aprons, mask, cap and shoe covers, as well as dosimetry. (See Diagram II for donning protective clothing and proper placement of attendant dosimetry). After gross decontamination is completed, the outer surgical gown, gloves and apron are removed. Wound care and decontamination will then be attended to.

Removal of Contaminated Protective Clothing

Upon completion of their activities in the Radiation Emergency Treatment Room personnel will proceed to the Monitoring (Control) Point between the Treatment Room and the Buffer Zone (Diagram I). They will remove their protective clothing and personnel dosimeter in the following order:

- (1) self-reading dosimeters (read and recorded by Control Point Attendant);
- (2) headwear and mask;
- (3) apron and gown (turning them inside-out);
- (4) footwear and gloves (remove at Step-Off Pad).

Clearance Procedures

After having removed protective apparel, each person who occupied the Treatment Area will be monitored prior to leaving the Buffer Zone. If no contamination is found, personnel may proceed to the change area and put on their normal clothing.\*

\*If contamination is found, personnel will remain in the Buffer Zone, away from the normal exit. Salem Nuclear Generating Station/Hope Creek Generating Station personnel will direct them through a decontamination process utilizing the water supply, soap and water collection system available in the treatment room. A final survey will be performed at the control point prior to entering the clean part of the hospital.

ATTACHMENT D (Continued)

Use of Dosimeters

Dosimeters will be supplied by the Monitoring (Control) Point Attendant to all personnel entering the Radiation Emergency Area.

Dosimeters are of three types:

1. Direct reading dosimeters ("pencil dosimeters") to monitor exposed dose on a continuing basis. These must be recharged to read "zero" before they are distributed to each attendant.
2. Badge (TLD) dosimeters - to form a permanent record of exposure.
3. Ring (TLD) dosimeters - to form a permanent record of finger exposure.

Dosimeters are to be worn in the following manner:


- (1) At the neck line, clipped under the protective clothing;
- (2) On the ring fingers of hands, under the gloves, with detecting element at palm surface.

Upon leaving the Radiation Emergency Area the wearer shall surrender his dosimeter to the Control Point Attendant, who will record the reading and number of the pen dosimeter and retain the badge and ring dosimeters for later processing. The Control Point Attendant must assure that the records clearly show the serial number of each dosimeter and period of time worn by each individual who occupied the Radiation Emergency Area.





Radiation Management Corporation  
3508 Market St.  
R.O. Box 7940  
Philadelphia, Pennsylvania 19101



## ATTENDANT GARB DRESSING SEQUENCE

1. PROTECTIVE SHOE COVERS
2. RING TLD (RECORD #1)
3. BADGE TLD (ON SHIRT POCKET - RECORD #1)
4. 1ST GOWN
5. 1ST APRON
6. 1ST PAIR GLOVES (OVER 1ST GOWN CUFF)
7. 2ND GOWN
8. 2ND APRON
9. 2ND PAIR GLOVES (OVER 2ND GOWN CUFF)
10. CAP AND MASK
11. SELF READING DOSIMETER (ON 2ND GOWN - RECORD # - 'ZERO')

Procedure No. MI-7  
Revision 7, (May, 1985)

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT E

PROCEDURE FOR  
PATIENT DECONTAMINATION AND SAMPLE TAKING

ATTACHMENT E

PROCEDURE FOR PATIENT DECONTAMINATION AND SAMPLE TAKING

General

These procedures cover the use of the Decontamination and Sample Taking Kits. The kits provide all the necessary items for the decontamination of a radioactively contaminated patient and the collection of specimens of this contamination.

The collection of specimens is a prerequisite for a thorough evaluation of the medical and radiation status of the patient. It should be performed in conjunction with patient decontamination.

Attachment F provides a parts list for each of the two kits. There is also a parts list in each kit. Following use, the lists should be consulted for replenishment. The intended use of several of the items is indicated on the parts list.

Patient Decontamination Procedures

Principles

The objectives of decontamination are:

1. To prevent injury caused by the presence of radioactive substances on the body;
2. To prevent the spread of contamination over and into the patient; and
3. To prevent attending personnel from becoming contaminated themselves or (in extreme cases) from being exposed to a source of radiation.

Although decontamination should be started as soon as possible, primary attention should be given to the alleviation of life-threatening conditions created by traumatic injury.

Decontamination is essentially the physical removal of radioactive material from the skin, wounds, or body orifices. Most decontaminants contain detergents or other chemical agents to facilitate this removal. Therefore, most decontaminants are suitable for decontamination of the intact skin only, and are not appropriate for wound cleansing or irrigation of body orifices.

ATTACHMENT E (Continued)

Patient Decontamination Procedures (Continued)

Decontamination is performed in the following manner:

1. From the highest level of contamination to the lowest;
2. Starting with the simplest procedure (e.g., soap and water) to more complicated procedures;
3. With due regard to contamination of wounds, body orifices, etc. (see below for specific guidelines).

Usually, the effect of decontamination is greatest in the earliest stages, i.e., most of the radioactive material is removed during the first decontamination effort. Continued decontamination may show diminishing effectiveness. At some point a decision has to be made to either accept some residual contamination, or proceed with the use of more potent decontaminants (more specific guidelines are seen below).

Decontamination Procedures

In some cases, decontamination may have been started before the patient arrives at Salem County Memorial Hospital. The extent of decontamination will be dependent upon the injury or illness.

A. General

Two general rules apply to the performance of decontamination:

1. Check the effectiveness of the technique applied by monitoring periodically; and
2. Avoid the spread of radioactive materials from the area being decontaminated to areas of lesser contamination by covering the adjacent area.

ATTACHMENT E (Continued)

Decontamination Procedures (Continued)

Decontamination sequence should proceed as follows:

1. Wounds and adjacent skin;
2. Body orifices and adjacent skin;
3. High level intact skin;
4. Low-level skin areas.

B. Steps To Be Taken For Decontamination and Sample Taking

1. Judge whether the patient's medical condition requires immediate intervention; stabilize wound, if necessary, and redress for later decontamination;
2. Obtain a briefing from Salem Nuclear Generating Station/Hope Creek Generating Station personnel as to the contamination status of the patient, the exposure of the patient, and as to the specific measures to be taken by attending personnel with regard to their protection;
3. Remove all clothing and monitor the patient with the radiation survey instrument by scanning the entire body (holding the probe about 1/2 inch from the skin), and record the findings on the Patient Data Sheets;
4. Obtain patient samples in accordance with Procedures for Sample Taking, which follow. COLLECTION OF SAMPLES SHOULD BE PERFORMED PRIOR TO DECONTAMINATION;
5. Perform a gross decontamination (see Decontamination of Skin and Body Orifices which follow);
6. Clean up room and remove outer garments from attendants;

ATTACHMENT E (Continued)

Decontamination Procedures (Continued)

B. Steps To Be Taken For Decontamination and Sample Taking (Continued)

7. Proceed with wound survey and decontamination (see Procedures for Decontamination of Wounds);
8. Complete detailed decontamination of patient;
9. Transfer patient to "clean" area of hospital (see Diagram III).

Waste material will be appropriately collected and returned to Salem Nuclear Generating Station/Hope Creek Generating Station for disposal.

C. Decontamination of Skin

1. Take smear sample of area (See "Sample Taking Techniques and Indications");
2. Protect adjacent area if indicated by covering with towels;
3. Cleanse skin area; wash thoroughly with Turco soap and tepid water, using either cotton balls, preop sponges or surgical brushes, cover area with a good lather; rinse off after two to three minutes with copious amounts of running water; monitor; record results;  
  
\*Assure that the water being used to decontaminate the patient is being collected in the proper radiological container.
4. If contamination persists, repeat step (3) once;
5. If contamination still persists, try gentle application of clorox or hydrogen peroxide. NOTE: Avoid any of these entering wound or body openings. Repeat a few times using new cotton balls; remove decontaminants with water; monitor; record results;
6. After complete decontamination, dry skin and apply Nivea cream to abraded or injured areas;

ATTACHMENT E (Continued)

C. Decontamination of Skin (Continued)

7. If residual contamination is present, consult with radiation specialists to decide whether further efforts are indicated; if it is decided to accept residual contamination, dry skin and apply colloidin, mark the area involved and record;
8. Collect all materials used and place in separate labeled containers.

NOTE: In case of serious contamination around a wound, rapid removal of the bulk of radioactivity can be obtained by shaving. In case of serious contamination of hair or under nails, clip nails, remove hair and scrub thoroughly and repeatedly with intermittent surveying.

D. Decontamination of Body Orifices

1. Take samples of activity in nostrils, ear canals, and other orifices as indicated (see "Sample Taking Techniques and Indications");
2. Decontaminate area surrounding orifices;
3. Gently clean orifices using wetted swabs;
4. If nose swab indicates significant radioactivity in nasal cavity, use nasal blows and nasal irrigation;
5. Collect all materials used and label containers.

E. Decontamination of Wounds

1. Use aperature drape to isolate the contaminated wound;
2. Survey and take samples of wound (see "Procedures for Sample Taking");
3. Decontaminate skin adjacent to wound;



ATTACHMENT E (Continued)

E. Decontamination of Wounds (Continued)

4. Depending on surface and depth of wound, irrigate wound with sterile saline, dab with gauze pads soaked in sterile saline to cleanse wound; collect all materials used and place in separate labeled containers;
5. Remove obviously necrotic and devitalized tissue surgically; keep all tissue specimens removed;
6. Repeatedly monitor wound; record results on patient record sheet;
7. If contamination persists, consult with RMC to determine further course of action;
8. If wound is clean, treat wound as necessary.

Procedures for Sample Taking

Principles

The objectives of collecting specimens from a radioactively contaminated patient are as follows:

1. To evaluate the amount and composition of the radioactive contaminants on and in the body;
2. To obtain data with regard to the patient's exposure to external radiation; and
3. To supply information on the biological injury inflicted by the radiation.

To meet these objectives, the following types of specimens are collected routinely:

1. Materials containing the external contaminant (swabs, smears, tissue samples, contaminated cleansing fluids, etc.);
2. Specimens containing internal contaminant (feces, urine, sputum, etc.);

ATTACHMENT E (Continued)

Procedures for Sample Taking (Continued)

3. In case of neutron irradiation ... materials in which neutron induced radioactivity may be present (gold rings, buttons, hair, nail clippings);
4. Hematological specimens (whole blood in heparinized, oxalated and uncoated tubes; blood smears).

As the analysis of radioactive samples with regard to their composition is only possible in samples with a relatively high radioactivity, care should be taken to collect and store these samples separately from the usually bulky samples with rather low radioactivity (such as cleansing fluids, drapes, towels, etc.).

A sample which is not identifiable as to its source (location, time taken) may be practically worthless; therefore, take care to properly collect, store and mark all samples.

Sample Taking Techniques and Indications

External Contamination:

Before decontamination, the following samples shall be obtained:

1. Skin Smears: use Nucon smear pads, moisten with a few drops of water, and smear a skin area of about 100 cm<sup>2</sup> (4" X 4"), if possible, by allowing sticky side of the smear to adhere to gloves and rubbing the smear pad over the surface to be sampled; place smear on record paper, record location and time and area smeared, if other than 100 cm<sup>2</sup> and place in envelope. Alternatively, tape may be used to remove contaminants for later examination.
2. Take samples of nails, hair and collect metallic objects (rings, watches, glasses, belt buckles, etc.).

ATTACHMENT E (Continued)

Sample Taking Techniques and Indications (Continued)

External Contamination (Continued)

3. Wound Samples: use either one of the following methods:
  - for large wounds with visible blood or wound fluid -- obtain a few cc using an eye dropper or syringe; transfer to bottle and label;
  - for superficial wounds -- rub gently with cotton swabs; return to tube and label;
  - for wounds with visible dirt or debris -- remove with cotton tip or use tweezers; transfer sample to small glass vial and label.

Internal Contamination

1. Body Orifices: wet Q-tip with a few drops of water; swab and store in waterproof envelope and label;
2. In all cases where internal contamination is expected: collect urine and feces in containers supplied, and record time of voiding.

External Exposure:


In all cases where a total body exposure is suspected:

1. Obtain 10 cc of oxalated blood for complete blood count and differential;
2. Obtain 10 cc of sterile heparinized blood for chromosome analysis;
3. Obtain 10 cc blood for electrolytes and chemistries.

Record time these samples were taken.

NOTE: Return bioassay samples to kit. With any specimens necessary to the emergency medical treatment of the patient which are obtained prior to completion of decontamination and are to be processed in the hospital laboratory, be sure to clean the outside of the specimen container (test tube, etc.) and have it surveyed before handing it out to the buffer zone attendant.

# CLEAN FLOOR COVERING AS UTILIZED FOR PATIENT TRANSFER



Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT F

PARTS LIST FOR DECONTAMINATION AND SAMPLE TAKING KITS

ATTACHMENT F

DECONTAMINATION KIT

Skin Decontaminants

Quantity

Betadine	1
Turco	1
Phisoex	1
Clorox	1
Corn Meal	1
Tide	1
Shampoo	1

Wound (Or Skin) Decontaminants

Saline	2
E-Z Preps	10
Hydrogen Peroxide	1

Materials for Decontamination

E-Z Scrubs	10
Towels	10
Gauze Pads	15
Q-Tips	15
Surgical Gloves	10
Solution Bowls	2

ATTACHMENT F (Continued)

DECONTAMINATION KIT (Continued)

	<u>Quantity</u>
<u>Materials for Decontamination</u> (Continued)	
Irrigation Syringe	1
Shave Prep Kit	1
<u>Miscellaneous Items</u>	
Procedure for Decontamination	1
Skin Cream	1
Colloidin	1
Steri Drape	1
Marker	1
Pen	1
Clipper	1
Surgical Tape	1
Plastic Bags	10



ATTACHMENT F (Continued)

SAMPLE TAKING KIT

<u>Sample Type</u>	<u>Sampling Instrument</u>	<u>Quantity</u>
Nasal	swabs	4
Aural	swabs	4
Oral	swabs	4
Skin Folds	swabs	4
Swipes	swabs	4
Swipes	Nucon Smear	25 slots
Hair	small container	4
Nails	small container	4
Metallic Objects	medium container/ plastic bags	2 small 2 large
Blood	10 cc vacutainers	2 heparinized (green) 1 oxalated (gray) 1 sterile (red)
Urine (24 hour)	2000 cc plastic container	1
Feces	fecal container	2
Wound Exudate	swabs eyedropper & bottle	4 2
Tissue	containers	2 small 2 medium
Vomit	fecal container	2
Irrigation fluids	100 cc plastic bottle	2

ATTACHMENT F (Continued)

SAMPLE TAKING KIT CONTENTS

<u>Miscellaneous Items</u>	<u>Quantity</u>
Envelopes	10
Labels	50
Pens	1 grease 1 writing
Scissors	1
Tweezers	1
Clippers	1

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT G

REA STORED SUPPLIES & EQUIPMENT

ATTACHMENT G

Procedure No. M1-7  
Revision 7, (May, 1985)

REA STORED SUPPLIES & EQUIPMENT

INVENTORY OF THE RADIATION EMERGENCY MEDICAL SUPPLIES & EQUIPMENT

Salem County Memorial Hospital

<u>ITEM</u>	<u>QUANTITY</u>
Decontamination kit, new style	1
Sample Taking Kit	1
Decontamination Table Top complete w/splash guards and stretcher insert	1
Barrel, 15 gal	2
Barrel, 20 gal., mobile, white plastic	1
Barrel, 32 gal., w/mobile base	3
Herculite, white, green, yellow	sufficient
Bags, plastic, 32 gal.	10
Lead pig	1
Poster, CPR, wall-mounted	1
Poster, Radiation Accident, wall- mounted	1
Rope, yellow/magenta	sufficient
Shield, mobile, lead glass	1
Showerhead w/hose	1
Sign, radiation warning w/inserts	10
Sign, "Caution Radiation Area", metal	1
Step-off pad	2
Tape, masking, 2"	10

ATTACHMENT G (Continued)

REA STORED SUPPLIES & EQUIPMENT

<u>ITEM</u>	<u>QUANTITY</u>
<u>INSTRUMENTS:</u>	
Charger, dosimeter - Johnson Model CAT 6	1
Dosimeter, SRD, 0-1 R	9
Geiger Counter Eberline Model E-520	1
Count Rate Meter Eberline Model E-140N	2 each
Constant Flow Air Sampler RADECO Model HD 29A	1
Glass Filter 47 mm	sufficient
Filters, CESCO	sufficient
TLD, control	1
TLD, badge	9
TLD, ring	9
NOTE: Instruments maintained and calibrated by plant	
<u>EQUIPMENT:</u>	
Air vent plugs	5
Ambu resuscitator	1
Bucket, mobile, stainless steel	1
IV Stand	1
Mayo Stand	1
Oxygen resuscitator, wall-mounted	2
Resuscitator, manual	1

ATTACHMENT G (Continued)

REA STORED SUPPLIES & EQUIPMENT

<u>ITEM</u>	<u>QUANTITY</u>
Sphygmomanometer, wall-mounted	2
Surgical lamp, ceiling-mounted	1
Waste receptacle, metal	1
Gurney	1
Clock, wall-mounted	1
<u>CLOTHING/LINEN SUPPLIES</u>	
Apron, plastic, box	1
Gloves, surgeon's	sufficient
Protective Clothing Packs: (RMC type)	20
Aprons	(2)
Cap	(1)
Gloves, surgeon's	(2) pr
Gowns	(2)
Mask	(1)
Shoe Covers, yellow plastic	(1) pr

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT H

RADIATION EMERGENCY TELEPHONE DIRECTORY



ATTACHMENT H

RADIATION EMERGENCY TELEPHONE DIRECTORY

<u>Salem County Memorial Hospital</u>	<u>Day</u>	<u>Night</u>
Emergency Room	609-935-1000 Ext. 3231	
J. Michael Galvin President	609-935-1000 Ext. 3201	609-299-0079
Alberta Clour, R.N. Vice President/Nursing	609-935-1000 Ext. 3379	609-935-6515
Joanne Brodrick, R.N. In service Education Coordinator	609-935-1000 Ext. 3246	609-468-5496
William L. Wilson Director, Plant Operations	609-935-1000 Ext. 3324	609-935-2047
Paul Fredericks Sr. Vice President	609-935-1000 Ext. 3207	609-678-3654
Wilbert Staub, M.D. Chief of Staff	609-935-1000 Ext. 3326	
<u>Public Service Electric &amp; Gas Company, 80 Park Place, Newark, NJ 07101</u>		
Bernard Reilly, M.D. Medical Director	201-430-5930	201-773-2476
Ronald J. Mack, M.D. Assistant Medical Director	609-339-4100	609-573-4588 (Page Number)
<u>Coordinating Physicians</u>		
John R. Castiglioni, D.O.	609-935-1000 Ext. 3231	609-769-3152
John Madara, M.D. 31 Market Street Salem, NJ 08079	609-935-1477	609-935-2220

ATTACHMENT H (Continued)

RADIATION EMERGENCY TELEPHONE DIRECTORY

	<u>Day</u>	<u>Night</u>
<u>Ambulance Service</u>		
Lower Alloways Creek Ambulance	609-935-4222 (General Business)	609-935-4505 (Emergency #)
<u>Salem Nuclear Generating Station</u>		
John Zupko General Manager	609-339-4500	
John Treio Radiation Protection Manager Salem Operations	609-339-4399	
J. Russell Lovell Radiation Protection Manager Hope Creek Operations	609-339-3736	
Paul Eldreth Nuclear Fire & Safety Manager	609-339-4572	
Dennis McCloskey Nuclear Emergency Preparedness Manager	609-339-4274	
Wayne L. Britz Manager, Radiation Protection Services	609-339-4546	
Senior Shift Supervisor - Salem	609-339-4027	
Senior Shift Supervisor - Hope Creek	609-339-3669	
<u>Radiation Management Corporation</u>		
Emergency:	PRIMARY	215-243-2990
	SECONDARY	215-841-5141
	GENERAL BUSINESS	215-243-2950 (Philadelphia)
		312-310-8650 (Chicago)

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT I

LOCATION OF MANUALS

ATTACHMENT I

LOCATION OF MANUALS

<u>Copy Number</u>	<u>Location</u>
	<u>Radiation Management Corporation</u>
1	Philadelphia Office
	<u>Salem Nuclear Generating Station</u>
2	Manager, Radiation Protection Services
3	EOF Locker
4	Radiation Protection Manager - Salem Ops
5	Radiation Protection Manager - Hope Creek
6	Nuclear Department, Safety Supervisor
7	First Aid Room
	<u>Salem County Memorial Hospital</u>
8	President
9	Senior Vice President
10	Radiation Emergency Area
11	Vice President/Nursing
12	Nursing Supervisor
13	In service Education Coordinator
14	Chief of Staff
17	Radiology
18	Plant Operations Director
	<u>Coordinating Physicians</u>
15	John R. Castiglioni, D.O.
19	John Madara, M.D.
	<u>Public Service Electric &amp; Gas Company</u>
16	Medical Director
20	Assistant Medical Director

Procedure No. M1-7  
Revision 7, (May, 1985)

ATTACHMENT J

PERSONNEL DOSIMETRY LOG  
AND  
PATIENT DATA SHEETS



PATIENT NAME \_\_\_\_\_


DATE \_\_\_\_\_

TIME \_\_\_\_\_

SURVEY # \_\_\_\_\_

Directions: indicate levels of  
contamination on  
the corresponding body part.

Procedure No. M1-7  
Revision 7, (May, 1985)



Surveyed by: \_\_\_\_\_  
Reviewed by: \_\_\_\_\_

Survey Inst./Serial # \_\_\_\_\_ /  
Calibration Date: \_\_\_\_\_