

DMB COPY

OCT 30 1985

Jennie Edmundson, Memorial Hospital
ATTN: Mr. David M. Holcomb
Associate Administrator
933 East Pierce
Council Bluffs, IA 51501

License No. 14-00950-02
License No. 14-00950-03

30 1682
3000208

Gentlemen:

This refers to the routine safety inspection conducted by James W. Patterson of this office on October 10, 1985, of activities authorized by NRC Byproduct Material Licenses No. 14-00950-02, 14-00950-03 and to the discussion of our findings with with you, John Robbins, MD, John Terry, MD and Michealia Van Scoy, RT at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements, and interviews with personnel.


In addition to the above areas, the inspector examined actions described in your letter dated September 24, 1982, regarding apparent items of noncompliance found during our August 30, 1982 inspection. We have no further questions regarding these matters.

During this inspection, certain of your activities appeared to be in non-compliance with NRC requirements, as specified in the enclosed Appendix. A written response is required.

The responses directed by this letter (and the accompanying Notice) are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,


D. G. Wiedeman, Chief
Nuclear Materials Safety
Section 1

Enclosure: Appendix,
Notice of Violation

cc w/enclosure:

DCS/RSB (RIDS)

RIII

RIII

Patterson/cr
10/24/85

Wiedeman
10/29/85

8511040304 851030
REG3 LIC30
14-00950-02 PDR

IE07

11