

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

93678

Licensee

1. Twin Ports Testing, Inc.

2. 1301 North 3rd Street  
Superior, WI 54880

In accordance with application dated  
June 29, 1992

3. License number 48-23476-01 is amended  
in its entirety to read as follows:

4. Expiration date October 31, 1995

5. Docket or  
Reference No 030-22241

6. Byproduct, source, and/or  
special nuclear material

7. Chemical and/or physical  
form

8. Maximum amount that licensee  
may possess at any one time  
under this license

A. Cesium-137

A. Sealed source  
(Amersham Model  
77302)

A. One source not to  
exceed 165  
millicuries

B. See Condition 10.

B. Sealed sources

B. See Condition 10.

9. Authorized Use

A. To be used in Amersham Model 773 calibration device for calibration of licensee's  
survey instruments.

B. Sealed sources to be used in exposure devices for industrial radiography and in  
source changers for storage and replacement of sources.

CONDITIONS

10. Sealed sources, exposure devices and source changers authorized for use are as  
follows:

Isotope	Maximum Activity Per Sealed Source	Manufacturer's Name & Model No. of Sealed Source	Manufacturer's Name & Model No. of Exposure Device	Manufacturer's Name & Model No. of Source Charger
Iridium-192	120 curies	Amersham Models A-2-A, 848 or 89912	Gamma Industries/ Amersham Models Century S or Century SA	Amersham Models 500 SU, C-10 or U-110 A

9302260012 920908  
PDR ADOCK 03022241  
C PDR

COPY

ML  
230  
DH

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License number  
48-23476-01

Docket or Reference number  
030-22241

Amendment No. 04

10. (Continued)

Isotope	Maximum Activity Per Sealed Source	Manufacturer's Name & Model No. of Sealed Source	Manufacturer's Name & Model No. of Exposure Device	Manufacturer's Name & Model No. of Source Charger
Iridium-192	35 curies	Amersham Model A-2-A	Gamma Industries/ Amersham Model 35 SA	Amersham Models C-10 or U-110A
Iridium-192	120 curies	Amersham Model Model A424-9	Amersham Model 660 System	Amersham Model 650
Cobalt-60	100 curies	Amersham Model Model 424-14	Amersham Model 680	Amersham Model 771

11. Licensed material may be stored at 1301 North 3rd Street, Superior, Wisconsin, 8 Industrial Park Road, Negaunee, Michigan and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
12. A. Licensed material shall be used by, or under the supervision and in the physical presence of, Jerry Russell or individuals who have been trained as specified in application dated August 27, 1984 and letters dated February 26, 1985 and August 23, 1990. The licensee shall maintain records of individuals designated as users.
- B. The Radiation Protection Officer for the activities authorized by this license is Jerry Russell.
13. A. Notwithstanding the periodic leak test required by Section 34.25(b) of 10 CFR Part 34, such requirement does not apply to radiography sources that are stored and not being used. The sources excepted from this test shall be tested for leakage before use or transfer to another person.
- B. Sealed sources authorized for a use other than radiography shall be tested as radiography sources in accordance with Section 34.25 of 10 CFR Part 34.
14. The licensee is authorized to receive, possess, and use sealed sources of iridium-192 or cobalt-60 where the radioactivity exceeds the maximum amount of radioactivity specified in this license provided.
  - A. Such possession does not exceed the quantity per source specified in Item 8 by more than 20% for iridium-192 or 10% for cobalt-60;

COPY

MATERIALS LICENSE  
SUPPLEMENTARY SHEET

License number  
48-23476-01

Docket or Reference number  
030-22241

Amendment No. 04

14. (Continued)

- B. Records of the licensee show that no more than the maximum amount of radioactivity per source specified in this license was ordered from the supplier or transferor of the byproduct material; and
- C. The levels of radiation for radiographic exposure devices and storage containers do not exceed those specified in Section 34.21 of 10 CFR Part 34.
15. Pursuant to 10 CFR Part 40, "Domestic Licensing of Source Material," the licensee is authorized to possess, use, transfer, and import up to 999 kilograms of uranium contained as shielding material in the radiography exposure devices and source changers authorized by this license.
16. Sealed sources containing licensed material shall not be opened.
17. The licensee may transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. The licensee shall maintain records of information important to safe and effective decommissioning at 1301 North 3rd Street, Superior, Wisconsin per the provisions of 10 CFR 30.35(g) until this license is terminated by the Commission.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Applications dated August 27, 1984, March 27, 1990, November 25, 1991 and June 29, 1992; and
- B. Letters dated February 26, 1985, August 23, 1990, July 8, 1992 and August 28, 1992.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date SEP 08 1992

By Loren J. Hunter  
Materials Licensing Section, Region III

COPY

(FOR LFMS USE)  
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM  
AND  
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03320  
STATUS CODE: 0  
FEE CATEGORY: 30  
EXP. DATE: 19951031  
FEE COMMENTS:  
DECOM FIN ASSUR RECDT N  
!!

LICENSE FEE TRANSMITTAL

A. REGION III

1. APPLICATION ATTACHED  
APPLICANT/LICENSEE: TWIN PORTS TESTING, INC.  
RECEIVED DATE: 920709  
DOCKET NO: 3022241  
CONTROL NO: 393678  
LICENSE NO: 48-23476-01  
ACTION TYPE: AMENDMENT

2. FEE ATTACHED  
AMOUNT: \$490.00  
CHECK NO: 403729

3. COMMENTS

SIGNED  
DATE

P. DeLoe  
7/15/92

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED N / 1)

1. FEE CATEGORY AND AMOUNT: 30 \$490

2. CORRECT FEE PAID, APPLICATION MAY BE PROCESSED FOR:  
AMENDMENT ✓  
RENEWAL  
LICENSE

3. OTHER

SIGNED  
DATE

Kita Jacques  
7/15/92


RECEIVED  
JUL 20 1992  
REGION III





SINCE 1972

TWIN PORTS TESTING INC.



1301 NORTH THIRD STREET • SUPERIOR, WISCONSIN 54880  
(715) 392-7114 • FAX (715) 392-7163

728 GARFIELD AVENUE • DULUTH, MINNESOTA 55802  
(218) 722-1911 • FAX (218) 722-3295

8 INDUSTRIAL PARK ROAD • NEGAUNEE, MICHIGAN 49866  
(906) 226-6653 • FAX (906) 226-3699

July 8, 1992

U.S. Nuclear Regulatory Commission, Region III  
Material Licensing Section  
799 Roosevelt Road  
Glen Ellyn, Illinois 60137

Re: Amendments to License #'s 48-23476-01 and 48-23476-02


To Whom it May Concern:

We have enclosed two amendments for our radioactive material licenses. A single check has been enclosed to cover both amounts. The purpose of our amendments are to add our permanent storage in Negaunee, Michigan and to make changes in our radiation safety officers.

If you have any questions, please feel free to call me at anytime.

Sincerely,

Twin Ports Testing, Inc.

  
Jerry Russell, ASNT Level III  
Civil Lab Manager

JR:pjw

RECEIVED  
JUL 09 1992  
REGION III

License Fee Information  
on Next Page

JUL 9 1992  
93678

NRC FORM 312  
(1-84)  
10 CFR 30, 32, 33, 34,  
35 and 40

U.S. NUCLEAR REGULATORY COMMISSION  
APPROVED BY OMB  
3150-0120  
Expires: 5-31-87

## APPLICATION FOR MATERIAL LICENSE

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

## FEDERAL AGENCIES FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION  
DIVISION OF FUEL CYCLE AND MATERIAL SAFETY, NMSS  
WASHINGTON, DC 20545

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS, IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
NUCLEAR MATERIAL SECTION B  
631 PARK AVENUE  
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II  
MATERIAL RADIATION PROTECTION SECTION  
101 MARIETTA STREET, SUITE 2900  
ATLANTA, GA 30323

## IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
MATERIALS LICENSING SECTION  
798 ROOSEVELT ROAD  
GLEN ELLYN, IL 60137

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV  
MATERIAL RADIATION PROTECTION SECTION  
611 RYAN PLAZA DRIVE, SUITE 1000  
ARLINGTON, TX 76011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V  
MATERIAL RADIATION PROTECTION SECTION  
1450 MARIA LANE, SUITE 210  
WALNUT CREEK, CA 94596

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A. NEW LICENSE  
☒ B. AMENDMENT TO LICENSE NUMBER 48-23476-01  
☐ C. RENEWAL OF LICENSE NUMBER \_\_\_\_\_

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code)

Twin Ports Testing, Inc.  
1301 North 3rd Street  
Superior, WI 54880

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

As presently listed on our license plus: 8 Industrial Park Road  
Negaunee, MI 49865

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Jerry Russell

TELEPHONE NUMBER

(715) 392-7114

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2 x 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE

please see the attached

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS

9. FACILITIES AND EQUIPMENT

10. RADIATION SAFETY PROGRAM

11. WASTE MANAGEMENT

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY by-product-0 AMOUNT ENCLOSED \$ 490.00

13. CERTIFICATION. (Must be completed by applicant). THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 901 ACT OF JUNE 25, 1948, 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE—CERTIFYING OFFICIAL

TYPED/PRINTED NAME

TITLE

DATE

*Richard DeBolt*

Richard DeBolt

President

6-29-92

## 14. VOLUNTARY ECONOMIC DATA

## a. ANNUAL RECEIPTS

☐ <\$250K  
☐ \$250K—500K  
☐ \$500K—750K  
☐ \$750K—1M

☐ \$1M—31M  
☐ \$3.5M—1M  
☐ \$7M—10M  
☐ >\$10M

b. NUMBER OF EMPLOYEES (Total for entire facility excluding outside contractors)

c. NUMBER OF BEDS

d. WOULD YOU BE WILLING TO FURNISH COST INFORMATION (Dollar and/or staff hours) ON THE ECONOMIC IMPACT OF CURRENT NRC REGULATIONS OR ANY FUTURE PROPOSED NRC REGULATIONS THAT MAY AFFECT YOU? (NRC regulations permit it to protect confidential commercial or financial—proprietary—information furnished to the agency in confidence)

☐ YES

☐ NO

## FOR NRC USE ONLY

RECEIVED

TYPE OF FEE

FEE LOG

FEE CATEGORY

COMMENTS

APPROVED BY

*Amel*

*Jul 13, 1992*

*30*

*(#490 applied)*

*Single check for 2 licenses*

*19 1992*

AMOUNT RECEIVED

CHECK NUMBER

*See CN 393679*

DATE


*\$870*

*17729*

REGION III

SINCE 1972

TWIN PORTS TESTING INC.



1301 NORTH THIRD STREET • SUPERIOR, WISCONSIN 54880  
(715) 392-7114 • FAX (715) 392-7163

728 GARFIELD AVENUE • DULUTH, MINNESOTA 55802  
(218) 722-1911 • FAX (218) 722-3295

8 INDUSTRIAL PARK ROAD • NEGAUNEE, MICHIGAN 49866  
(906) 226-6653 • FAX (906) 226-3699

**Item 7:** Individual(s) responsible for radiation safety program and their training and experience.

Jerry Russell - Presently R.S.O.

Dave Rands - Assistant R.S.O. Will handle all the R.S.O. responsibilities with the assistance of the R.S.O.

His qualifications are as follows:

Education

High School Graduate

Attended Hutchinson Technical School as a student in the Non-Destructive Testing program (which included radiographic testing).

Experience

1986 - Present - Radiographer at Twin Ports Testing, Inc.

1984 - 1986 - Radiographer at Midwest Inspection Service, Ltd., Green Bay, Wisconsin


1982 - 1984 - MQS, Houston, Texas

CENTRAL NO. 93678



TWIN PORTS TESTING INC  
#8 INDUSTRIAL PARK RD  
MEGAUNEE MI 49866

RADIOACTIVE SOURCE STORAGE



MEASUREMENTS TAKEN 7-2-92

IR 192 @ 20 CURIES

Storage CONTROL NO.

93678

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS



SEP 11 1992

Twin Ports Testing, Inc.  
ATTN: Richard DeBolt  
President  
1301 North Third Street  
Superior, WI 54880

Dear Mr. DeBolt:

Enclosed is Amendment No. 04 to your NRC License No. 48-23476-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. You must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address.
5. Request and obtain appropriate amendment if you plan to change ownership of your organization, change locations of radioactive material, or make any other changes in your facility or program which are contrary to your license conditions or representations made in your license application and any supplemental correspondence with NRC. Any amendment request should be accompanied by the appropriate fee specified in 10 CFR Part 170.
6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.
7. Request termination of your license if you plan to permanently discontinue activities involving radioactive material prior to your expiration date.

93678

SEP 11 1992

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations in your license application will result in enforcement action against you in accordance with the General Policy and Procedures for NRC Enforcement Actions, 10 CFR Part 2, Appendix C.

If you have any questions or require clarification of any of the above stated information, contact us at (708) 790-5625.

Sincerely,

Original Signed By  
Loren J. Hueter  
Materials Licensing Section


Enclosure: Amendment No. 04

RIII

*LJH*  
Hueter/bt  
09/28/92

SINCE 1972

TWIN PORTS TESTING INC.



1301 NORTH THIRD STREET • SUPERIOR, WISCONSIN 54880  
(715) 392-7114 • FAX (715) 392-7163

728 GARFIELD AVENUE • DULUTH, MINNESOTA 55802  
(218) 722-1911 • FAX (218) 722-3295

8 INDUSTRIAL PARK ROAD • NEGAUNEE, MICHIGAN 49866  
(906) 226-6553 • FAX (906) 226-3699

August 28, 1992

Nuclear Regulatory Commission  
Materials Licensing Section  
799 Roosevelt Road  
Glen Ellyn, Illinois 60137

Attn: Loren Hueter

Re: Additions to our Amendment to License Number 48-23476-01 (Control #93678) and 48-23476-02 (Control #93679)

Dear Mr. Hueter:

As we discussed in our telephone conversation of August 21, 1992, we are making the following additions to our amendment.

License No. 48-23476-01 (Control #93678) - Dave Rands as the assistant R.S.O. would act in all capacities of the R.S.O. in his presence as well as his absence, with the absence not to exceed 3 consecutive months. His duties would include, but not be limited to: source retrieval, periodic audits, leak tests, source inventories, etc. Dave Rands would be under the supervision of Jerry Russell, the R.S.O. who would be responsible for the program. Dave has had instruction during our annual re-training classes, of which ½ hour included source retrieval, with further training January 20, 1992 to cover the additional duties.


We have enclosed a drawing of the Negaunee, Michigan office. If we increase the amount of Iridium 192 or other licensed sources stored at this facility, we will survey the exterior walls of the storage room to assure the 2mR/Hour and 100mR/7 consecutive day limits are not exceeded. If there is a conflict it will be corrected using additional distance and/or shielding to reduce the radiation intensity. All radiographic exposure devices and storage containers in the storage room as well as the storage room door will be locked and a radioactive materials sign put on the door. Personnel issued keys for these locks will be Randy DeBolt the lab manager and our certified technicians.

License No. 48-23476-02 (Control #93679) - we have enclosed a copy of the Nuclear Testing Gauge certificate for Ron Eastling. He has been performing inspections with the gauge since his certification on March 22, 1989. The gauge stored in the Negaunee facility will be kept in the storage room with the door locked and a radioactive materials sign on the door.

If you have any questions regarding the above, please feel free to call me at (715) 392-7114.

Sincerely,

Twin Ports Testing, Inc.

  
Jerry R. Russell  
Radiation Safety Officer

JRR:pjw

RECEIVED

SEP 01 1992

REGION III

# TROXLER ELECTRONIC LABORATORIES, INC.

HEREBY CERTIFIES THAT

Ron E. Vastling  
of

Twin Ports Testing

HAS SUCCESSFULLY COMPLETED THE TROXLER ELECTRONIC LABORATORIES, INC.,  
TRAINING COURSE FOR THE USE OF NUCLEAR TESTING EQUIPMENT.

SUBJECTS INCLUDED IN THIS COURSE WERE AS FOLLOWS:

## Radiological Safety

1. Principles and practices of radiation protection.
2. Leak testing procedures.
3. Mathematics and calculations basic to the use and measurement of radioactivity.
4. Biological effects of radiation.
5. Radioactivity measurement standardization and monitoring techniques and instruments.
6. Accident and incident procedures.
7. Procedures for nuclear gauge storage and transportation.
8. General safety precautions.

## Gauge Operation

1. Instrument theory
2. Operating procedures
3. Maintenance
4. Field application
5. Gauge calibration

Albert E. Gynn  
INSTRUCTOR


03-22-89  
DATE

W.F. Troxler  
PRESIDENT

Nº 21557



RA STORAGE



Twin Ports Testing INC

#8 INDUSTRIAL PK. RD.

NEGAUNEE MI. 49866

# 906-226-6653

FAX 906-226-3699

NOTE: 20 SCALE

RANDY DeBOLT  
MANAGER


TWIN PORTS TESTING INC

#8 INDUSTRIAL PARK RD

MEGAUNEE MI 49866

RADIOACTIVE SOURCE STORAGE

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS



MEASUREMENTS TAKEN 7-2-92

IR 192 @ 20 CURIES

*Steve Sexton*

## CONVERSATION RECORD

TIME

DATE

8-21-92

TYPE

☐ VISIT☐ CONFERENCE☒ TELEPHONE☐ INCOMING☐ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT  
WITH YOU

Larry Russell

ORGANIZATION (Office, dept., bureau,  
etc.)Training MTO  
Testing

TELEPHONE NO.

715-  
392-7114

SUBJECT

CN 93678 48-23476-01 radiography

CN 93679 48-23476-02 port gauge

SUMMARY

For both 1. Design <sup>new</sup> storage facility & building it situated  
in <sup>of storage room</sup>

2. Postings & security of material (individual  
storage containers & storage areas) & key  
control

3. Address <sup>of</sup> security & use of distuff building to ensure  
radiation levels in unrestricted area will  
not 20-105 criteria

For radiography

Clarify intended duties of asst. RSO

including some removal of training as such  
confirm RSO will retain overall responsibility  
address periodic audits at satellite storage facility

For gauge

Submit copy of training certificate from Transfer

ACTION REQUIRED

For continuing & specify date of when he was designated  
as auth. walk

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Loren Hoster

8-21-92

ACTION TAKEN

SIGNATURE

TITLE

DATE