

ORC

03034076

VOID SHEET

TO: License Fee Management Branch

FROM: Stephen W. Holmes

SUBJECT: VOIDED APPLICATION

Control Number: 021866

Applicant: Stocker & Yale, Inc.

Date Voided: 11/22/96

Reason for Void: fees unpaid; application
abandoned after review.

Susan L. Greene 11/22/96
Signature Date
NMSS/IMNS/IMAB

Attachment:
Official Record Copy of
Voided Actic

310116

FOR LFMB USE ONLY

Final Review of VOID Completed:

- ☐ Refund Authorized and processed
- ☒ No Refund Due
- ☐ Fee Exempt or Fee Not Required

Comments: _____

Log completed ☒

Processed by: K

9701310256 961122
PDR ADOCK 03034076
C PDR

011
ML00
cytolegI

November 21, 1996

Stocker & Yale, Inc.
ATTN: James Bickman
President
32 Hampshire Road
Salem, New Hampshire 03079

Dear Mr. Bickman:

This refers to your letter dated July 31, 1996 (copy enclosed), which requested an amendment to NRC License No. 28-23842-03E. The Division of Accounting and Finance notified you by form letter dated August 22, 1996, that your amendment request was received without the prescribed fee and that the amount due was \$1,000.00.

We were notified November 8, 1996, by the Division of Accounting and Finance that the prescribed fee had not been received and your amendment request is considered abandoned for nonpayment of fees. As of the date of this letter, the prescribed fee still has not been received. Therefore, NRC must consider your amendment request as having been abandoned by you and have voided the active controls for both your licensing action and the revision to your registration certificate. As a result, you are not authorized to distribute the Mb Microtec tritium wrist watch Model P600, as requested in your letter of July 31, 1996. This action is without prejudice to the resubmission of another amendment request.

We have forwarded a copy of this letter to the State of New Hampshire and our Region I office for follow-up. If you have any questions concerning this action, please contact me at (301) 415-7843.

Sincerely,

DISTRIBUTION:

License File 28-23842-03E

IMAB r/f

SBaggett

KRandall, SSSS

CBrown, SSSS

Reg I

ORIGINAL SIGNED BY

Stephen W. Holmes

Medical, Academic, and Commercial
Use Safety Branch

Division of Industrial and
Medical Nuclear Safety

Office of Nuclear Material Safety
and Safeguards

Docket No. 030-34076

Enclosure: Ltr dtd 7/31/96

cc: Diane E. Tefft, Administrator
Radiological Health Bureau
Division of Public Health Services
Health and Welfare Building
6 Hazen Drive
Concord, NH 03301-6527

DOCUMENT NAME: G:\STOCKER.CJB

OFFC: NMSS/IMAB NMSS/IMAB NMSS/IMAB
NAME: CBoyle SWHolmes SLGreene
DATE: 11/21/96 11/21/96 11/21/96

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

NOV - 8 1996

MEMORANDUM FOR: Susan Greene
Commercial Section
Division of Industrial Medical Nuclear Safety
Office of Nuclear Material Safety and Safeguards

FROM: Glenda C. Jackson, Chief *J. M. Rodriguez*
License Fee Section
License Fee and Accounts Receivable Branch
Division of Accounting and Finance
Office of the Controller

SUBJECT: ABANDONMENT APPLICATIONS

We consider the enclosed applications abandoned for nonpayment of fees. The following applicants have not responded to our requests for payment:

<u>Name</u>	<u>Control No.</u>
Stocker & Yale, Inc.	021866
Fusion Systems Corp.	021867

We have closed out our records for these cases and are forwarding them to you for whatever action you deem necessary.

Enclosures: Stocker & Yale, Inc.
Fusion Systems Corp.

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001Stocker & Yale, Inc.
ATTN: James Bickman
President
32 Hampshire Road
Salem, NH 03079

TYPE OF ACTION

- ☐
- NEW LICENSE
-
- ☐
- RENEWAL OF LICENSE
-
- ☒
- AMENDMENT TO LICENSE

REQUESTED DATE

7-31-96

LICENSE NUMBER

28-23842-03E

CONTROL NUMBER

021866

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3H	\$	\$	\$ 1,000.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	1,000.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	1,000.00

☒ Your request was received without the prescribed application fee.

☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:

☐ We received your Check No. _____ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____.

Control No. _____

☐ Your request was combined, prior to review, with your request, Control No. _____.

III. CHECK RETURNED

☐ Enclosed is Check No. _____ which was returned to us by the bank for:

- ☐ INSUFFICIENT FUNDS
☐ ACCOUNT CLOSED
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. _____ Amendment No. _____, issued on _____, was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.

SIGNATURE -- LICENSE FEE ANALYST

Sandra Kimberley

LFDCB

8/22/96

LFDCB


Distribution: Pending File

CC DAKLFB B SF (LF-3.2.7)
R/F HPS S-G-000000

DATE

8/22/96

030-34076



STOCKER & YALE, INC. / MFE / MEMODYNE / STILSON / DIE-DRAULIC

32 HAMPSHIRE ROAD, SALEM, NH 03079 USA TEL: (603) 893-8778 FAX: (603) 893-5604

July 31, 1996

U.S. Nuclear Regulatory Commission
Medical, Academic and Commercial Use Safety Branch
Division of Industrial and Medical Nuclear Safety
Office of Nuclear Materials Safety and Safeguards
Washington, DC 20555-0001
Attn: Ms. Carolyn Boyle
Mr. Bruce J. Carrico

Reference: License No. 28-23842-03E

Dear Ms. Boyle and Mr. Carrico,

Please be advised that Stocker & Yale shall act as initial distributor for the Mb Microtec tritium wrist watch Model P600 registered with the NRC on November 26, 1991 under R-NR-446-D-103E.

We request that this model wrist watch be added to our above referenced license to distribute, based upon the technical data as filed by Mb Microtec and approved by the NRC.

The watch shall be labeled as SandY Model P600S and marked on the back of each watchcase and the dial as per the enclosed drawing.


The isotope is Hydrogen-3 and the maximum activity of each device is 77 millicuries. Leak Test frequency is not required. The principal use is as a wrist watch with self-luminous applications. It is not a custom device.

The SandY Model P600S is of the same construction as the presently listed models 490, 184B, 184B-1, 5903, 5904, 5905 and P650 in that they have tritium activated light sources mounted in a similar manner. These Mb Microtec series 400 tritium sources are also sealed in borosilicate glass tubes. The tubes are mounted into retaining rings which are then glued to the

dial body. The tubes located in the watch hands fit into a tray in the middle of the hand. The SandY model P600 is manufactured by Mb Microtec and redistributed by Stocker & Yale, Inc. as is the model SandY P650.

We look forward to your early concurrence of our request. Please call if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "James Bickman". The signature is written in dark ink and is positioned above the printed name and title.


James Bickman
President

cc: Ms. Kim Randall and Mr. Steven Baggett
Sealed Source Safety Section
Source Containment and Device Branch
Division of Industrial and Medical Nuclear Safety
Office of Nuclear Material Safety and Safeguards


Mr. Larry Keating, President
Mb Microtec, USA Inc.
P.O. Box 1174
North Tonawanda, NY

July 29, 1996

Case Back Markings



Dial Markings (Suggested)



BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03254
Status Code: 0
Fee Category: 3H
Exp. Date: 19990430
Fee Comments:
Decom Fin Assur Req: N

LICENSE FEE TRANSMITTAL

A. REGION 0

1. APPLICATION ATTACHED

Applicant/Licensee: STOCKER & YALE, INC.
Received Date: 960806
Docket No: 3034076
Control No.: 021866
License No.: 28-23842-03E
Action Type: Amendment

do not issue

2. FEE ATTACHED

Amount: /
Check No.: /

3. COMMENTS

Signed
Date

C Boyle 8/9/96

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: 3H

2. Correct Fee Paid. Application may be processed for:

Amendment /
Renewal /
License /

3. OTHER

Signed
Date

Sh

*Rec'd
2782B
8/10/96*

*Aug 1 HQS
3H
AMO
11/8/96 Sh*

Fee Unpaid
Withdrawn/Abandoned

Aug 1 HQS

(Per Steve B. No independent reg, although will be amended.)

R1201021

LICENSING TRACKING SYSTEM

DATE: 960808

PAGE: 1

LTS WORKSHEET

DOCKET NO : 03034076 LICENSE NO : 28-23842-03E STATUS: 0
MAIL CONTROL: 021866 RECEIPT DATE : 960806 ACTION TYPE: 4
DUE DATE : 961104
FED. GOVT : C INST. CODE : 23842 LICENSE REGION: 0
ISSUE DATE: 960312 ORIGINAL DATE: 960312 EXPIRATION DATE: 19990430
NAME : STOCKER & YALE, INC. DECOM FIN ASSUR REQD: N
SUBM: _
DEPT/BUREAU: _____ CONT PLAN REQD: N APPRV: _
BUILDING : _____
STREET : 32 HAMPSHIRE ROAD
CITY : SALEM STATE: NH ZIP: 03079
CONTACT PERSON: JAMES BICKMAN PHONE: 603-893-8778

*Rev -
pls assign*

PRIMARY PGM CODE : 03254 SECONDARY PGM CODES: _____

INSPECTION REGION: 1 PRIORITY CODE: 5 INSPECTION CATEGORY: E

RADIATION SAFETY OFFICER: _____

STATES WHERE USE IS AUTHORIZED: 1 0 - ALL LISTED STATES
1 - SAME AS STATE IN ADDRESS
2 - ALL STATES
3 - NON-AGREEMENT STATES
AUTHORIZED STATES: _____ (USE ONLY IF ABOVE IS ZERO)

REPORTING IDENTIFICATION SYMBOL: _____

APPROVAL FOR: REDISTRIBUTION: N STORAGE ONLY: N
TEMPORARY JOB SITES: N INCINERATION: N
BURIAL: N

EXEMPTIONS: (1) _____ (2) _____

POSSESSION LIMIT INFORMATION

PAGE: 2

MATERIAL TYPE : NPA FORM CODE: NPA AGGREGATE CODE: NPA
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : 0000000.000000000 UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

MATERIAL TYPE : FORM CODE: AGGREGATE CODE: _____
MODEL NUMBER :
DESCRIPTION :
TOTAL QUANTITY : UNIT: _____
OTHER : # SOURCES: _____

NAME

AUTHORIZATION

ADDRESS WHERE MATERIAL IS USED OR POSSESSED

BUILDING:

1

ROOM:

STREET:

CITY:

STATE:

32 HAMPSHIRE RD
SALEM
NH

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

BUILDING:

ROOM:

STREET:

CITY:

STATE:

DECOMMISSIONING FINANCIAL ASSURANCE INFORMATION

PAGE: 4

DOCKET: 03034076 LIC: 28-23842-03E NAME: STOCKER & YALE, INC.

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PARTY ISSUING MECHANISM: _____
NAME : _____ ASSUR TYPE : - (C=CERT D=DFP)
ADDR1: _____ MECH TYPE : -
ADDR2: _____ MECH AMOUNT: -
CITY : _____ APPROVED? - DATE: _____
STATE: _____ EXPIRES ? - DATE: _____
ZIP: _____

PAGE : 5

INTERIM STORAGE UP TO 1996: N