

MATERIALS LICENSE

Amendment No. 30

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302197

Licensee

1. St. Luke's Hospital
2. 700 Cooper Avenue
Saginaw, MI 48602

In accordance with application dated
January 2, 1997
3. License Number 21-01492-02 is amended
in its entirety to read as follows:

4. Expiration Date October 31, 2004

5. Docket or
Reference No. 030-02012

6. Byproduct, Source, and/or
Special Nuclear Material7. Chemical and/or Physical
Form8. Maximum Amount that Licensee
May Possess at Any One Time
Under This License

- A. Any byproduct
material identified
in 10 CFR 35.100
- B. Any byproduct
material identified
in 10 CFR 35.200
- C. Any byproduct
material identified
in 10 CFR 35.300
- D. Any byproduct
material identified
in 10 CFR 35.500

- A. Any
radiopharma-
ceutical identified
in 10 CFR 35.100
- B. Any
radiopharma-
ceutical identified
in 10 CFR 35.200
- C. Any
radiopharma-
ceutical identified
in 10 CFR 35.300
- D. Sealed sources
identified
in 10 CFR 35.500

- A. As needed
- B. As needed
- C. As needed
- D. As needed

9. Authorized Use:

- A. Medical use described in 10 CFR 35.100.
- B. Medical use described in 10 CFR 35.200.
- C. Medical use described in 10 CFR 35.300.
- D. Medical use described in 10 CFR 35.500 in devices which have been evaluated and approved for licensing purposes by the U.S. Nuclear Regulatory Commission or an Agreement State.

050024

9702050208 970127
PDR ADOCK 03002012
C PDR

COPY

d/
ML
2
SD

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

21-01492-02

Docket or Reference Number

030-02012

Amendment No. 30

CONDITIONS

10. Location of Use: 700 Cooper Avenue, Saginaw, Michigan.
11. Radiation Safety Officer: Mark G. Poag, M.D.
12. Authorized Users:
- A. Joseph E. Talbot, M.D., for material in 10 CFR 35.100, 35.200, 35.300, and 35.500.
 - B. Arno W. Weiss, Jr., for material in 10 CFR 35.500.
 - C. Robert P. Ainsworth, M.D., for material in 10 CFR 35.100, 35.200, and 35.500.
 - D. Allen J. Solomon, M.D., for material in 10 CFR 35.100, 35.200, and 35.500.
 - E. Deepak Agarwal, M.D., for material in 10 CFR 35.100, 35.200, and 35.500.
 - F. Mark Gordon Poag, M.D., for material in 10 CFR 35.100, 35.200 and 35.300.
 - G. Ronald Barry, M.D., for material in 10 CFR 35.500(b).
 - H. Prakash Malkani, M.D., for material in 10 CFR 35.100 and 35.200.
13. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated September 21, 1994 (excluding any references to QMP); and
 - B. Letters dated September 22, 1994 (with attachments) and January 2, 1997.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date 1/27/97

By

James Muller
Nuclear Materials Licensing Branch, Region III

COPY

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

Program Code: 02120
Status Code: 0
Fee Category: 7C 2B
Exp. Date: 20041031
Fee Comments:
Decom Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: ST. LUKE'S HOSPITAL
Received Date: 960107
Docket No: 3002012
Control No.: 302197
License No.: 21-01492-02
Action Type: Amendment

2. FEE ATTACHED

Amount: 440
Check No.: 194590

3. COMMENTS

Signed
Date

D. Hersey
1-13-97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered ☒)

1. Fee Category and Amount: 7C \$440

2. Correct Fee Paid. Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed
Date

SC
1/24/97

Log	<u>Cap 6 III</u>
Remitter	
Check No.	<u>194590</u>
Amount	<u>\$440</u>
Fee Category	<u>7C</u>
Type of Fee	<u>Amo</u>
Date Check Rec'd	<u>1/17/97</u>
Date Completed	<u>1/24/97</u>
By	<u>SC</u>

1997 JAN 17 AM 9:30



January 2, 1997

US Nuclear Regulatory Commission
Materials Licensing Branch
Region III
801 Warrenville Road
Lisle, IL 60532

RE: Amendment to 21-07492-02

Dear Sirs:

We wish to amend our Materials License 21-01492-02 as follows:

DELETE

AUTHORIZED USERS: Samuel S. Valia, M.D.
Robert Alan Skib, M.D.

BYPRODUCT MATERIAL: Strontium-90 for Storage Only. This source was properly disposed via ADCO Services.

UPDATE

We wish to update our facility diagram that is attached for your review.

If you have any questions, please contact us. We have enclosed a check payable to the US Nuclear Regulatory Commission in the amount of \$440.00 as required.

Thank you for your cooperation.

Sincerely,

Robert Bell


Robert Bell
Diagnostic Imaging Manager
517-771-6263

Pm: 1-2-97

St. Luke's Healthcare Association • Imaging & Diagnostic Services
700 Cooper Avenue • Saginaw, MI 48602 • (517) 771-6278

RECEIVED
JAN 07 1997
REGION III

JAN 07 1997
302197



JAN 28 1997

Robert Bell
Diagnostic Imaging Manager
St. Luke's Hospital
700 Cooper Avenue
Saginaw, MI 48602

Dear Mr. Bell:

Enclosed is Amendment No. 30 to your NRC Material License No. 21-01492-02 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

We have extended your expiration date by five years. Please refer to our letter dated May 6, 1996, which discusses the recent regulatory change that grants a one-time five-year extension for certain licenses.

Please note that we have deleted the old License Condition No. 13 which required that you, as the licensee, maintain records of information important to safe and effective decommissioning until the NRC terminates this license. The condition is deleted because the NRC states the same requirement in the regulations under 10 CFR 30.35(g). We advise you that the NRC still requires that you comply with that requirement.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change;
or

302/97

- b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
- 3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
- 4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
- 5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences

R. Bell

-3-

to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
James R. Mullauer, M.H.S.
Health Physicist
Nuclear Materials Licensing Branch

License No. 21-01492-02
Docket No. 030-02012

Enclosures:

1. Amendment No. 30
2. NRC Ltr dated 05/06/96

DOCUMENT NAME: M:\03002012.CL7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RM								
NAME	JRMullauer:brt								
DATE	01/25/97								

OFFICIAL RECORD COPY



UNITED STATES •
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351
January 13, 1997

Mark G. Poag, M.D.
Radiation Safety Officer
St. Luke's Hospital
Department of Radiology
700 Cooper Avenue
Saginaw, MI 48602

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated 01/02/97)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required)
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302197
License No. 21-01492-02

St. Luke's Hospital

700 Cooper
Saginaw, MI 48602

Fax Cover Sheet

DATE:	January 20, 1997	TIME:	11:10 AM
TO:	Mr. James Mullauer NRC	PHONE:	630-829-9873
		FAX:	630-515-1259
FROM:	Bob Bell St. Luke's Hospital	PHONE:	517-771-6263
		FAX:	517-771-6266
RE:	License 21-07492-02		

Number of pages including cover sheet: 5



January 20, 1997

Mr. James Mullauer
US Nuclear Regulatory Commission
Region III
801 Warrenville Road
Lisle, IL 60532

Re: Amendment to 21-07492-02

Dear Mr. Mullauer,

Enclosed is the information you'd requested on the disposal of our Strontium-90 source through ADCO. Please contact me with any further questions.

Thank you for your promptness.

Sincerely,

Robert Bell
Diagnostic Imaging Manager
517-771-6263



01-05-1995 16:15

798 428 8778
UNIVERSITY
FORM 3841

ADCO

CARBON
REQUIREDBILL OF LADING
TRIPLICATEA-1
B-1
C-1
D-1
E-1
F-1
G-1
H-1
I-1
J-1
K-1
L-1
M-1
N-1
O-1
P-1
Q-1
R-1
S-1
T-1
U-1
V-1
W-1
X-1
Y-1
Z-1
AA-1
AB-1
AC-1
AD-1
AE-1
AF-1
AG-1
AH-1
AI-1
AJ-1
AK-1
AL-1
AM-1
AN-1
AO-1
AP-1
AQ-1
AR-1
AS-1
AT-1
AU-1
AV-1
AW-1
AX-1
AY-1
AZ-1
BA-1
BB-1
BC-1
BD-1
BE-1
BF-1
BG-1
BH-1
BI-1
BJ-1
BK-1
BL-1
BM-1
BN-1
BO-1
BP-1
BQ-1
BR-1
BS-1
BT-1
BU-1
BV-1
BW-1
BX-1
BY-1
BZ-1
CA-1
CB-1
CC-1
CD-1
CE-1
CF-1
CG-1
CH-1
CI-1
CJ-1
CK-1
CL-1
CM-1
CN-1
CO-1
CP-1
CQ-1
CR-1
CS-1
CT-1
CU-1
CV-1
CW-1
CX-1
CY-1
CZ-1
DA-1
DB-1
DC-1
DD-1
DE-1
DF-1
DG-1
DH-1
DI-1
DJ-1
DK-1
DL-1
DM-1
DN-1
DO-1
DP-1
DQ-1
DR-1
DS-1
DT-1
DU-1
DV-1
DW-1
DX-1
DY-1
DZ-1
EA-1
EB-1
EC-1
ED-1
EE-1
EF-1
EG-1
EH-1
EI-1
EJ-1
EK-1
EL-1
EM-1
EN-1
EO-1
EP-1
EQ-1
ER-1
ES-1
ET-1
EU-1
EV-1
EW-1
EX-1
EY-1
EZ-1
FA-1
FB-1
FC-1
FD-1
FE-1
FF-1
FG-1
FH-1
FI-1
FJ-1
FK-1
FL-1
FM-1
FN-1
FO-1
FP-1
FQ-1
FR-1
FS-1
FT-1
FU-1
FV-1
FW-1
FX-1
FY-1
FZ-1
GA-1
GB-1
GC-1
GD-1
GE-1
GF-1
GG-1
GH-1
GI-1
GJ-1
GK-1
GL-1
GM-1
GN-1
GO-1
GP-1
GQ-1
GR-1
GS-1
GT-1
GU-1
GV-1
GW-1
GX-1
GY-1
GZ-1
HA-1
HB-1
HC-1
HD-1
HE-1
HF-1
HG-1
HH-1
HI-1
HJ-1
HK-1
HL-1
HM-1
HN-1
HO-1
HP-1
HQ-1
HR-1
HS-1
HT-1
HU-1
HV-1
HW-1
HX-1
HY-1
HZ-1
IA-1
IB-1
IC-1
ID-1
IE-1
IF-1
IG-1
IH-1
II-1
IJ-1
IK-1
IL-1
IM-1
IN-1
IO-1
IP-1
IQ-1
IR-1
IS-1
IT-1
IU-1
IV-1
IW-1
IX-1
IY-1
IZ-1
JA-1
JB-1
JC-1
JD-1
JE-1
JF-1
JG-1
JH-1
JI-1
JJ-1
JK-1
JL-1
JM-1
JN-1
JO-1
JP-1
JQ-1
JR-1
JS-1
JT-1
JU-1
JV-1
JW-1
JX-1
JY-1
JZ-1
KA-1
KB-1
KC-1
KD-1
KE-1
KF-1
KG-1
KH-1
KI-1
KJ-1
KK-1
KL-1
KM-1
KN-1
KO-1
KP-1
KQ-1
KR-1
KS-1
KT-1
KU-1
KV-1
KW-1
KX-1
KY-1
KZ-1
LA-1
LB-1
LC-1
LD-1
LE-1
LF-1
LG-1
LH-1
LI-1
LJ-1
LK-1
LL-1
LM-1
LN-1
LO-1
LP-1
LQ-1
LR-1
LS-1
LT-1
LU-1
LV-1
LW-1
LX-1
LY-1
LZ-1
MA-1
MB-1
MC-1
MD-1
ME-1
MF-1
MG-1
MH-1
MI-1
MJ-1
MK-1
ML-1
MM-1
MN-1
MO-1
MP-1
MQ-1
MR-1
MS-1
MT-1
MU-1
MV-1
MW-1
MX-1
MY-1
MZ-1
NA-1
NB-1
NC-1
ND-1
NE-1
NF-1
NG-1
NH-1
NI-1
NJ-1
NK-1
NL-1
NM-1
NN-1
NO-1
NP-1
NQ-1
NR-1
NS-1
NT-1
NU-1
NV-1
NW-1
NX-1
NY-1
NZ-1
OA-1
OB-1
OC-1
OD-1
OE-1
OF-1
OG-1
OH-1
OI-1
OJ-1
OK-1
OL-1
OM-1
ON-1
OO-1
OP-1
OQ-1
OR-1
OS-1
OT-1
OU-1
OV-1
OW-1
OX-1
OY-1
OZ-1
PA-1
PB-1
PC-1
PD-1
PE-1
PF-1
PG-1
PH-1
PI-1
PJ-1
PK-1
PL-1
PM-1
PN-1
PO-1
PP-1
PQ-1
PR-1
PS-1
PT-1
PU-1
PV-1
PW-1
PX-1
PY-1
PZ-1
QA-1
QB-1
QC-1
QD-1
QE-1
QF-1
QG-1
QH-1
QI-1
QJ-1
QK-1
QL-1
QM-1
QN-1
QO-1
QP-1
QQ-1
QR-1
QS-1
QT-1
QU-1
QV-1
QW-1
QX-1
QY-1
QZ-1
RA-1
RB-1
RC-1
RD-1
RE-1
RF-1
RG-1
RH-1
RI-1
RJ-1
RK-1
RL-1
RM-1
RN-1
RO-1
RP-1
RQ-1
RR-1
RS-1
RT-1
RU-1
RV-1
RW-1
RX-1
RY-1
RZ-1
SA-1
SB-1
SC-1
SD-1
SE-1
SF-1
SG-1
SH-1
SI-1
SJ-1
SK-1
SL-1
SM-1
SN-1
SO-1
SP-1
SQ-1
SR-1
SS-1
ST-1
SU-1
SV-1
SW-1
SX-1
SY-1
SZ-1
TA-1
TB-1
TC-1
TD-1
TE-1
TF-1
TG-1
TH-1
TI-1
TJ-1
TK-1
TL-1
TM-1
TN-1
TO-1
TP-1
TQ-1
TR-1
TS-1
TT-1
TU-1
TV-1
TW-1
TX-1
TY-1
TZ-1
UA-1
UB-1
UC-1
UD-1
UE-1
UF-1
UG-1
UH-1
UI-1
UJ-1
UK-1
UL-1
UM-1
UN-1
UO-1
UP-1
UQ-1
UR-1
US-1
UT-1
UU-1
UV-1
UW-1
UX-1
UY-1
UZ-1
VA-1
VB-1
VC-1
VD-1
VE-1
VF-1
VG-1
VH-1
VI-1
VJ-1
VK-1
VL-1
VM-1
VN-1
VO-1
VP-1
VQ-1
VR-1
VS-1
VT-1
VU-1
VV-1
VW-1
VX-1
VY-1
VZ-1
WA-1
WB-1
WC-1
WD-1
WE-1
WF-1
WG-1
WH-1
WI-1
WJ-1
WK-1
WL-1
WM-1
WN-1
WO-1
WP-1
WQ-1
WR-1
WS-1
WT-1
WU-1
WV-1
WW-1
WX-1
WY-1
WZ-1
XA-1
XB-1
XC-1
XD-1
XE-1
XF-1
XG-1
XH-1
XI-1
XJ-1
XK-1
XL-1
XM-1
XN-1
XO-1
XP-1
XQ-1
XR-1
XS-1
XT-1
XU-1
XV-1
XW-1
XX-1
XY-1
XZ-1
YA-1
YB-1
YC-1
YD-1
YE-1
YF-1
YG-1
YH-1
YI-1
YJ-1
YK-1
YL-1
YM-1
YN-1
YO-1
YP-1
YQ-1
YR-1
YS-1
YT-1
YU-1
YV-1
YW-1
YX-1
YY-1
YZ-1
ZA-1
ZB-1
ZC-1
ZD-1
ZE-1
ZF-1
ZG-1
ZH-1
ZI-1
ZJ-1
ZK-1
ZL-1
ZM-1
ZN-1
ZO-1
ZP-1
ZQ-1
ZR-1
ZS-1
ZT-1
ZU-1
ZV-1
ZW-1
ZX-1
ZY-1
ZZ-1

A-1

B-1

C-1

D-1

E-1

F-1

G-1

H-1

I-1

J-1

K-1

L-1

M-1

N-1

O-1

P-1

Q-1

R-1

S-1

T-1

U-1

V-1

W-1

X-1

Y-1

Z-1

AA-1

AB-1

AC-1

AD-1

AE-1

AF-1

AG-1

AH-1

AI-1

AJ-1

AK-1

AL-1

AM-1

AN-1

AO-1

AP-1

AQ-1

AR-1

AS-1

AT-1

AU-1

AV-1

AW-1

AX-1

AY-1

AZ-1

BA-1

BB-1

BC-1

BD-1

BE-1

BF-1

BG-1

BH-1

BI-1

BJ-1

BK-1

BL-1

BM-1

BN-1

BO-1

BP-1

BQ-1

BR-1

BS-1

BT-1

BU-1

BV-1

BW-1

BX-1

BY-1

BZ-1

CA-1

CB-1

CC-1

CD-1

CE-1

CF-1

CG-1

CH-1

CI-1

CJ-1

CK-1

CL-1

CM-1

CN-1

CO-1

CP-1

CQ-1

CR-1

CS-1

CT-1

CU-1

CV-1

CW-1

CX-1

CY-1

CZ-1

DA-1

DB-1

DC-1

DD-1

DE-1

DF-1

DG-1

DH-1

DI-1

DJ-1

DK-1

DL-1

DM-1

DN-1

DO-1

DP-1

DQ-1

DR-1

DS-1

DT-1

DU-1

DV-1

DW-1

DX-1

DY-1

DZ-1

EA-1

EB-1

EC-1

ED-1

EE-1

EF-1

EG-1

EH-1

EI-1

EJ-1

EK-1

EL-1

EM-1

EN-1

EO-1

EP-1

EQ-1

ER-1

ES-1

ET-1

EU-1

EV-1

EW-1

EX-1

EY-1

EZ-1

FA-1

FB-1

FC-1

FD-1

FE-1

FF-1

FG-1

FH-1

FI-1

FJ-1

FK-1

FL-1

FM-1

FN-1

FO-1

FP-1

FQ-1

FR-1

FS-1

FT-1

FU-1

FV-1

FW-1

FX-1

FY-1

FZ-1

GA-1

GB-1

GC-1

GD-1

GE-1

GF-1

GG-1

GH-1

GI-1

GJ-1

GK-1

GL-1

GM-1

GN-1

GO-1

GP-1

GQ-1

GR-1

GS-1

GT-1

GU-1

GV-1

GW-1

GX-1

GY-1

GZ-1

HA-1

HB-1

HC-1

HD-1

HE-1

HF-1

HG-1

HI-1

HJ-1

HK-1

HL-1

HM-1

HN-1

HO-1

HP-1

HQ-1

HR-1

HS-1

HT-1

HU-1

HV-1

HW-1

HX-1

HY-1

HZ-1

IA-1

IB-1

IC-1

ID-1

IE-1

IF-1

IG-1

IH-1

II-1

IJ-1

IK-1

IL-1

IM-1

IN-1

IO-1

IP-1

IQ-1

IR-1

IS-1

IT-1

IU-1

IV-1

IW-1

IX-1

IY-1

IZ-1

JA-1

JB-1

JC-1

01-08-1906 16:10

700 429 9754

ADCO

P. 05

STRAIGHT BILL OF LADING
ORIGINAL--NOT NEGOTIABLE

Shipper No. 96-5002

Carrier No. XX 35969

Date 1/8/96

ADCOM EXPRESS, INC.

[illegible]

PLACARDS TENDERED: ☐ YES ☒ NO

I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packaged, marked and labeled, and are in all respects in proper condition for transport by AIR/MAR/RAIL/ROAD according to applicable international and national governmental regulations.

(DELETE NON-APPLICABLE MODE OF TRANSPORT)

EXCLUSIVE USE: TO BE LOADED BY CONSIGNOR
AND UNLOADED BY CONSIGNEE
EMERGENCY PROCEDURES ATTACHED
EMERGENCY PHONE NUMBERS:

Signature _____

8:30 AM - 4:30 PM 706-428-1000
AFTER 4:30 PM 706-614-8006

RECEIVED, subject to the classification and terms in effect on the date of the issue of this bill of lading, the property described above in apparent good order, except as noted (markings or condition or contents or packages unknown), marked, consigned, and delivered as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agree to carry to its usual place of delivery at said destination, if on the route, otherwise to deliver to another carrier on the route to said destination, it mutually agrees as to each carrier of bill of lading

of said property over all or any portion of said route to destination and as to each party if any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment.

Shipper hereby certifies that he is familiar with all the Bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER ADCO SERVICES, INC.

CARRIER **ADCOM EXPRESS, INC**

SPCL

PER

TOTAL P.05