

## MATERIALS LICENSE

Amendment No. 07

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

301995

|  |  |  |
|--|--|--|
| Licensee   |  | In accordance with letter dated<br>October 23, 1996                                  |
| 1. State of Wisconsin<br>Department of Transportation<br>Material Office, Quality of<br>Management Section<br>P.O. Box 7916<br>4802 Sheyboygan Avenue, Rm 633<br>Madison, WI 53707 |  | 3. License Number 48-20123-01 is amended in<br>its entirety to read as follows:      |
|  |  | 4. Expiration Date January 31, 2002  |
|  |  | 5. Docket or Reference No. 030-17989   |
| 6. Byproduct, Source, and/or<br>Special Nuclear Material   | 7. Chemical and/or Physical<br>Form                      | 8. Maximum Amount that Licensee<br>May Possess at Any One Time<br>Under This License |
| A. Cesium-137  | A. Sealed source<br>(Seaman Nuclear<br>Dwg. No. 450-000) | A. 39 sources not<br>to exceed 10<br>millicuries each                                |
| B. Americium-241   | B. Sealed source<br>(Seaman Nuclear<br>Dwg. No. 450-000) | B. 39 sources not<br>to exceed 50<br>millicuries each                                |
| C. Americium-241   | C. Sealed source<br>(Troxler Dwg.<br>No. A-100608)       | C. 10 sources not<br>to exceed 110<br>millicuries each                               |
| D. Cesium-137  | D. Sealed source<br>(Troxler Dwg.<br>No. A-102112)       | D. 40 sources not<br>to exceed 10<br>millicuries each                                |
| E. Americium-241   | E. Sealed source<br>(Troxler Dwg.<br>No. A-102451)       | E. 40 sources not<br>to exceed 50<br>millicuries each                                |
| F. Americium-241   | F. Sealed source<br>(Troxler Dwg.<br>No. 102700)         | F. No single source<br>to exceed 44<br>millicuries each                              |
| G. Californium-252   | G. Sealed source<br>(Troxler Dwg.<br>No. 105779)         | G. No single source<br>to exceed 110<br>microcuries each                             |
| H. Americium-241   | H. Sealed source<br>(Troxler Dwg.<br>No. 106510)         | H. No single source<br>to exceed 44<br>millicuries each                              |

9702050332 970127  
PDR ADOCK 03017989  
C PDR

COPY

9/13/00  
J 50

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

48-20123-01

Docket or Reference Number

030-17989

Amendment No. 07

9. Authorized Use:

- A. and B. To be used in Seaman Nuclear Model C-75BP moisture/density gauges.
- C. To be used in Troxler Model 3200 Series asphalt content gauges.
- D. and E. To be used in Troxler Model 3400 Series and 4640 Series moisture/density gauges to measure moisture/density of construction materials.
- F., G. and H. To be used in Troxler Model 4430-series water/cement gauges to measure water/cement ratios of fresh portland cement concrete.

CONDITIONS

10. Licensed material may be used at:

3502 Kinsman Boulevard  
Madison, Wisconsin

531 West Newhall Avenue  
Waukesha, Wisconsin

944 Vanderperren  
Green Bay, Wisconsin

2841 Industrial Street  
Wisconsin Rapids, Wisconsin

3550 Mormon Coulee Road  
LaCrosse, Wisconsin

5005 Hwy. 53 South  
Eau Claire, Wisconsin

500 Hanson Lake Road  
Rhineland, Wisconsin

1701 North 4th Street  
Superior, Wisconsin

License material may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

- 11. A. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have satisfactorily completed the manufacturer's or licensee's training programs for gauge users and have been designated by the licensee's Radiation Protection Officer. The licensee shall maintain records of the individuals who have been designated as authorized users.
- B. The Radiation Protection Officer for the activities authorized by this license is Joseph L. McKee.
- C. The Assistant Radiation Protection Officer for the activities authorized by this license is Robert L. Schiro.

COPY

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

48-20123-01

Docket or Reference Number

030-17989

Amendment No. 07

12. A. (1) The source(s) specified in Item 7. shall be tested for leakage and/or contamination at intervals not to exceed 6 months. Any source received from another person which is not accompanied by a certificate indicating that a test was performed within 60 days before the transfer shall not be put into use until tested.
- (2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.
- B. Any source in storage and not being used need not be tested. When the source is removed from storage for use or transfer to another person, it shall be tested before use or transfer.
- C. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, 801 Warrenville Road, Lisle, Illinois 60532-4351, ATTN: Chief, Nuclear Materials Safety Branch. The report shall specify the source involved, the test results, and corrective action taken. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. Records may be disposed of following Commission inspection.
- D. The licensee is authorized to collect leak test samples for analysis by Sieman Gamma Sonic, Inc. or Troxler or tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
13. Sealed sources containing licensed material shall not be opened or removed from their respective source holders by the licensee.
14. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss or theft.
15. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.

COPY

MATERIALS LICENSE  
SUPPLEMENTARY SHEET

License Number

48-20123-01

Docket or Reference Number

030-17989

Amendment No. 07

16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 2 years from the date of each inventory.
17. The licensee may transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
  - A. Application dated January 14, 1992; and
  - B. Letter dated October 22, 1993.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date Jan 31, 1997

By Edgar B. Moten  
Nuclear Materials Licensing Branch, Region III

COPY



BETWEEN:

License Fee Management Branch, ARM  
and  
Regional Licensing Sections

(FOR LFMS USE)  
INFORMATION FROM LFS

R9

Program Code: 03121  
Status Code: 0  
Fee Category: 3P  
Exp. Date: 20020131  
Fee Comments: STATE  
Decom Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: WISCONSIN, STATE OF  
Received Date: 961028  
Docket No: 3017989  
Control No.: 301995  
License No.: 48-20123-01  
Action Type: Amendment

2. FEE ATTACHED

Amount: 0  
Check No.: 0

3. COMMENTS

Signed  
Date

D. Hershey  
10-29-96

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / )

1. Fee Category and Amount:

3P \$300

2. Correct Fee Paid. Application may be processed for:

Amendment ☒  
Renewal ☐  
License ☐

3. OTHER


Signed  
Date

SC  
12/5/96

DEC 09 1996

|                  |           |
|------------------|-----------|
| Log              | Nov 3 711 |
| Remitter         |           |
| Check No.        | 7061017   |
| Amount           | \$300     |
| Fee Category     | 3P        |
| Type of Fee      | AMD       |
| Date Check Rec'd | 12/5/96   |
| Date Completed   | 12/5/96   |
| By:              | SC        |

1996 NOV -4 AM 9:24



## Wisconsin Department of Transportation

Division of Transportation Infrastructure  
Development  
Bureau of Highway Construction  
Truax Center  
3502 Kinsman Blvd.  
Madison, WI 53704-2507

October 23, 1996

U.S. Nuclear Regulatory Commission, Region III  
Attn: Materials Licensing Section  
801 Warrenville Road  
Lisle, Illinois 60532-4351

Dear Sir/Madam:

Subject: Radioactive Materials License No. 48-20123-01  
State of Wisconsin, Department of Transportation

This letter is to request an amendment to Radioactive Materials License 48-20123-01 for the Wisconsin Department of Transportation. Please note that the request is to amend items on Docket No. 030-17989, Amendment No. 06, February 1995. Amendment No. 06 is in accordance with the Wisconsin DOT letter dated December 22, 1994.

The Wisconsin DOT requests that the following specific items be amended on its radioactive materials license:

Item 10 to be stated as:

Licensed material may be used at: 3502 Kinsman Boulevard, Madison, Wisconsin; 531 West Newhall Avenue, Waukesha, Wisconsin; 944 Vanderperran, Green Bay, Wisconsin; 2841 Industrial Street, Wisconsin Rapids, Wisconsin; 3550 Mormon Coulee Road, LaCrosse, Wisconsin; 5005 Hwy. 53 South, Eau Claire, Wisconsin; 500 Hanson Lake Road, Rhinelander, Wisconsin; 1701 North 4th Street, Superior, Wisconsin and at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

Item 11.B to be stated as:

The Radiation Protection Officer for the activities authorized by this license is Joseph L. McKee. The Assistant Radiation Protection Officer is Robert L. Schiro.

RECEIVED

OCT 28 1996  
REGION III

301995

The following record of training and experience for Robert L. Schiro is offered as qualification for him to be Wisconsin DOT's Assistant Radiation Protection Officer:

1. Attended training programs by device manufacturer.

| Date | Course Description                                 | Manufacturer        | Location      | Instructor |
|------|--|---------------------|---------------|------------|
| 1995 | Nuclear Testing Equipment Training Class (8 hours) | Troxler Electronics | Elgin, IL     | T Donnelly |
| 1996 | Radiological and Operation Training (8 hours)      | Seaman Nuclear      | Oak Creek, WI | R Stielow  |
| 1996 | Radiation Safety Officer Course (8 hours)          | Troxler Electronics | Elgin, IL     | T Donnelly |

2. Attended training programs by Wisconsin DOT.

| Date      | Course Description   | Instructor |
|-----------|--|------------|
| 1987      | Nuclear Density Training Course (Radiation Instruction and Equipment Operation) (12 hours) | Joe McKee  |
| 1989-1996 | Nuclear Density Training Refresher Course (4 hours each year)                              | Joe McKee  |

3. Training provided to others.

| Date | Course Description  | Remarks                                |
|------|---|--|
| 1996 | Nuclear Density Training and Refresher Courses. Hands on field training of gauge operators. (160 hours) | Assistant instructor to Joe McKee(RSO) |

U.S. Nuclear Regulatory Commission, Region III


October 23, 1996

Page 3

The above information identifies changes the Wisconsin DOT is requesting to their radioactive materials license. It is understood these changes can be accomplished by a no-cost amendment to the license. If you need additional information to process this request please contact Joe McKee at 608/246-7942 or Noel Gaudette at 608/246-5388.

Thank you for your attention to this amendment request.

Sincerely,

A handwritten signature in cursive script that reads "Joseph L. McKee".

Joseph L. McKee

WisDOT Radiation Safety Officer

Cc: Noel Gaudette  
Bob Schiro  
John Volker

U:\130.WP



## LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH  
DIVISION OF ACCOUNTING AND FINANCE  
OFFICE OF THE CONTROLLER  
U.S. NUCLEAR REGULATORY COMMISSION  
WASHINGTON, DC 20555-0001STATE OF WISCONSIN  
ATTN: JOSEPH L. MCKEE  
RADIATION SAFETY OFFICER  
DEPARTMENT OF TRANSPORTATION  
3502 KINSMAN BOULEVARD  
MADISON, WISCONSIN 53704-2507

## TYPE OF ACTION

- ☐ NEW LICENSE  
☐ RENEWAL OF LICENSE  
☒ AMENDMENT TO LICENSE

REQUESTED DATE

10-23-96

LICENSE NUMBER

48-20123-01

CONTROL NUMBER

301995

## I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

| FEE CATEGORY | APPLICATION | RENEWAL | AMENDMENT |
|--------------|-------------|---------|-----------|
| 3P           | \$          | \$      | \$ 300.00 |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |
|              | \$          | \$      | \$        |

|                  |    |        |
|------------------|----|--------|
| FEE(s) DUE       | \$ | 300.00 |
| PAYMENT RECEIVED | \$ | 0.00   |
| AMOUNT DUE       | \$ | 300.00 |

- ☒ Your request was received without the prescribed application fee.
- ☐ We received your Check No. \_\_\_\_\_ in the amount of \$ \_\_\_\_\_. Payment of the additional fee noted above is required.
- ☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

SIGNATURE - LICENSE FEE ANALYST

LFDCB

LFDCB

SHIRLEY CRUTCHFIELD

11/6/96

## II. FEE NOT REQUIRED

- ☐ Enclosed is Check No. \_\_\_\_\_ which accompanied your request. The fee is not required because:
- ☐ We received your Check No. \_\_\_\_\_ in payment of the fee.
- ☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated \_\_\_\_\_, Control No. \_\_\_\_\_.
- ☐ Your request was combined, prior to review, with your \_\_\_\_\_ request, Control No. \_\_\_\_\_.

## III. CHECK RETURNED

- ☐ Enclosed is Check No. \_\_\_\_\_ which was returned to us by the bank for:
- ☐ INSUFFICIENT FUNDS
- ☐ ACCOUNT CLOSED
- ☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

## IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

- ☐ License No. \_\_\_\_\_, Amendment No. \_\_\_\_\_, issued on \_\_\_\_\_ was issued without the required fee being collected. The fee required is noted in Section I of this form.
- ☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.

Distribution:

Pending Fee File

LFARB R/F (2)

OC/DAF/RF

OC/DAF/SF(LF-3.2.7)

Region 3

DATE

Nov. 6, 1996

JAN 28 1997

Joseph L. McKee  
Radiation Safety Officer  
State of Wisconsin  
Department of Transportation  
Material Office, Quality of  
Management Section  
P.O. Box 7916  
4802 Sheyboygan Avenue, Room 633  
Madison, WI 53707

Dear Mr. McKee:

Enclosed is Amendment No. 07 to your NRC Material License No. 48-20123-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
  - a. When the Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
  - b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
  - a. Change Radiation Safety Officers;

301995

- b. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
  - c. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
  - d. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,  
Original Signed By  
Evelyn R. Matson  
Nuclear Materials Licensing Branch

License No.: 48-20123-01  
Docket No.: 030-17989

Enclosure: Amendment No. 07

DOCUMENT NAME: M:\03017989.CL7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

|        |             |           |  |  |  |  |  |  |  |
|--------|-------------|-----------|--|--|--|--|--|--|--|
| OFFICE | DNMS/RIII   | <i>EM</i> |  |  |  |  |  |  |  |
| NAME   | EMATSON:jaw |           |  |  |  |  |  |  |  |
| DATE   | 01/07/97    |           |  |  |  |  |  |  |  |

OFFICIAL RECORD COPY

JAN 02 1997

Joseph L. McKee  
WisDOT Radiation Safety Officer  
State of Wisconsin  
Department of Transportation,  
Material Office  
Quality Management Section  
P.O. Box 7916  
4802 Sheboygan Avenue, Room 633  
Madison, WI 53707

Dear Mr. McKee:

We have received and reviewed your letter October 23, 1996, requesting an amendment to License No. 48-20123-01 and find that we need the following additional information:

1. Before we can delete the facilities located at 935 South 60th, West Allis and at 1841 Gaynor Avenue, Wisconsin Rapids, you must indicate that all radioactive material has been removed. Please specify the date all material was removed.
2. In addition, please indicate whether or not any sealed sources were leaking when stored at these two locations. If sources leaked when stored at these facilities, you must perform a close-out contamination survey. You may contact this office for further information. If sources did not leak, please so indicate and indicate that you reviewed all sealed source leak test records to confirm your statement.

Review of your application will continue when this information is received. Please reply in duplicate, within 15 days, and refer to Control Number 301995.

If you have any questions or require clarification on any of the information stated herein, you may contact me at (630) 829-9822.

Sincerely,  
Original Signed By  
Evelyn R. Matson  
Health Physicist  
Nuclear Materials Licensing Branch


License No. 48-20123-01  
Docket No. 030-17989

DOCUMENT NAME: M:\03017989.DF6

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

|        |             |    |  |  |  |  |  |  |  |
|--------|-------------|----|--|--|--|--|--|--|--|
| OFFICE | DNMS/RIII   | NO |  |  |  |  |  |  |  |
| NAME   | RMATSON:jaw |    |  |  |  |  |  |  |  |
| DATE   | 12/30/96    |    |  |  |  |  |  |  |  |

OFFICIAL RECORD COPY



## Wisconsin Department of Transportation

Division of Transportation Infrastructure  
Development  
Bureau of Highway Construction  
Truax Center  
3502 Kinsman Blvd.  
Madison, WI 53704-2507

January 9, 1997

Ms. Evelyn R. Matson, Health Physicist  
Nuclear Materials Licensing Branch  
United States Nuclear Regulatory Commission, Region III  
801 Warrenville Road  
Lisle, Illinois 60532-4351

Dear Ms. Matson:

Subject: Control Number 301995, License No. 48-20123-01, Docket No. 030-17989

This letter is in response to your letter dated January 2, 1997 in which you request additional information following the Wisconsin Department of Transportation letter of October 23, 1996 requesting an amendment of License No. 48-20123-01. Our responses to the two items you identified in your letter are as follows:

- 1) Nuclear moisture/density gauges that were temporarily stored at 935 South 60th, West Allis and 1841 Gaynor Avenue, Wisconsin Rapids during the construction season have been removed. Gauges were removed from the West Allis site on July 28, 1996 and from the Wisconsin Rapids site on August 19, 1996.
- 2) Our records show there has been no leakage of radiation for any of the gauge sealed sources while stored at the two locations. Sealed source leak test records for the gauges in question have been reviewed and no leakage was identified for the units.

If you need additional information to continue processing of our amendment request please contact me at (608)246-7942. Thank you for your work with this request.

Sincerely,

Joseph L. McKee  
WisDOT Radiation Safety Officer

Cc: Noel Gaudette  
Robert Schiro  
John Volker

RECEIVED

JAN 13 1997

REGION III

*Am: 1-9-97*

JAN 13 1997





UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
801 WARRENVILLE ROAD  
LISLE, ILLINOIS 60532-4351

October 29, 1996

Joseph L. McKee  
Radiation Safety Officer  
State of Wisconsin  
Department of Transportation  
Material Office  
QTY. MGT. SECT. P. O. Box 7916  
4802 Sheyboygan Avenue, Room 633  
Madison, WI 53707

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE  
(Letter Dated 10/23/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License                      ☒ Amendment                      ☐ Renewal  
☐ Termination                      ☐ Auth User (Amendment not required)  
☐ Other \_\_\_\_\_

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 301995  
License No. 48-20123-01