

## MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302117

## Licensee

1. Caro Community Hospital

3. License Number 21-26770-01

2. 401 N. Hooper Street  
Caro, MI 48732

4. Expiration Date January 31, 2002

5. Docket or  
Reference No. 030-343016. Byproduct, Source, and/or  
Special Nuclear Material7. Chemical and/or Physical  
Form8. Maximum Amount that Licensee  
May Possess at Any One Time  
Under This LicenseA. Any byproduct  
material identified  
in 10 CFR 35.100A. Any  
radiopharmaceutical  
identified in 10 CFR  
35.100

A. As needed

B. Any byproduct  
material identified  
in 10 CFR 35.200B. Any  
radiopharmaceutical  
identified in 10 CFR  
35.200

B. As needed

C. Any byproduct  
material identified  
in 10 CFR 35.300C. Any  
radiopharmaceutical  
identified in 10 CFR  
35.300C. As needed (not to  
exceed 1 curie of  
I-131)

9. Authorized Use:

A. Medical use described in 10 CFR 35.100.

B. Medical use described in 10 CFR 35.200.

C. Medical use described in 10 CFR 35.300.

## CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at 401 N. Hooper Street, Caro, Michigan.

9702050441 970121  
PDR ADOCK 03034301  
C PDRCOPY 2  
ML  
30  
SD

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

21-26770-01

Docket or Reference Number

030-34301

11. Radiation Safety Officer: Suryaroo Kurumety, M.D.
12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized Users

Material and Use

Suryaroo Kurumety, M.D.

10 CFR 35.100, 35.200 and 35.300

13. The licensee may not possess and use materials authorized in Items 6, 7, and 8 until:
- A. The licensee has constructed the facilities and obtained the equipment described in the application and supporting documentation; and
  - B. The U. S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Materials Licensing Branch, 801 Warrenville Road, Lisle, IL 60532-4351 has been notified that activities authorized by the license will be initiated.
14. Within 30 days of the date of a decision not to complete the facility, acquire equipment, or possess and use authorized material, the licensee must notify the Commission in writing, of the decision.
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated December 5, 1996.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date

*January 21, 1997*

By

*Robert W. Water*  
Materials Licensing Branch, Region III

COPY

JAN 22 1997

William P. Miller  
President and CEO  
Caro Community Hospital  
401 N. Hooper Street  
Caro, MI 48732

Dear Mr. Miller:

Enclosed is your NRC Material License Number 21-26770-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Not possess and use materials authorized in Items 6, 7, and 8, on the license until:
  - a. You have constructed the facilities and obtained the equipment described in the license application and supporting documentation; and
  - b. You have notified the U. S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Nuclear Materials Licensing Branch, in writing, that activities authorized by the license will be initiated.
3. Notify NRC, in writing, within 30 days:
  - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
  - b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).

302117

4. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
  - a. When you decide to terminate all activities involving materials authorized under the license; or
  - b. If you decide not to complete the facility, acquire equipment, or possess and use authorized material.
5. Request and obtain a license amendment before you:
  - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issue pursuant to this Part;
  - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
  - c. Change Radiation Safety Officers;
  - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
  - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
  - f. Change ownership of your organization.
6. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences

W. Miller

-3-

to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By  
Gidget Watson  
Nuclear Materials Licensing Branch

License No.: 21-26770-01  
Docket No.: 030-34301

Enclosures: 1. License No. 21-26770-01  
2. 10 CFR Part 35

DOCUMENT NAME: M:\03034301.CL7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII								
NAME	GWATSON:jaw								
DATE	01/21/97 GW								

OFFICIAL RECORD COPY





P.O. BOX 71 • 401 NORTH HOOPER • CARO, MICHIGAN 48723  
(517) 673-3141

William P. Miller  
PRESIDENT and CHIEF EXECUTIVE OFFICER

January 3, 1997

United States Nuclear Regulatory Commission  
Region III, Medical Licensing Section  
801 Warrenville Road  
Lisle, IL 60532

Re: Additional Information for Control No. 302117, Caro Community Hospital

Attn: Gidget Watson

I have enclosed additional documentation regarding Dr. Kurumety's Nuclear Medicine experience and a copy of his medical license. I believe this will facilitate your review of our license application.

Thank you for your cooperation.

Cordially,

William P. Miller  
President and C.E.O.  
Caro Community Hospital

WPM/mfl


RECEIVED

JAN 07 1997

REGION III

Pm: 1-3-97

JAN 07 1997



## Huron Memorial Hospital

1100 South Van Dyke • Bad Axe, Michigan 48413

(517) 269-9521 • FAX: 517-269-7948

To Whom It May Concern:

December 18, 1996

It is my pleasure to write this letter on behalf of Dr. Kurumety.

I am the radiation safety officer and interpret the nuclear medicine studies at Huron Memorial Hospital in Bad Axe, Scheurer Hospital in Pigeon and Hills and Dales General Hospital in Cass City. It has been my pleasure to be associated professionally with Dr. Kurumety for approximately eleven years. Dr. Kurumety interpreted the nuclear medicine studies at Caro Community Hospital from February 1992 to June 1994. As part of an on going quality assurance program, established by Dr. Kurumety, I had the opportunity to review many of these cases. In addition, I interpreted nuclear medicine studies at Caro Community Hospital for the last couple of years. Therefore, I am very familiar with his work and feel qualified in assessing his professional attributes. Dr. Kurumety is a competent radiologist possessing an excellent fund of knowledge concerning nuclear medicine. His reports are detailed and accurate. He has demonstrated an excellent knowledge of the nuclear medicine procedures. He has had many years of experience with a large variety of patients.

I enthusiastically recommend Dr. Kurumety for licensure by the NRC. As the nuclear radiologist at Caro Community Hospital, he will be a great asset to the community.

Respectfully yours,

David L. Carter, M.D., RSO  
Chief of Radiology  
Huron Memorial Hospital

M432545 021

YOUR LICENSE MUST BE DISPLAYED IN A PROMINENT PLACE. REVERSE SIDE OF LICENSE CONTAINS IMPORTANT INFORMATION.

JOHN ENGLER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF COMMERCE

H 549081

BOARD OF MEDICINE

PHYSICIAN  
LICENSE

SURYARAO KURUMETY MD  
3950 CHIPPING NORTON CT  
SAGINAW MI 48603

PERMANENT ID. NO.

4301045450

EXPIRATION DATE

01/31/98

2944001

THIS DOCUMENT IS DULY  
ISSUED UNDER THE LAWS OF  
THE STATE OF MICHIGAN.





UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
801 WARRENVILLE ROAD  
LISLE, ILLINOIS 60532-4351

December 16, 1996

Suryaroo Kurumety, M.D.  
Radiation Safety Officer  
Caro Community Hospital  
401 N. Hooper Street  
Caro, MI 48732

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE  
(Letter & Application Dated 12/05/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☒ New License                      ☐ Amendment                      ☐ Renewal  
☐ Termination                      ☐ Auth User (Amendment not required)  
☐ Other \_\_\_\_\_

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is nonroutine and has been assigned to Gidget Watson for an expedited review. If you should have any questions, please contact Ms. Watson at (630) 829-9887.

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302117  
License No. 21-26770-01