

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

21-08606-07

Docket or Reference Number

030-13132

Amendment No. 06

302126

Consumers Power Company
Palisades Nuclear Plant
27780 BlueStar Highway
Convent, MI 49043

In accordance with NRC Form 314 "Certificate of Disposition" dated November 12, 1996,
License Number 21-08606-07 is hereby terminated.

TERMINATED

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date

January 21, 1997

By

Patricia J. Reddy

Nuclear Materials Licensing Branch, Region III

050047

COPY 2

ML
30
SD

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03510
Status Code: 0
Fee Category: 3P
Exp. Date: 20040731
Fee Comments: IRR. IS CALIBRATOR
Decon Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: CONSUMERS POWER COMPANY
Received Date: 961213
Docket No: 3013132
Control No.: 302126
License No.: 21-08606-07
Action Type: Termination

2. FEE ATTACHED

Amount: _____
Check No.: _____

3. COMMENTS

Signed _____
Date _____

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: 3P

2. Correct Fee Paid. Application may be processed for:

Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____

Log	Dec 7 711
Remitter	
Check No.	
Amount	
Fee Category	3P
Type of Fee	ARM
Date Check Rec'd	12/19/96
Date Completed	12/22/96
By:	SC

1996 DEC 19 PM 3:21

(6-95)

10 CFR 30.36(c)(1)(iv)

10 CFR 40.42(c)(1)(iv)

10 CFR 70.38(c)(1)(iv)

CERTIFICATE OF DISPOSITION OF MATERIALS

INSTRUCTIONS: ALL ITEMS MUST BE COMPLETED -- PRINT OR TYPE
SEND THE COMPLETED CERTIFICATE TO THE NRC OFFICE SPECIFIED ON THE REVERSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS MANDATORY INFORMATION COLLECTION REQUEST: 30 MINUTES. THIS SUBMITTAL IS USED BY NRC AS PART OF THE BASIS FOR ITS DETERMINATION THAT THE FACILITY HAS BEEN CLEARED OF RADIOACTIVE MATERIAL BEFORE THE FACILITY IS RELEASED FOR UNRESTRICTED USE. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (1-6 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0028), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503. AN AGENCY MAY NOT CONDUCT OR SPONSOR, AND A PERSON IS NOT REQUIRED TO RESPOND TO, A COLLECTION OF INFORMATION UNLESS IT DISPLAYS A CURRENTLY VALID OMB CONTROL NUMBER.

LICENSEE NAME AND ADDRESS

Consumers Power Company
Palisades Nuclear Plant
27780 Blue Star Highway
Covert, MI 49043

LICENSE NUMBER

21-08606-07

LICENSE EXPIRATION DATE

July 31, 1999

A. MATERIALS DATA (Check one and complete as necessary)

THE LICENSEE OR ANY INDIVIDUAL EXECUTING THIS CERTIFICATE ON BEHALF OF THE LICENSEE CERTIFIES THAT:
(Check and/or complete the appropriate item(s) below.)

- ☐ 1. NO MATERIALS HAVE EVER BEEN PROCURED OR POSSESSED BY THE LICENSEE UNDER THIS LICENSE.
- OR
- ☒ 2. ALL ACTIVITIES AUTHORIZED BY THE LICENSE HAVE CEASED AND ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSE NUMBER CITED ABOVE HAVE BEEN DISPOSED OF IN THE FOLLOWING MANNER. (If additional space is needed, use the reverse side or provide attachments.)

Describe specific material transfer actions and, if there were radioactive wastes generated in terminating this license, the disposal actions including the disposition of low-level radioactive waste, mixed waste, Greater-than-Class-C waste, and sealed sources, if applicable.

All licensed material was transferred. No radioactive wastes were generated.

For transfers, specify the date of the transfer, the name of the license recipient, and the recipient's NRC license number or Agreement State name and license number.

Licensed material was transferred on March 27, 1996 to Detroit Edison - Fermi-2,
License Number NPF-43.

If materials were disposed of directly by the licensee rather than transferred to another licensee, licensed disposal site or waste contractor, describe the specific disposal procedures (e.g., decay in storage)

N/A

B. OTHER DATA

- ☒ 1. OUR LICENSE HAS NOT YET EXPIRED; PLEASE TERMINATE IT.
2. A RADIATION SURVEY WAS CONDUCTED BY THE LICENSEE TO CONFIRM THE ABSENCE OF LICENSED RADIOACTIVE MATERIALS AND TO DETERMINE WHETHER ANY CONTAMINATION REMAINS ON THE PREMISES COVERED BY THE LICENSE. (Check one)
- ☐ NO (Attach explanation)
- ☒ YES, THE RESULTS (Check one)
- ☒ ARE ATTACHED, or
- ☐ WERE FORWARDED TO NRC ON (Date) Per 12-12-96

DEC 13 1996

REGION III

3. THE PERSON TO BE CONTACTED
REGARDING THE INFORMATION
PROVIDED ON THIS FORM

NAME

Michael D. Mennucci

TELEPHONE NUMBER
(Include Area Code)

616-764-2884

4. MAIL ALL FUTURE CORRESPONDENCE REGARDING THIS LICENSE TO

Thomas P. Neal, Palisades Nuclear Plant, 27780 Blue Star Highway, Covert, MI
49043

CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

Michael D. Mennucci
Radiation Safety Officer

SIGNATURE

Michael D. Mennucci

DATE

11-12-96

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECTS. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTIONS.



Palisades Nuclear Plant: 27780 Blue Star Memorial Highway, Covert, MI 49043

Thomas C. Bordine
Manager, Licensing

December 4, 1996

U.S. Nuclear Regulatory Commission
Region III
Material Licensing Section
801 Warrensville, Road
Lisle, IL 60532-4351

MATERIAL LICENSE 21-08606-07, DOCKET NO. 030-13132
TERMINATION OF MATERIAL LICENSE 21-08606-07 (DOCKET NO. 030-13132)


In accordance with 10 CFR Part 30, the attached NRC Form 314 is submitted for termination of By-Product Material License No. 21-08606-07. All of the materials which were being maintained by Consumers Power Company's Jackson Dosimetry Laboratory have been transferred to Detroit Edison, Fermi-2, License No. NPF-43. Consumers Power Company has verified that Detroit Edison is authorized to receive this material per 10 CFR Part 30.41. A contamination and radiation survey of the Jackson Dosimetry Laboratory was completed and the results are attached to the NRC Form 314.

Consumers Power Company will maintain the required records of the source handled under this license in compliance with 10 CFR Part 30.51.

RECEIVED
DEC 13 1996
REGION III

SUMMARY OF COMMITMENTS

This letter contains no new commitments and no revisions to existing commitments.

 Thomas C. Bozinger
Manager, Licensing

CC Administrator, Region III, USNRC
Project Manager, NRR, USNRC
NRC Resident Inspector - Palisades

Attachment

ATTACHMENT

**CONSUMERS POWER COMPANY
PALISADES PLANT
DOCKET 50-255**

TERMINATION OF MATERIAL LICENSE 21-08606-07 (DOCKET NO. 030-13132)

FORM 314 - CERTIFICATE OF DISPOSITION OF MATERIALS

3 Pages

To MDMennucci

From ^{MLG} MLGrogan

Date April 18, 1996*

Subject NRC By-PRODUCT LICENSE 21-08606-07
TERMINATION SURVEY

CONSUMERS
POWER
COMPANY

Internal
Correspondence

CC TPNeal, Palisades
License File 21-08606-07
DCC: A01/70*01*90*01/L
A01/24*30*02/L

MLG96*012

On March 27, 1996 the sealed 2 Curie Cs-137 source located in the Williston Elin TLD Irradiator was removed and permanently transferred to the Detroit Edison's Fermi II Nuclear Power Plant under NRC License # NPF-43. All associated TLD Irradiator equipment was also shipped to Detroit Edison at this time.

On April 16, 1996 I completed the contamination and radiation survey for termination of NRC By-Product License #21-08606-07 at the Jackson TLD Laboratory (attached). All radiation levels were $<1 \mu\text{Sv/hr}$ ($<1 \text{ mrem/hr}$). Masslinn smears were taken on all tables, shelves, desks, sink, exhaust, floor, and file and cabinet drawers with all results $<84 \text{ Bq/100 cm}^2$ ($<1000 \text{ dpm/probe}$). A direct frisk of work tables, storage cabinets, and TLD holders showed $<84 \text{ Bq/100 cm}^2$ ($<1000 \text{ dpm/probe}$). The Caution Radiation Area and restricted personnel signs were removed from the entry area. The radiation instruments and radiological control equipment stored at this facility were removed and returned to the Palisades site. The probe area is a nominal 20 cm^2 .

On today's date I also initiated a Procedure Traveler for cancellation of Health Physics Procedure HP 10.17, "Laboratory and Field Technical Services: Dosimetry Laboratory Williston Elin Model 2001PC TLD Irradiator".

* Added SI unit 11/26/96 as editorial change.

*Refer to Health Physics Procedure HP 2.14, "Radiological Survey Requirements", Table 3.

JAN 21 1997

Thomas P. Neal
Consumers Power Company
Palisades Nuclear Plant
27780 BlueStar Highway
Convent, MI 49043

Dear Mr. Neal:

Enclosed is Amendment No. 06 which terminates your NRC License No. 21-08606-07 in accordance with your request.

If you have any questions or require clarification on any of the information stated above, you may contact us at (630) 829-9887.

Sincerely,

Original Signed By
Patricia J. Pelke
Nuclear Materials Licensing Branch

License No. 21-08606-07
Docket No. 030-13132

Enclosure: Amendment No. 06

DOCUMENT NAME: M:\03013132.T7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII								
NAME	PJPelke:brt								
DATE	01/21/97								

OFFICIAL RECORD COPY

302126



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

December 16, 1996

Michael D. Mennucci
Radiation Safety Officer
Consumers Power Company
Palisades Nuclear Plant
1945 W. Parnall Road
Jackson, MI 49201

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(NRC 314 Form & Letter Dated 11/12/96 & 12/04/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☐ Amendment ☐ Renewal
☒ Termination ☐ Auth User (Amendment not required)
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302126
License No. 21-08606-07