

October 31, 1996

ASSIGNMENT NUMBER: 96-92

Ms. Cathleen Roughan
Sentinel
40 North Avenue
Burlington, MA 01803

SUBJECT: ACKNOWLEDGEMENT OF REQUEST FOR SAFETY EVALUATION

Dear Ms. Roughan:

This letter acknowledges the receipt of your September 19, 1996, application that requested a safety evaluation and registration of the Model 676. We have performed a cursory review of your application and determined that enough information has been provided to allow a technical reviewer to initiate the evaluation process. Applications are assigned to technical reviewers on a first-in basis. Therefore, your application will be assigned in turn. Please note that the technical reviewer may contact you to request information that was omitted from your application or to obtain clarification of technical issues concerning your application. If you have any questions concerning the status of your application, please contact me at (301) 415-7857. Please reference the assignment number listed above in your questions or correspondence.

Please be aware that your request may be subject to the NRC's application fees in accordance with 10 CFR Part 170. Therefore, a copy of your application has been forwarded to the License Fee and Debt Collection Branch for approval of the fee category and amount. If you have any questions concerning the fees associated with your application, please contact the License Fee and Debt Collection Branch at (301) 415-7554.

Sincerely,

151
KimBerly Randall, Registration Assistant
Sealed Source Safety Section
Medical, Academic, and Commercial
Use Safety Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Distribution:

SSSS r/f
SBaggett

SSD-96-92
NE01 *fr*

DOCUMENT NAME: C:\96-92.wpd C:\WPWIN60\WPDOCS\96-92.WPD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	IMAB								
NAME	KRandall								
DATE	10/31/96								

9611010223 961031
PDR RC *
SSD PDR