

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee

1. Idaho Department of Health & Welfare
Bureau of Laboratories2. 2220 Old Penitentiary Road
Boise, Idaho 83712In accordance with application dated
January 17, 19963. License number 11-27390-01 is amended in
its entirety to read as follows:

4. Expiration date July 31, 2001

5. Docket or
Reference No 030-322196. Byproduct, source, and/or
special nuclear material7. Chemical and/or physical
form8. Maximum amount that licensee
may possess at any one time
under this license

A. Nickel-63

A. Foils contained in
Tracor Model 111019
detector cellsA. Not to exceed 20
millicuries per
foil

B. Nickel-63

B. Foils contained in
Tracor Model 115500
detector cellsB. Not to exceed 20
millicuries per
foil

C. Nickel-63

C. Plated sources
contained in Hewlett-
Packard Model 19233 B
detector cellsC. Not to exceed 15
millicuries per
source

9. Authorized use

A., B., and C. For use in gas chromatographs for sample analysis.

CONDITIONS

10. Licensed material shall be used only at 2220 Old Penitentiary Road, Boise, Idaho.

11. A. Licensed material shall be used by, or under the supervision of, the Radiation
Safety Officer.

B. The Radiation Safety Officer for this license is Ronald L. Donaly.

9611150024 960708
PDR ADDCK 03032219
C PDR

2/1

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

11-27390-01

Docket or Reference Number

030-32219

Amendment No. 01

12. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Sealed sources need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(b)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 611 Ryan Plaza Drive, Suite 400, Arlington, Texas 76011, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

11-27390-01

Docket or Reference Number

030-32219

Amendment No. 01

12. (Continued)

- F. The licensee is authorized to collect leak test samples for analysis by National Leak Test Center or Tremetrics, Inc. (Tracor). Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
13. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
14. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
15. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.
16. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated August 4, 1988
 - B. Application and letter dated April 4, 1991
 - C. Letter dated June 17, 1992
 - D. Application dated January 17, 1996

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Original Signed By
Billie Gruszynski

Date JUL 8 1996

By
Nuclear Materials Licensing Section
Region IV
Arlington, Texas 76011



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

July 8, 1996

Idaho Department of Health & Welfare
Bureau of Laboratories
ATTN: Ronald L. Donaly
Radiation Safety Officer
2220 Old Penitentiary Road
Boise, Idaho 83712

SUBJECT: LICENSE RENEWAL

Please find enclosed License No. 11-27390-01, Amendment 01. You should review this license carefully and be sure that you understand all conditions. If you have any questions, you may contact the reviewer who signed your license at (817)860-8120.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public which can result from failure to comply with NRC requirements, you must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address (no fee required if the location of radioactive material remains the same).
5. Request and obtain written NRC consent before transferring your license or any right thereunder, either voluntarily or involuntarily, directly or indirectly, through transfer of control of your license to any person or entity. A transfer of control of your license includes not only a total change of ownership, but also a change in the controlling interest in your company whether it is a corporation, partnership, or other entity. In addition, appropriate license amendments must be requested

and obtained for any other planned changes in your facility or program that are contrary to your license or contrary to representations made in your license application, as well as supplemental correspondence thereto, which are incorporated into your license. A license fee may be charged for the amendments if you are not in a fee-exempt category.

6. Maintain in a single document decommissioning records that have been certified for completeness and accuracy listing all the following items applicable to the license:
 - Onsite areas designated or formerly designated as restricted areas as defined in 10 CFR 20.3(a)(14) or 20.1003.
 - Onsite areas, other than restricted areas, where radioactive materials in quantities greater than amounts listed in Appendix C to 10 CFR 20.1001-20.2401 have been used, possessed, or stored.
 - Onsite areas, other than restricted areas, where spills or other unusual occurrences involving the spread of contamination in and around the facility, equipment, or site have occurred that required reporting pursuant to 10 CFR 30.50(b)(1) or (b)(4), including areas where subsequent cleanup procedures have removed the contamination.
 - Specific locations and radionuclide contents of previous and current burial areas within the site, excluding radioactive material with half-lives of 10 days or less, depleted uranium used only for shielding or as penetrators in unused munitions, or sealed sources authorized for use at temporary job sites.
 - Location and description of all contaminated equipment involved in licensed operations that is to remain onsite after license termination.
7. Submit a complete renewal application with proper fee, or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.
8. Request termination of your license if you plan to permanently discontinue activities involving radioactive material.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a

notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the "General Statement of Policy and Procedure for NRC Enforcement Actions" (Enforcement Policy), 60 FR 34381, June 30, 1995.

Thank you for your cooperation.

Sincerely,

Original Signed By
Billie Gruszynski

Billie Gruszynski (Ms.)
Nuclear Materials Licensing Branch

Docket: 030-32219
License: 11-27390-01
Control: 465985

Enclosures: As stated

Idaho Department of Health
& Welfare

-4-

DOCUMENT NAME: P:\IDHEALTH.CVR

To receive a copy of this document, indicate in the box "C" - Copy without attachment/enclosure "E" - Copy with attachment/enclosure "N" - No Copy

RIV:NMLB	N						
BGruszynski <i>Bg</i>							
7/8 /96							

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

February 6, 1996

Idaho Department of Health & Welfare
ATTN: Ronald L. Donaly, RSO
2220 Old Penitentiary Road
Boise, Idaho 83712

Docket No. 030-32219
License No. 11-27390-01
Control No. 465985

SUBJECT: LICENSE RENEWAL

This is to acknowledge receipt of your application for renewal of the byproduct material license identified above. Your application is deemed timely filed and, accordingly, the license will not expire until final action has been taken by this office.

Any correspondence regarding the renewal application should reference the control number specified and your license number.

Sincerely,

Original Signed By
Billie Gruszynski

Billie Gruszynski (Ms.)
Nuclear Materials Licensing Branch

FEB 6 1996

-2-

To receive a copy of this document, indicate in the box "C" - Copy without attachment/enclosure "E" - Copy with attachment/enclosure "N" - No Copy

OFFICE	RIV:AO:NMLB	N						
NAME	BGruszynski	<i>Bg</i>						
DATE	2/6	/96						

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LEMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 03123
STATUS CODE: 2
FEE CATEGORY: 3P
EXP. DATE: 19950331
FEE COMMENTS:
DECOM PIN ASSUR REQ: N

1996 FEB -8 AM 8:04

LICENSE FEE TRANSMITTAL

A. REGION IV

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: IDAHO DEPT. OF HEALTH & WELFARE
RECEIVED DATE: 950205
DOCKET NO: 3032219
CONTROL NO: 465885
LICENSE NO: 11-27390-01
ACTION TYPE: RENEWAL

2. FEE ATTACHED

AMOUNT: \$720.00
CHECK NO.: 105791215

3. COMMENTS

SIGNED
DATE

Billie Myszynski
2/6/96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED 1/1)

1. FEE CATEGORY AND AMOUNT: 3P \$720


2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT ✓
RENEWAL ✓
LICENSE ✓

3. OTHER

SIGNED
DATE

Kita Messner
2/8/96



Log	<u>Feb 1 IV</u>
Remitter	
Check No.	<u>105791215</u>
Amount	<u>\$720</u>
Fee Category	<u>3P</u>
Type of Fee	<u>Ren</u>
Date Check Rec'd.	<u>2/8/96</u>
Date Completed	<u>2/8/96</u>
By:	<u>Ren</u>



State of Idaho
DEPARTMENT OF HEALTH AND WELFARE
Division of Health

BUREAU OF LABORATORIES

2220 Old Penitentiary Rd.
Boise, Idaho 83712
(208) 334-2235

PHILIP E. BATT

Governor

LINDA L. CABALLERO


Director

RICHARD H. SCHULTZ

Administrator

January 17, 1996

Nuclear Materials Licensing Section
U.S. Nuclear Regulatory Commission, Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064



Sir:

I am enclosing 2 copies of our present NRC license as evidence of our current and continuing requirements. Also included is our application for renewal and a check for the renewal fee, \$720.00.

If you need any further information please contact me.

Sincerely,

Ronald L. Donaly

Principal Chemist/Radiation Safety Officer

RLD/mml



Printed on
recycled paper.

4 6 5 9 8 5

(10-94)
10 CFR 30, 32, 33
34, 35, 36, 39 and 40

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-6 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2900
ATLANTA, GA 30323-0199


IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
601 WARRENVILLE RD.
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS,
LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA,
OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH,
WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064



PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1 THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A NEW LICENSE
☐ B AMENDMENT TO LICENSE NUMBER _____
☒ C RENEWAL OF LICENSE NUMBER 11-27390-01

2 NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

Idaho Dept. of Health & Welfare
Bureau of Laboratories
2220 Old Penitentiary Road
Boise, ID 83712

3 ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

2220 Old Penitentiary Road
Boise, Idaho 83712

4 NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Ronald L. Donaly

TELEPHONE NUMBER

(208) 334-2235 ext. 237

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5 RADIOACTIVE MATERIAL

- a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time

7 PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED

7 INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE

8 TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS

9 FACILITIES AND EQUIPMENT

10 RADIATION SAFETY PROGRAM

11 WASTE MANAGEMENT

12 LICENSEE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY 3P

AMOUNT
ENCLOSED \$ 720.00

13 CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE

Ronald L. Donaly Radiation Safety Officer

SIGNATURE

Ronald L. Donaly

DATE

1/17/96

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
-------------	---------	--------------	-----------------	--------------	----------

\$

APPROVED BY

DATE

465985

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		
1. Idaho Department of Health & Welfare Bureau of Laboratories		3. License number 11-27390-01
2. 2220 Old Penitentiary Road Boise, Idaho 83712		4. Expiration date March 31, 1996
		5. Docket or Reference No 030-32219/IDA-114-1
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Nickel-63	A. Foils contained in Tracor Model 111019 detector cells	A. Not to exceed 20 millicuries per foil
B. Nickel-63	B. Foils contained in Tracor Model 115500 detector cells	B. Not to exceed 20 millicuries per foil
C. Nickel-63	C. Plated sources contained in Hewlett-Packard Model 19233 B detector cells	C. Not to exceed 15 millicuries per source
9. Authorized use		
A., B., and C. For use in gas chromatographs for sample analysis.		

CONDITIONS

10. Licensed material shall be used only at 2220 Old Penitentiary Road, Boise, Idaho.
11. A. Licensed material shall be used by, or under the supervision of, Ronald L. Donaly.
- B. The Radiation Safety Officer for this license is Ronald L. Donaly.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

11-27390-01

Docket or Reference number

030-32219/IDA-114-1

12. A. (1) Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.
- (2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.
- B. Any source in storage and not being used need not be tested. When the source is removed from storage for use or transfer to another person, it shall be tested before use or transfer.
- C. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 611 Ryan Plaza Drive, Suite 400, Arlington, Texas 76011, ATTN: Director, Division of Radiation Safety and Safeguards. The report shall specify the source involved, the test results, and corrective action taken. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. Records may be disposed of following Commission inspection.
- D. The licensee is authorized to collect leak test samples for analysis by National Leak Test Center or Tremetrics, Inc. (Tracor), or tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
13. Sealed sources containing licensed material shall not be opened.
14. In lieu of using the conventional radiation caution colors (magenta or purple on yellow background) as provided in Section 20.203(a)(1), of 10 CFR Part 20, the licensee is hereby authorized to label detector cells and cell baths, containing licensed material and used in gas chromatography devices, with conspicuously etched or stamped radiation caution symbols without a color requirement.
15. Detector cells containing licensed material shall not be opened or the foil sources removed from the detector cell by the licensee.
16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 2 years from the date of each inventory.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**


License number

11-27390-01

Docket or Reference number

030-32219/IDA-114-1

17. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
18. The licensee shall maintain records of information important to safe and effective decommissioning at 2220 Old Penitentiary Road, Boise, Idaho, per the provision of 10 CFR 30.35(g) until this license is terminated by the Commission.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated August 4, 1988
 - B. Application and letter dated April 4, 1991
 - C. Letter dated June 17, 1992



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By

[Signature]
Nuclear Materials Licensing Section
Region IV
Arlington, Texas 76011

Date JUL 15 1992

