

November 5, 1996

Henry S. Branscome, Inc.  
ATTN: Mr. Kenneth Epps  
Radiation Safety Officer  
P. O. Drawer 260  
Williamsburg, VA 23187

SUBJECT: NRC INSPECTION REPORT NO. 45-23669-01/96-01

Dear Mr. Branscome:

Thank you for your response of October 8, 1996, to our Notice of Violation, issued on September 24, 1996, concerning activities conducted under NRC License No. 45-23669-01. Regarding your response, it did not specifically indicate that you would perform a review of the content and implementation of your radiation protection program at least annually. However, in a telephone conversation on October 29, 1996, between you and Ms. Andrea Jones of this office, you stated that you would review your radiation protection program at least annually. With this clarification, we found that your response meets the requirements of 10 CFR 2.201. We will examine the implementation of your corrective actions during future inspections.

We appreciate your cooperation in this matter.

Sincerely,

15/

Charles M. Hosey, Chief  
Materials Licensing/Inspection  
Branch 1  
Division of Nuclear Materials Safety

Docket No. 030-29711  
License No. 45-23669-01

cc: Commonwealth of Virginia

Distribution:  
PUBLIC  
RII Docket File, DNMS

OFFICE	RII-DNMS				
SIGNATURE					
NAME	AJones				
DATE	11 / 05 / 96	11 / / 96	11 / / 96	11 / / 96	11 / / 96
COPY?	YES NO	YES NO	YES NO	YES NO	YES NO

OFFICIAL RECORD COPY DOCUMENT NAME: G:\DNMS\MLIB1\HENRY.ACK

9611180001 961105  
PDR ADOCK 03029711  
C PDR

1007  
1209