


THE CARTER MINING COMPANY

POST OFFICE BOX 3007 • GILLETTE, WYOMING 82716 • (307) 682-8881

ms-16
T1



July 3, 1985

Mr. Jack E. Whitten
Nuclear Materials Safety Section
Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 1000
Arlington, TX 76011

Dear Mr. Whitten:

To complete the review of the NRC application, Control Number 18926, for the NRC license for the use of a sealed source nonportable gauging device, The Carter Mining Company has prepared the following requested information on:

- o Training and experience of each individual responsible for the radiation safety program.
- o Training provided to individual users other than individual responsible for radiation safety program.
- o Description of the facilities and equipment.

The information provided below is considered supplemental to the information provided to you on the application form.

- o Training and experience of each individual responsible for the radiation safety program.

John Fitch, Rawhide Mine Safety Supervisor, will complete the manufacturer's training program prior to the start-up and use of the device. A record of this training will be kept on file at the Rawhide Mine for a minimum of five (5) years.

- o Training provided to individual users other than individual responsible for radiation safety program.

William C. Dodge, Joe W. Schlautmann, and J. C. Hoeh will complete the manufacturer's training course prior to the start-up and use of the device. A record of this training will be kept on file at the Rawhide Mine for a minimum of five (5) years.

8508290458 850731
REG4 LIC30
49-23532-01 PDR

018926


July 3, 1985

o Description of facilities and equipment.

As shown on the attached sketch, the 4800X leveling devices will be mounted on the outside of the steel wall hoppers. The devices are enclosed in a heated concrete building which limits the fluctuation of the temperature. Temperature extremes, -30 degrees to 100 degrees Farenheit, which occasionally occur are within the operating parameters specified for the device. The device will be located in an area which may experience occasional vibration, however, the device will be mounted to prevent its dislodgement. The atmosphere surrounding the device is air. No corrosive liquids or gas are in the vicinity of the device.

The above supplemental information should complete the application request.

Sincerely,



T. D. Goddard
Rawhide Mine Manager

TDG:PAS:cb

RAWHIDE COAL HOPPERS
ENCLOSED CONCRETE BUILDING

