

FEB 6 1997

John A. Lambert
Radiation Safety Officer
Hercules, Inc.
50 South Minisink Avenue
Parlin, NJ 08859-0350

SUBJECT: INSPECTION NO. 030-05314/97-001

Dear Mr. Lambert:

On January 17, 1997, Mr. R. H. Ladun of this office, conducted a safety inspection at the above address of activities authorized by the NRC license listed below. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspector, interviews with personnel, and a selective examination of representative records. The findings of the inspection were discussed with you, at the conclusion of the inspection.

Within the scope of this inspection, no violations were identified.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter will be placed in the Public Document Room. No reply to this letter is required.

Your cooperation with us is appreciated.

Sincerely,

ORIGINAL SIGNED BY:

Duncan White

for Jenny M. Johansen, Chief
Nuclear Materials Safety Branch 3
Division of Nuclear Materials Safety

Docket No.: 030-05314
License No.: 29-05667-01

cc:
State of New Jersey

130053

RETURN ORIGINAL TO
REGION I

OFFICIAL RECORD COPY

110

1E:07
9702130220 970206
PDR ADOCK 03005314
C PDR

John A. Lambert
Hercules, Inc.

-2-

Distribution:

PUBLIC

Nuclear Safety Information Center (NSIC)
Region I Docket Room (w/concurrences)

DOCUMENT NAME: R:\WPS\MLDL\03005314.971

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	RLadun/gcb		JJohansen				
DATE	02/05/97		02/16/97		02/ /97		02/ /97

OFFICIAL RECORD COPY