

Advanced Medical Systems, Inc.

EMERGENCY RESPONSE AND NOTIFICATIONS	Procedure: RSP-016	Revision No.: 000
	Page: 1 of 23	Date: December 28, 1995
	Approved by (Vice President):	
	Approved by (RSO):	
	Approved by (RSC Chair):	

TABLE OF CONTENTS

1	PURPOSE	2
2	SCOPE	2
3	REFERENCES	2
4	DEFINITIONS	2
5	PROCEDURE	2
	5.1 Responsibilities	2
	5.2 General Requirements	4
	5.3 Emergency Response	4
	5.4 Loss or Theft of Radioactive Material	6
	5.5 Unauthorized or Accidental Entry to Restricted Area	6
	5.6 Electrical Power Failure	6
	5.7 Minor Spills or Releases	7
	5.8 Major Spills or Releases	8
	5.9 Minor Fires	8
	5.10 Emergencies Involving Significant (greater than 50 rad) Personnel Exposure (External)	9
	5.11 Fires, Explosions or Other Major Emergencies	9
	5.12 Notifications	10
	5.13 Public Information	11
	5.14 Critiques	11
6	EXEMPTION PROVISIONS	12
7	DOCUMENTATION	12
8	ATTACHMENTS	13

CONTROLLED COPY NO. : _____

RADIATION SAFETY PROCEDURE

Minor Change

Number:

":

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 2 of 23

1 PURPOSE

This procedure contains the general policies and actions to be implemented during incidents or emergencies where radioactive materials or radiation sources are handled or stored at Advanced Medical Systems, Inc. (AMS). It establishes the responsibilities and methods by which incident/events are to be reported, documented, reviewed, distributed, and the root cause(s) determined in order to develop corrective action to minimize or prevent the same or similar occurrences.

2 SCOPE

This procedure applies to all AMS and contractor personnel working with or in the vicinity of radioactive material or radiation sources at AMS.

3 REFERENCES

- 3.1 Title 10, Code of Federal Regulations, Part 20, "Standards for Protection Against Radiation"
- 3.2 U. S. Nuclear Regulatory Commission Regulatory Guide 3.67, "Standard Format and content for Emergency Plans for Fuel Cycle and Materials Facilities".
- 3.3 U. S. Nuclear Regulatory Commission Radioactive Material License No. 34-19089-01.
- 3.4 Advanced Medical Systems, Inc., "Emergency Plan for the London Road Facility", Revision 0, 1995.

4 DEFINITIONS

The definition of terms used in this RSP that may not be commonly understood shall be found in RSP-002, "Definitions".

5 PROCEDURE

5.1 Responsibilities

5.1.1 The Vice President shall:

- 5.1.1.1 Review and approve the requirements of this procedure.
- 5.1.1.2 Supply adequate resources to ensure compliance with this procedure.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 3 of 23

5.1.1.3 Designate a corporate official to serve as a spokesperson (public information manager).

5.1.1.4 Respond in the event of an alert or site area emergency.

5.1.2 The Radiation Safety Officer (RSO) shall:

5.1.2.1 Assure that all personnel working in a radiologically-controlled area are instructed in the procedures for responding to an incident or emergency involving radioactive material.

5.1.2.2 Check the status of emergency equipment on a planned and periodic basis.

5.1.2.3 Notify the USNRC of any incident involving licensed material pursuant to the reporting requirements contained in 10 CFR 20.

5.1.2.4 In the event of an emergency:

5.1.2.4.1 Act as the Emergency Manager

5.1.2.4.2 Classify, upgrade and downgrade the emergency

5.1.2.4.3 Activate the "Emergency Plan for the London Road Facility"

5.1.2.4.4 Exchange information with authorities responsible for off-site emergency response;

5.1.2.4.5 Initiate and direct restoration;

5.1.2.4.6 Participate in critiques

5.1.2.4.7 Recommend revisions to the "Emergency Plan for the London Road Facility".

5.1.3 The Isotope Committee shall review unusual incidents involving radioactivity or radiation-producing machines and provide recommendations to the Vice President on how their reoccurrence should be prevented.

5.1.4 AMS personnel shall

5.1.4.1 Comply with the requirements of this procedure.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 4 of 23

- 5.1.4.2 Participate in emergencies as described in the "Emergency Plan for the London Road Facility".
- 5.1.4.3 Be aware of the location of emergency exits, first-aid supplies, eyewash stations, safety showers, emergency supplies, fire alarms, and communications equipment.
- 5.1.4.4 Immediately notify the RSO of any known or suspected incident or emergency.
- 5.1.4.5 Periodically review this procedure.

5.2 General Requirements

- 5.2.1 The basic initiatives and actions for responding to incidents or emergencies at AMS are contained in the AMS "Emergency Plan for the London Road Facility".
- 5.2.2 All applicable safety and compliance guidelines set forth by AMS and federal, state, and local regulations shall be followed during an emergency.
- 5.2.3 Work shall be stopped in the event of a known or potential compromise to the health or safety of any AMS or contractor personnel and shall be reported immediately to the RSO.
- 5.2.4 Following a radiological incident or emergency, the RSO shall determine the need to collect personnel dosimeters for immediate processing.
- 5.2.5 If it is known or suspected that radioactive material has been taken into the body, the RSO shall evaluate the amount of material ingested/inhaled and the resulting exposure.

Note: This investigation may include air sampling and analysis, bioassays, or whole body counting, as needed.

5.3 Emergency Response

- 5.3.1 When an individual identifies an incident/event (I/E) that meets (or may potentially meet) the criteria shown in Attachment 1, the following shall be performed:
 - 5.3.1.1 Ensure the situation is in a stable, safe condition, taking all required immediate corrective action;
 - 5.3.1.2 Notify the RSO.

RADIATION SAFETY PROCEDURE

Minor Change
Number:
Y:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 5 of 23

5.3.2 After notification, the RSO shall perform the following:

- 5.3.2.1 Make a determination if an I/E as described in Attachment 1 has occurred or may have occurred.
- 5.3.2.2 Ensure the notifications shown in Attachments 1 and 2 are made.
- 5.3.2.3 Ensure an I/E Report (Attachment 3) is initiated and recorded in the Incident/Event Report Log (Attachment 4) for tracking purposes.
- 5.3.2.4 Ensure that a critique is conducted and the critique package (Attachments 5-7) is assembled and attached to the I/E Report.

5.3.3 Upon completion of the critique and other initial review activities, the RSO shall determine whether the I/E should be reviewed or completed by other organizations such as independent, third-parties.

Note: If deemed appropriate, this course of action should be entered as immediate corrective action on Attachment 3.

5.3.4 The remainder of the report shall then be completed and all accompanying information shall be attached.

- 5.3.4.1 Root cause analysis may be required for certain events.
 - 5.3.4.1.1 If the RSO determines root cause analysis is required, he/she shall assign an individual who has been formally trained or has previous experience in completing this action.
 - 5.3.4.1.2 The analysis shall be attached to the I/E Report.
- 5.3.4.2 Long-term corrective action shall be specified, assigned, and a response due date entered.

Note: If more than two items are required, add another page 2 of the report and denote accordingly.

- 5.3.4.3 Each organization/individual assigned long-term corrective action shall indicate their concurrence with these assignments by signature.
- 5.3.4.4 The I/E Report shall be approved by the Vice President.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 6 of 23

5.3.5 Verification of corrective action completion shall be periodically conducted by the RSO.

5.3.6 Closure of outstanding items shall be confirmed by the Isotope Committee.

5.4 Loss or Theft of Radioactive Material

5.4.1 The RSO shall determine whether a radiological hazard exists.

5.4.2 Notifications as described in Attachment 1 shall be made.

5.4.3 Personnel shall be questioned and attempts to locate the missing material through the use of survey instruments may be initiated.

5.5 Unauthorized or Accidental Entry to Restricted Area

5.5.1 The RSO shall determine whether a radiological hazard existed.

5.5.2 The RSO shall garner the facts and prepare a report that contains the following:

5.5.2.1 Name, address, employer, telephone number and social security number of individual.

5.5.2.2 Description of the radiation source/field.

5.5.2.3 Distance, time and portion of body that was exposed.

5.5.3 Notifications pursuant to Attachment 1 shall be made.

5.6 Electrical Power Failure

5.6.1 The RSO shall determine whether a radiological hazard exists and take appropriate action to control or contain the hazard.

5.6.2 The RSO and local utility shall determine the cause of a local power failure and, if possible, take corrective action to restore electrical power.

5.6.3 In the event of a general power failure, radiological activities shall cease until power is restored and the RSO has determined that operations can resume safely.

5.6.4 Notifications pursuant to Attachment 1 shall be made.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

/:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 7 of 23

5.7 Minor Spills or Releases

5.7.1 All other persons in the area of the spill shall be notified at once.

5.7.2 The spill should be confined immediately.

5.7.3 The RSO shall be notified as soon as possible.

5.7.4 The RSO shall establish a contamination zone in the area of the spill by erecting barriers and or posting signs, as necessary.

5.7.5 The RSO shall restrict access of unnecessary personnel to the spill area.

5.7.6 The RSO shall supervise decontamination efforts.

5.7.7 For liquid spills

5.7.7.1 Don protective gloves

5.7.7.2 Drop absorbent paper on spill

5.7.7.3 Notify the RSO.

5.7.8 For dry spills:

5.7.8.1 Don protective gloves

5.7.8.2 Dampen the material thoroughly, taking care not to spread the contamination.

5.7.8.3 Notify the RSO.

5.7.9 Work in the area may resume after radiation surveys confirm that levels of radioactive contamination are below the action levels established in ISP-2, "Area Survey Procedure".

5.7.10 Notifications pursuant to Attachment 2 shall be made.

5.7.11 Injuries to personnel involving contamination shall be handled as described in "Emergency Plan for the London Road Facility"

5.7.12 Bioassay samples may be collected and analyzed pursuant to ISP-36.

RADIATION SAFETY PROCEDURE

Minor Change
Number:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 8 of 23

5.8 Major Spills or Releases

- 5.8.1 All persons in the area shall be alerted and the area shall be cleared of unnecessary personnel.
- 5.8.2 Individuals shall be surveyed for radioactive contamination upon leaving radiological hazard areas by radiation protection personnel.
- 5.8.3 The RSO shall be notified as soon as possible.
- 5.8.4 The RSO shall restrict access to the area and post conspicuous warnings or guards to prevent accidental entry.
- 5.8.5 If the spill is liquid, and the hands are protected, the container shall be placed in an upright position.
- 5.8.6 If the spill is on the clothing, outer or protective clothing shall be removed at once, segregating it from other personal articles of clothing.
- 5.8.7 The RSO shall secure the area upon exit after confirming that the area has been evacuated.
- 5.8.8 The individual(s) involved in the incident should remain as close to the area as possible while awaiting the arrival of the RSO in order to minimize the spread of contamination.
- 5.8.9 All persons who evacuated the area shall be monitored (frisked) by a radiation surveyor.
- 5.8.10 Notifications pursuant to Attachment 1 shall be made.

5.9 Minor Fires

- 5.9.1 Employees shall only attempt to put out fires if a radiological hazard is not immediately apparent and if the fire is small enough to be completely smothered with an available fire extinguisher.
- 5.9.2 Firefighting and other emergency activities shall be restricted by the RSO to avoid tracking of contamination or passing of contaminated equipment into clean areas.
- 5.9.3 All persons involved in combating the fire shall be frisked and decontaminated, as necessary.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 9 of 23

- 5.9.4 Following the emergency and prior to decontamination, the radiological status of the area shall be determined.
- 5.10 Emergencies Involving Significant (greater than 50 rad) Personnel Exposure (External)
- 5.10.1 The individual involved in the operation shall be removed from the area immediately and frisked.
 - 5.10.2 The individual shall be examined by a physician as soon as possible
 - 5.10.3 All details of the incident shall be recorded.
 - 5.10.4 Personnel dosimeters shall be processed on a rapid turn-around basis.
 - 5.10.5 The individual shall not be permitted to return to the work area until authorized to do so by the RSO.
- 5.11 Fires, Explosions or Other Major Emergencies
- 5.11.1 All other persons in the area shall be alerted and the building shall be evacuated.
 - 5.11.2 All personnel not involved with the emergency shall walk to the nearest unencumbered exit and proceed to an established assembly point.
 - 5.11.3 Notifications pursuant to Attachment 1 shall be made.
 - 5.11.4 Employees shall only attempt to put out fires if a radiological hazard is not immediately apparent and if the fire is small enough to be completely smothered with an available fire extinguisher.
 - 5.11.5 If ingestion or inhalation of radioactivity is possible, sand should be used instead of fire extinguisher to smother the fire.
 - 5.11.6 Upon arrival, firemen shall be cautioned as to where radioactive materials are stored.

Note: Firemen should be advised of the best entrance route to the fire and any precautions necessary to avoid exposure or risk of creating contamination. Additional facility layout maps should also be made available.

RADIATION SAFETY PROCEDURE

Minor Change

Number:

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 10 of 23

Date: / /

5.11.7 Firemen shall not be permitted to enter a radiation area after the fire has been extinguished until the RSO evaluates the extent of damage and radiological conditions.

5.11.8 A thorough survey of firemen and their equipment shall be performed prior to their departure from the controlled area.

Note: Personnel and equipment should be decontaminated, as necessary.

5.12 Notifications

5.12.1 Depending upon the type/magnitude of the I/E, notifications as shown in Attachment 1 shall be made.

Note: The telephone numbers and designated representative of those individuals in the emergency response organization are shown in Attachment 2.

5.12.2 Pursuant to Attachment 1, the RSO shall submit an I/E Report (Attachment 3) to the Vice President and Isotope Committee within four working days detailing the circumstances, corrective actions, materials involved, exposures, and other applicable items for each I/E involving a radiological hazard.

5.12.3 The following telephone reports shall be provided to the USNRC Operations Center:

5.12.3.1 Immediate report (within four hours) of events that may result in exposures or releases of licensed material in excess of regulatory limits.

5.12.3.2 Twenty-four hour report of unplanned contamination events as described in 10 CFR 30.50 (b) (1), equipment failure as described in 10 CFR 30 (b) (2), unplanned medical treatment of a contaminated victim, or unplanned fire or explosion involving greater than 150 microcuries of ⁶⁰Co.

5.12.4 A written follow-up report to the USNRC Document Control Desk, Washington, D.C., and to Region III shall be provided within 30 days of the initial report and shall contain:

5.12.4.1 A description of the event, including location, date and time.

RADIATION SAFETY PROCEDURE

Minor Change
Number:
Y:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 11 of 23

- 5.12.4.2 The radionuclides, quantities and chemical form of the licensed material involved.
- 5.12.4.3 Extent of personnel exposures.
- 5.12.4.4 Summary of corrective actions taken/planned.

5.13 Public Information

- 5.13.1 Information to the public and media shall be provided in the event of a Site Area Emergency.
- 5.13.2 Public information shall be relayed by a single corporate spokesperson, designated by the Vice President.
- 5.13.3 In the absence of a spokesperson, the RSO shall provide public information.

5.14 Critiques

- 5.14.1 Pursuant to Attachment 1, the RSO shall initiate the critique activities when required.
- 5.14.2 The RSO shall be designated as the critique chairman unless a third party chairman is deemed appropriate by the Isotope Committee.
- 5.14.3 The chairman shall gather all involved or concerned personnel.

Note: Attendance at critiques is mandatory.

- 5.14.4 Attendance at critiques shall be documented on the Critique Attendance Form (Attachment 5).
- 5.14.5 Statements of all appropriate personnel shall be obtained and documented on the Statements by Involved Personnel form (Attachment 6).

Note: Consideration should be given to obtaining statements and conducting individual interviews prior to the critique.

- 5.14.6 The chairman shall ensure that minutes are taken at the critique and documented on the Critique Report form (Attachment 7).

RADIATION SAFETY PROCEDURE

Minor Change
Number:
/:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 12 of 23

- 5.14.7 The critique should attempt to determine the following, as appropriate;
 - 5.14.7.1 An accurate chronology of events
 - 5.14.7.2 Actual and expected responses of personnel and equipment
 - 5.14.7.3 Adequacy of procedures
 - 5.14.7.4 Factors affecting personnel performance (e.g., training, qualifications, mental/physical state)
 - 5.14.7.5 Adequacy of immediate corrective action
 - 5.14.7.6 Comparison with other similar events
- 5.14.8 After the critique, the critique package (i.e., Critique Attendance forms, Statements by Involved Personnel forms, and Critique Report forms) shall be assembled and incorporated as part of the Incident/Event Report.

6 EXEMPTION PROVISIONS

Variances and exceptions to the requirements of this Radiation Safety Procedure shall be permitted pursuant to the written authorization of the RSO and the Vice President, and after approval by the USNRC.

7 DOCUMENTATION

- 7.1 All Records pertinent to this procedure shall be maintained pursuant to the AMS records retention policy.
- 7.2 The following documents shall be retained by the RSO:
 - 7.2.1 Letters of agreement with local response organizations.
 - 7.2.2 Training records, including lesson plans and test questions.
 - 7.2.3 Drills, exercises, and related critiques.
 - 7.2.4 Inventory of emergency equipment and supplies.
 - 7.2.5 Revisions of "Emergency Plan for the London Road Facility"
 - 7.2.6 Personnel Decontamination Records;

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 13 of 23

7.2.7 Area/Equipment Decontamination Records;

7.2.8 RSO contingency or emergency reports.

7.2.9 Incident/Event Reports

7.2.10 Incident/Event Logs

7.2.11 Critique Attendance Forms

7.2.12 Statements by Involved Personnel

7.2.13 Critique Reports

8 ATTACHMENTS

8.1 Attachment 1 - Radiological Incidents/Events Classification

8.2 Attachment 2 - Emergency Response Organization

8.2 Attachment 3 - Incident/Event Report Form

8.3 Attachment 4 - Incident/Event Report Log Sheet

8.5 Attachment 5 - Critique Attendance Form

8.6 Attachment 6 - Statement by Involved Personnel Form

8.7 Attachment 7 - Critique Report Form

RADIATION SAFETY PROCEDURE

Minor Change
Number:
/:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 14 of 23

ATTACHMENT 1 RADIOLOGICAL INCIDENTS/EVENTS CLASSIFICATION

F = Fire; X = Explosion; IJ = Injury; P = Personnel Exposure; SP = Spill; L = Loss/Theft; T = Transportation; ND = Natural Disaster; O = Other

Event Type	Mechanism	Action Levels	Classification	Notifications	Actions	I/E Report	Critique
Loss or Theft	L, IJ, P	Potential for exposure rates of < 20 mR/hr	Unusual Event	USNRC Region III	Operating staff to a state of readiness	yes	no
	L, IJ, P	Potential for exposure rates > 20 mR/hr	Alert	USNRC Region III City of Cleveland Police Department	Operating staff to a state of readiness; provide off-site authorities with sequence of events	yes	no
	L, IJ, P	Potential for exposure rates > 100 mR/hr	Site Area Emergency	USNRC Command Center City of Cleveland Police Department	Operating staff to a state of readiness; provide off-site authorities with sequence of events	yes	yes
Loss of Electrical Power	P	Personnel exposure in excess of 250 mrad	Incident	Cleveland Electric Illuminating	RSO secures condition	no	no
	P	Personnel exposure in excess of 5000 mrad	Alert	Cleveland Electric Illuminating USNRC Region III	RSO secures condition; operating staff to a state of readiness	yes	no
	P	Personnel exposure in excess of 50 rad	Alert	Cleveland Electric Illuminating USNRC Region III University Hospital of Cleveland Cleveland Emergency Medical Services	RSO secures condition; emergency personnel to a state of readiness	yes	yes

RADIATION SAFETY PROCEDURE

Minor Change

Number:

y:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 15 of 23

Event Type	Mechanism	Action Levels	Classification	Notifications	Actions	I/E Report	Critique
Minor spill	SP, IJ, T	Unexpected Airborne activity in the building < 10 DAC over 24 hours	Incident	None	RSO secures condition	no	no
	SP, P, T	Unexpected exposure rates in the building < 20 mR/hr	Incident	None	RSO secures condition	no	no
Major Spill	SP, IJ, P, T, F	Unexpected Airborne activity in the building > 10 DAC over 24 hours or exposure rates in the building > 20 mR/hr	Unusual Event	USNRC Region III	Operating staff to state of readiness	yes	no
Minor Release	F, X, L, IJ, P	Actual or projected effluents > 10 DAC over 24 hours	Unusual Event	None	Operating staff to state of readiness	yes	no
	F, X, L, IJ, P	Actual or projected effluents > 50 DAC over 24 hours	Alert	USNRC Region III	Operating staff to a state of readiness; provide off-site authorities with status reports	yes	yes
	F, X, L, IJ, P	Actual or projected site boundary exposure rates > 20 mR/hr	Alert	USNRC Region III	Operating staff to a state of readiness; off-site emergency response agencies to a state of readiness; provide off-site authorities with status reports	yes	yes

RADIATION SAFETY PROCEDURE

Minor Change
Number:
y:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 16 of 23

Event Type	Mechanism	Action Levels	Classification	Notifications	Actions	I/E Report	Critique
Major Release	F,X,L, ND, IJ, P	Actual or projected effluents > 250 DAC over 24 hours	Site Area Emergency	USNRC Operations Center Ohio Emergency Management Agency Ohio Department of Health Ohio Environmental Protection Agency	Man response center; dispatch monitoring personnel; mobilize offsite emergency response personnel; provide public information; provide off-site authorities with status reports	yes	yes
	F,X,L, ND, IJ, P	Actual or projected site boundary exposure rates > 100 mrem/hr	Site Area Emergency	USNRC Operations Center Ohio Emergency Management Agency Ohio Department of Health Ohio Environmental Protection Agency	Man response center; dispatch monitoring personnel; mobilize offsite emergency response personnel; provide public information; provide off-site authorities with status reports	yes	yes

RADIATION SAFETY PROCEDURE

Minor Change

Number:

1:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 17 of 23

ATTACHMENT 2 EMERGENCY RESPONSE ORGANIZATION

Corporate Personnel

David Cesar - Vice President
216-466-4671
216-731-5235 (Home)

Facility Personnel

Robert Meschter, R.S.O.
216-692-3270
216-298-1462 (home)

Stephen Haddock
216-692-3269
216-953-3886 (home)

Christopher Reed
216-692-3269
216-205-1300 (home)

REM, Inc.
301-762-0502
423-531-8140

ADT Security Services
216-526-9539

Off-site Personnel First Responders

Ohio Emergency Management Agency
Larry Grove
614-889-7150

USNRC Operations Center
301-616-5100

City of Cleveland Fire Department
Lloyd T. Root
811 or 216-621-1212

City of Cleveland Police Department
Commander Robert Cermak
811 or 216-621-1234

Cleveland Emergency Medical Services
811 or 216-677-4545

University Hospital of Cleveland
216-644-3835

Ohio Department of Health
Robert Owens, Chief
614-644-2727

Ohio Environmental Protection Agency
Jane Hart, Chairperson
614-644-2776

Secondary Responders

USNRC Region III
James Caldwell
708-828-8100

Ohio State Highway Patrol
216-517-4105

City of Cleveland Division of Water
216-644-2444 or 216-552-7899

Cuyahoga County LEPC
216-443-7587

Cleveland Electric Illuminating Co
216-478-1234

Northeast Ohio Regional Sewer District
216-881-6000

RADIATION SAFETY PROCEDURE

Minor Change
Number:
Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 18 of 23

ATTACHMENT 3

**ADVANCED MEDICAL
SYSTEMS, INC.**

INCIDENT/EVENT REPORT

IE Number _____

Page ____ of ____

IE Date:		IE Location:	
IE Time:		Areas/Equipment Effected:	
IE CLASSIFICATION		EVENT TYPE	
<input type="checkbox"/> Site Area Emergency		<input type="checkbox"/> Electrical Failure	<input type="checkbox"/> Injury to Personnel Involving Contamination
<input type="checkbox"/> Alert		<input type="checkbox"/> Water/Sewer Failure	<input type="checkbox"/> Natural Disaster
<input type="checkbox"/> Unusual Event		<input type="checkbox"/> Security	<input type="checkbox"/> Fire
<input type="checkbox"/> Incident		<input type="checkbox"/> Minor Spill or Release (on-site)	<input type="checkbox"/> Minor Release (off site)
<input type="checkbox"/> Transportation Event		<input type="checkbox"/> Major Spill or Release (on-site)	<input type="checkbox"/> Major Release (off site)
<input type="checkbox"/> Information Only		<input type="checkbox"/> Other (Describe)	
<input type="checkbox"/> Other			
EVENT DESCRIPTION			
NOTIFICATIONS			
<input type="checkbox"/> USNRC Region III	<input type="checkbox"/> University Hospital of Cleveland	<input type="checkbox"/> ADT Security Services	<input type="checkbox"/> Other
<input type="checkbox"/> USNRC Operations Center	<input type="checkbox"/> Ohio Emergency Management Agency	<input type="checkbox"/> IEM	<input type="checkbox"/> Other
<input type="checkbox"/> Cleveland Fire Department	<input type="checkbox"/> Cleveland Emergency Medical Services	<input type="checkbox"/> Ohio Department of Health	<input type="checkbox"/> Other
<input type="checkbox"/> Cleveland Police Department	<input type="checkbox"/> Ohio State Highway Patrol	<input type="checkbox"/> Ohio Environmental Protection Agency	<input type="checkbox"/> Other
<input type="checkbox"/> CRITIQUE HELD	IF YES, DATE/TIME:		<input type="checkbox"/> ROOT CAUSE ANALYSIS REQUIRED
APPARENT CAUSE:		IMMEDIATE CORRECTIVE ACTIONS:	

RADIATION SAFETY PROCEDURE

Minor Change

Number:

1:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 19 of 23

ATTACHMENT 3 (CONTINUED)

ADVANCED MEDICAL
SYSTEMS, INC.

INCIDENT/EVENT REPORT (Continued)

Page ____ of ____

ADDITIONAL INFORMATION/CORRECTIVE ACTIONS/COMMITMENTS

SIGNATURES

Prepared by:

Approved by (Vice President):

Approved by (RSO)

Approved by (Other, specify):

Long-term Corrective Action Plan Approved by:

Minor Change
Number:
Date: / /

No. RSP-016
Rev. No. 000
Date: 12/28/95
Page: 20 of 23

**ADVANCED MEDICAL
SYSTEMS, INC.**

Page ____ of ____

[illegible]

RADIATION SAFETY PROCEDURE

Minor Change

'umber:

 $\sqrt{2}$

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 21 of 23

ATTACHMENT 5
CRITIQUE ATTENDANCE FORM

**ADVANCED MEDICAL
SYSTEMS, INC.**

CRITIQUE ATTENDANCE FORM

Page ____ of ____

INCIDENT/EVENT REPORT NUMBER: _____

[illegible]

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Y:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 22 of 23

ATTACHMENT 6

ADVANCED MEDICAL
SYSTEMS, INC.

STATEMENTS BY INVOLVED PERSONNEL

Page ____ of ____

INCIDENT/EVENT REPORT NUMBER: _____

Describe the event from your perspective. Include all pertinent information such as times, dates, job conditions, sequence of events, action taken, and any other related information.

Name:

PRINT

SIGNATURE

DATE

RADIATION SAFETY PROCEDURE

Minor Change

Number:

Y:

Date: / /

EMERGENCY RESPONSE AND NOTIFICATIONS

No. RSP-016

Rev. No. 000

Date: 12/28/95

Page: 23 of 23

ATTACHMENT 7

ADVANCED MEDICAL
SYSTEMS, INC.

CRITIQUE REPORT

Page ____ of ____

INCIDENT/EVENT REPORT NUMBER: _____

Critique Minutes:

Recorded by: _____
SIGNATURE DATE