

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		In accordance with letter dated May 23, 1996	
1. Jay County Hospital		3. License Number 13-20329-01 is amended in its entirety to read as follows:	
2. 500 West Votaw Street Portland, IN 47371		4. Expiration Date June 30, 2003	
		5. Docket or Reference No. 030-18259	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical For:	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Any byproduct material identified in 10 CFR 35.100	A. Any radiopharmaceutical identified in 10 CFR 35.100	A. As needed	
B. Any byproduct material identified in 10 CFR 35.200	B. Any radiopharmaceutical identified in 10 CFR 35.200 (excluding xenon-133)	B. As needed	
9. Authorized Use:			
A. Medical use described in 10 CFR 35.100.			
B. Medical use described in 10 CFR 35.200 (excluding xenon-133).			

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at 500 West Votaw Street, Portland, Indiana.
11. A. Radiation Safety Officer: Robert A. Conner, M.D.
B. Alternate Radiation Safety Officer: Edward C. Weber, D.O.

270123

9611290032 960730
PDR ADOCK 03018259
C PDR

COPY

d1
2 ml
30
SD

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

13-20329-01

Docket or Reference Number

030-18259

Amendment No. 11

12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized UsersMaterial and Use

Robert A. Conner	10 CFR 35.100 and 35.200 (excluding xenon-133)
Robert D. Dormire	10 CFR 35.100 and 35.200 (excluding xenon-133)
Edward C. Weber, D.O.	10 CFR 35.100 and 35.200 (excluding xenon-133)
Evertt E. Smith	10 CFR 35.100 and 35.200 (excluding xenon-133)
Kevin F. O'Connor, M.D.	10 CFR 35.100 and 35.200 (excluding xenon-133)

13. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated May 24, 1993, and
B. Letter dated May 23, 1996.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date July 30, 1996

By

Linda Watson
Nuclear Materials Licensing Branch, Region III

COPY

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 02121
STATUS CODE: 0
FEE CATEGORY: 7C 2B
EXP. DATE: 20030630
FEE COMMENTS: CODE 13
DECOM FIN ASSUR REQD: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
APPLICANT/LICENSEE: JAY COUNTY HOSPITAL
RECEIVED DATE: 960703
DOCKET NO: 3018259
CONTROL NO.: 301556
LICENSE NO.: 13-20329-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED
AMOUNT: 430
CHECK NO.: 22777

3. COMMENTS

SIGNED
DATE

D. Hershey
7-5-96

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED ☒)

1. FEE CATEGORY AND AMOUNT: *7C* *\$440*

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT ☒
RENEWAL ☐
LICENSE ☐

3. OTHER

SIGNED
DATE

SC
10/30/96

1026 JUL - 8 AM 11:31

8/10
Rec'd/Dep
by OC
sent to
lockbox

Log	<i>Jul 8 III</i>
Remitter	
Check No.	<i>22777</i>
Amount	<i>\$430</i>
Fee Category	<i>7C 2B</i>
Type of Fee	<i>AND</i>
Date Check Rec'd	<i>7/8/96</i>
Date Completed	<i>10/30/96</i>
By:	<i>SC</i>



Quality care by those who care



May 23, 1996

U.S. Nuclear Regulatory Commission
Region III
Nuclear Materials Licensing Section
801 Warrenville Road
Lisle, IL 60532-4351

Re: License Number 13-20329-01

Dear Sir or Madam:

We request amendment to our byproduct materials license #13-20329-01 to make the following changes:

1. Please add Edward C. Weber, D.O. as a physician user and as Assistant Radiation Safety Officer on our license.

Dr. Weber has previously been listed as a user on this license and on the NRC license for Adams County Memorial Hospital, Decatur, IN, #13-26133-01. Please refer to that license for training records.

Dr. Weber, as alternate Radiation Safety Officer in support of Dr. Conner, in the absence of the RSO, will be responsible for all duties and responsibilities of the RSO described in previous applications. The alternate RSO will be responsible to and report to the RSO.

2. Please add Kevin Francis O'Connor, M.D. as a physician user. His training records are attached. He was previously listed on the South Carolina license for Spartanburg Regional Medical Center, Spartanburg, SC. # 088-01.
3. Please delete Usha Sharma, M.D. as a physician user from our license.
4. Please see the attached revised diagram of our Nuclear Medicine facility. The east wall of the imaging room has been moved 3 feet to the east to provide more space for moving patients in and out of the room. The Hot Lab wall layout remains unchanged from the previous diagram. There is no area being released for unrestricted use.

RECEIVED


JUL 03 1996 301556

REGION III


Pm: 7-1-96

5. Our check for \$430.00, to cover the amendment processing fee is attached. If there are any questions, please contact us. Thank you.

Sincerely,

A handwritten signature in dark ink, appearing to read "Thomas J. Valerius", written in a cursive style.


Thomas J. Valerius, CEO



Entrance Door locked when room is unattended, to prevent unauthorized access to radioactive materials.

Survey Areas:

1. Behind Lead Shield (Dose Prep area)
2. Waste Storage
3. Hot lab sink
4. Dose Calibrator
5. Camera Detector
6. Camera Console
7. Floor (esp. Doorways + dose use areas)
8. Stress Room in treadmill area (only done when stress testing & thallium is done)



Entrance Door locked when room is unattended, to prevent unauthorized access to radioactive materials.

Survey Areas:

1. Behind Lead Shield (Dose Prep area)
2. Waste Storage
3. Hot lab sink
4. Dose Calibrator
5. Camera Detector
6. Camera console
7. Floor (esp. Doorways + dose use areas)
8. Stress Room in treadmill area (only done when stress testing ^{201}Tl is done)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
APPLICATION FOR RADIOACTIVE MATERIAL LICENSE

TRAINING AND EXPERIENCE OF AUTHORIZED USER
SUPPLEMENT A--HUMAN USE

1. NAME OF AUTHORIZED USER <div style="font-size: 1.2em; font-family: cursive;">KEVIN FRANCIS O'CONNOR</div>		2. STATE OR TERRITORY IN WHICH LICENSED TO PRACTICE MEDICINE	
3. CERTIFICATION			
SPECIALITY BOARD <small>A</small>	CATEGORY <small>B</small>	MONTH AND YEAR CERTIFIED <small>C</small>	
AMERICAN BOARD OF RADIOLOGY		JUNE, 1990	
4. TRAINING RECEIVED IN BASIC RADIOISOTOPE HANDLING TECHNIQUES			
FIELD OF TRAINING <small>A</small>	LOCATION AND DATE(S) OF TRAINING <small>B</small>	TYPE AND LENGTH OF TRAINING <small>C</small>	
1. RADIATION PHYSICS AND INSTRUMENTATION	MEDICAL UNIV OF SC 1986 - 8-90	100	5
2. RADIATION PROTECTION	" "	30	
3. MATHEMATICS PERTAINING TO THE USE AND MEASUREMENT OF RADIOACTIVITY	" "	20	
4. RADIATION BIOLOGY	" "	20	
5. RADIOPHARMACEUTICAL CHEMISTRY	" "	20	10

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

APPLICATION FOR RADIOACTIVE MATERIAL LICENSE

Supplement - Human Use

This page may be completed by the physician's preceptor (if any) in the medical use of radioisotopes. When the information is not furnished by the preceptor, the name and present address of the preceptor (if any) should be shown in item 9 below.

5.(a.) USING PHYSICIAN'S NAME

(b.) ADDRESS OF APPLICANT

KEVIN FRANCIS O'CONNOR

5.(2.) CLINICAL TRAINING AND EXPERIENCE OF PHYSICIAN WHO WILL USE RADIOACTIVE MATERIAL

ISOTOPE A	CONDITIONS DIAGNOSED OR TREATED B	NUMBER OF CASES INVOLVING PERSONAL PARTICIPATION C	TYPE OF PARTICIPATION FOR ALL CASES IN COL (circle applicable numbers of items in accordance with set forth below)			
			D			
I-131 or I-125	DIAGNOSIS OF THYROID FUNCTION	47	(1)	(2)	(3)	4
	DETERMINATION OF BLOOD AND BLOOD PLASMA VOLUME	6	1	2	(3)	(4)
	LIVER FUNCTION STUDIES		1	2	3	4
	FAT ABSORPTION STUDIES		1	2	3	4
	KIDNEY FUNCTION STUDIES	173	(1)	(2)	(3)	(4)
	IND-111 WBC STUDIES	32	1	2	(3)	(4)
OTHER	CR-51 RBC STUDIES	6	1	2	3	4
COST	SCROLLING TEST	9	1	2	(3)	(4)
I-131	THYROID IMAGING	4	(1)	(2)	(3)	(4)
Ti-201	PARATHYROID	19	(1)	(2)	(3)	(4)
Ti-201	MYOCARDIAL IMAGING	208	(1)	(2)	(3)	(4)
Yb-169	CISTERNOGRAPHY & IN DTPA	5	(1)	(2)	(3)	(4)
Xe-133	BLOOD FLOW STUDIES AND PULMONARY FUNCTION STUDIES	19	(1)	(2)	(3)	(4)
OTHER	GA-67 IMAGING	60	1	2	3	4
Tc-99m	BRAIN IMAGING INC SPECT	12	1	2	3	4
	CARDIAC IMAGING C PYP	7	1	2	3	4
	THYROID IMAGING	85	1	2	3	4
	HEPATO BILIARY	47	1	2	3	4
	BLOOD POOL IMAGING MUGA	150	1	2	3	4
	RENAL IMAGING	316	1	2	3	4
	LIVER AND SPLEEN IMAGING	58	1	2	3	4
	LUNG IMAGING	86	1	2	3	4
OTHER	BONE IMAGING	312	1	2	3	4
	DIAGNOSTIC STUDIES	52	1	2	3	4

KEY TO COLUMN D
PERSONAL PARTICIPATION SHOULD CONSIST OF:

1. Examination of patients to determine suitability for radioisotope diagnosis and/or treatment and recommendations on to be prescribed.
2. Collaboration in calibration and administration of dosages including related measurements and plotting of data.
3. Active period of training and experience of sufficient duration to permit followup of patients through treatment and post-treatment period including reevaluation as to effectiveness and complications.
4. Study and discussion of case histories to establish most efficacious diagnostic and/or therapeutic techniques for this material.

PRECEPTOR STATEMENT (Continued)

CLINICAL TRAINING AND EXPERIENCE OF ABOVE NAMED PHYSICIAN (Continued)

ISOTOPE A	CONDITIONS DIAGNOSED OR TREATED B	NUMBER OF CASES INVOLVING PERSONAL PARTICIPATION C	TYPE OF PARTICIPATION FOR ALL CASES IN COLUMN (Indicate applicable numbers of items in accordance with set forth below)			
			D			
P-32 (Sodium)	TREATMENT OF POLYCYTHEMIA VERA, LEUKEMIA, AND BONE METASTASES		1	2	3	4
P-32 (Colloid)	INTRACAVITARY TREATMENT		1	2	3	4
I-131	TREATMENT OF THYROID CARCINOMA	3	(1)	(2)	(3)	(4)
	TREATMENT OF HYPERTHYROIDISM AND CARDIAC CONDITION	10	(1)	(2)	(3)	(4)
Au-198	INTRACAVITARY TREATMENT		1	2	3	4
Co-60 or Cs-137	INTERSTITIAL TREATMENT		1	2	3	4
	INTRACAVITARY TREATMENT		1	2	3	4
I-125 or Ir-192	INTERSTITIAL TREATMENT		1	2	3	4
Co-60 or Cs-137	TELETHERAPY TREATMENT		1	2	3	4
Sr-90	TREATMENT OF EYE DISEASE		1	2	3	4
	RADIOPHARMACEUTICAL PREPARATION		1	2	3	4
Mo-99/ Tc-99m	GENERATOR	5	1	2	3	4
Sr-113/ In-113m	GENERATOR		1	2	3	4
Tc-99m	REAGENT KITS	5	1	2	3	4
OTHER Y						

7. DATES AND TOTAL NUMBER OF HOURS RECEIVED IN CLINICAL RADIOISOTOPE TRAINING

June 87
February 1988
March 1988

July 1989
Dec 1989
June 1990

This does not include the many hours spent in
the 4 year residency in the twice daily
imaging conference.

8. THE TRAINING AND EXPERIENCE INDICATED ABOVE
WAS OBTAINED UNDER THE SUPERVISION OF:

a. NAME OF SUPERVISOR

LEDNIE GORDON

b. NAME OF INSTITUTION

MED. UNIV OF SC

c. MAILING ADDRESS

171 ASHLEY AVE

d. CITY

CHAS SC 29425

MATERIALS LICENSE NUMBER(S)

081-01

9. PRECEPTOR'S SIGNATURE



10. PRECEPTOR'S NAME (Please type or print)

LEDNIE GORDON

11. DATE

6-21-90

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

RADIOACTIVE MATERIAL LICENSE

Pursuant to the Atomic Energy and Radiation Control Act, Section 13-7-40 et. seq. of S.C. Code of Laws of 1976, as amended, and Supplements thereto, and the South Carolina Department of Health and Environmental Control Regulation 61-63, Radioactive Material (Title A), and in reliance on statements and representations heretofore made by the applicant, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules and regulations of the South Carolina Department of Health and Environmental Control now or hereafter in effect and to any conditions specified below.

Amendment No. 2; amends

LICENSEE	3. License Number
1. Name Spartanburg Regional Medical Center	086-01
2. Address 101 East Wood Street Spartanburg, SC 29303	4. Expiration Date September 30, 1992

5. Radioactive Material (Element and Mass Number)	6. Chemical and/or Physical Form	7. Maximum Radioactivity and/or quantity of material which licensee may possess at any one time.
A. Any radioactive material identified in RHA 4.9.1, Part IV, Department Regulation 61-63.	A. Any radiopharmaceutical identified in RHA 4.9.1, Department Regulation 61-63.	A. As needed.
B. Any radioactive material identified in RHA 4.10.1, Part IV, Department Regulation 61-63.	B. Any radiopharmaceutical identified in RHA 4.10.1, Department Regulation 61-63.	B. As needed.
C. Any radioactive material identified in RHA 4.11.1, Part IV, Department Regulation 61-63.	C. Any radiopharmaceutical identified in RHA 4.11.1, Department Regulation 61-63.	C. As needed. (Not to exceed 10 curies of Iodine 131)
D. Any radioactive material identified in RHA 2.4.3, Part II, Department Regulation 61-63.	D. Prepackaged kits.	D. As needed.
E. Any radioactive material identified in RHA 4.13.1, Part	E. Any brachytherapy source identified in RHA 4.13.1, Department	E. As needed.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License Number 086-01Amendment No. 28

IV, Department Regulation Regulation 61-63.
 61-63.

F. Americium 241

F. Sealed source
 (Amersham/Searle
 #AMC-24)F. No single source to
 exceed 30 milli-
 curies.

8. Authorized Use:

- A. Medical use described in RHA 4.9.1, Department Regulation 61-63.
- B. Medical use described in RHA 4.10.1, Department Regulation 61-63.
- C. Medical use described in RHA 4.11.1, Department Regulation 61-63.
- D. In vitro studies.
- E. Medical use described in RHA 4.13.1, Department Regulation 61-63.
- F. Motion Sensing for Gamma Camera.

Conditions

- 9. Unless otherwise specified, the authorized place of use is the licensee's address stated in Item 2 above.
- 10. The licensee shall comply with the provision of Title A, Department Regulation 61-63; Part I - General Provisions; Part II - Licensing of Radioactive Materials; Part III - Standards for Protection Against Radiation; Part IV - Use of Radionuclides in the Health Professions; and Part VI - Notices, Instructions, and Reports to Workers; Inspections.
- 11. Radiation Safety Officer: David L. Vassy, M.S.
- 12. Authorized Users:
 - A. James L. Duncan, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1 and RHA 2.4.3, Department Regulation 61-63.
 - B. John A. Patterson, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1 and RHA 2.4.3, Department Regulation 61-63.
 - C. Harold W. Sanford, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1 and RHA 2.4.3, Department Regulation 61-63.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License Number 086-01Amendment No. 28

-
- D. Larry K. Totten, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1 and RHA 2.4.3, Department Regulation 61-63.
- E. Michael F. Patton, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, and RHA 2.4.3, Department Regulation 61-63.
- F. John D. Thronburg, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1 and RHA 2.4.3, Department Regulation 61-63.
- G. Robert J. Caswell, M.D. for medical uses identified in RHA 4.9.1 and RHA 4.10.1, Department Regulation 61-63.
- H. Robert E. Mitchell, M.D. for medical uses identified in RHA 4.13.1, Department Regulation 61-63.
- I. Joella F. Utley, M.D. for medical uses identified in RHA 4.13.1, Department Regulation 61-63.
- J. John S. Featherstone, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1, RHA 4.13.1 and RHA 2.4.3, Department Regulation 61-63.
- K. Julian C. Josey, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1, RHA 4.13.1 and RHA 2.4.3, Department Regulation 61-63.
- L. Frederick G. Phillips, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 4.11.1, RHA 4.13.1 and RHA 2.4.3, Department Regulation 61-63.
- M. Kevin Francis O'Connor, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 2.4.3, Department Regulation 61-63 and Iodine 131 for diagnosis and treatment of hyperthyroidism, cardiac dysfunction and thyroid carcinoma.
- N. Penelope Galbraith, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 2.4.3, Department Regulation 61-63 and Iodine 131 for diagnosis and treatment of hyperthyroidism, cardiac dysfunction and thyroid carcinoma.
- O. Jay Thomas Keuper, M.D. for medical uses identified in RHA 4.9.1, RHA 4.10.1, RHA 2.4.3, Department Regulation 61-63 and Iodine 131 for diagnosis and treatment of hyperthyroidism, cardiac dysfunction and thyroid carcinoma.

JUL 19 '94 03:13PM SC DHEC RAD HEALTH

Page 4 of 4 Pages

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License Number 086-01Amendment No. 28

13. The licensee may hold radioactive material with a physical half life of less than 65 days for decay-in-storage before disposal in ordinary trash. For radioactive material disposed of in this manner, the licensee shall maintain a record of each disposal for two years. The record must include the date of disposal, the date on which the material was placed in storage, the model and serial number of the survey instrument used, the background exposure rate, the radiation exposure rate measured at the surface of each waste container, and the name of the individual who performed the disposal. This waste shall be held for decay a minimum of ten half lives and its radioactivity shall be undistinguishable from background radiation levels at the time of disposal.
14. Except as specifically provided otherwise in this license and except as provided by RHA 4.7.8, Department Regulation 61-63, the licensee shall conduct his program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures listed below. The Department's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated August 25, 1987.

Date of Issuance September 12, 1990For The South Carolina Department
of Health And Environmental ControlBY: H. G. Shealy

* Second Notice

NRC FORM 577
(1-85)

U.S. NUCLEAR REGULATORY COMMISSION

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

JAY COUNTY HOSPITAL
ATTN: THOMAS J. VALERIUS
500 WEST VOTAW STREET
PORTLAND, INDIANA 47371

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

5-23-96

LICENSE NUMBER

13-20329-01

CONTROL NUMBER

301556

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
7C	\$	\$	\$ 440.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	440.00
PAYMENT RECEIVED	\$	430.00
AMOUNT DUE	\$	10.00

☐ Your request was received without the prescribed application fee.

☒ We received your Check No. 22177 in the amount of \$ 430.00. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

SIGNATURE -- LICENSE FEE ANALYST

LFDCB

LFDCB

Shirley Crutchfield 10/9/96

II. FEE NOT REQUIRED

☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:

☐ We received your Check No. _____ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.

☐ Your request was combined, prior to review, with your _____ request, Control No. _____.

III. CHECK RETURNED

☐ Enclosed is Check No. _____ which was returned to us by the bank for:

☐ INSUFFICIENT FUNDS

☐ ACCOUNT CLOSED

☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. _____, Amendment No. _____, issued on _____ was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section I of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section I of this form.

Distribution:

Pending Fee File
LFARB R/F (2)

OC/DAF/SF(LF-3.2.7)

Region 3
OC/DAF/RP

DATE

Oct. 9, 1996

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001JAY COUNTY HOSPITAL
ATTN: THOMAS J. VALERIUS
500 WEST VOTAW STREET
PORTLAND, INDIANA 47371

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

May 23, 1996

LICENSE NUMBER

13-20329-01

CONTROL NUMBER

301556

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
7C	\$	\$	\$440.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(S) DUE \$440.00
PAYMENT RECEIVED \$430.00
AMOUNT DUE \$10.00

- ☐ Your request was received without the prescribed application fee.
- ☒ We received your Check No. 22177 in the amount of \$430.00. Payment of the additional fee noted above is required.
- ☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

SIGNATURE -- LICENSE FEE ANALYST

LFDCB

LFDCB

Distribution

Pending Fee File

LFARB R/F (2)

OC/DAE
OC/DAE/SF(LF-3 2 7)
Region 3

DATE

July 11, 1996

NOV 06 1996

Thomas J. Valerius, CEO
Jay County Hospital
500 West Votaw Street
Portland, IN 47371

Dear Mr. Valerius:

Enclosed is Amendment No. 11 to your NRC Material License No. 13-20329-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (708) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
 - b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.

30/556

4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when

T. Valerius

-3-

dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Gidget Watson
Nuclear Materials Licensing Branch

License No. 13-20329-01
Docket No. 030-18259

Enclosure: Amendment No. 11

DOCUMENT NAME: M:\03018259.CL6

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII								
NAME	GWatson:brt								
DATE	07/30/96 <i>GW</i>								

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

July 5, 1996

Robert A. Conner, M.D.
Radiation Safety Officer
Jay County Hospital
500 W. Votaw Street
Portland, IN 47371

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated 05/23/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required) ☐ QMP Revision
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information, technical issues that require additional information, or policy/technical issues that require coordination with headquarters or other NRC regional offices.

It appears that your request is routine (see 1-3 below, as applicable) and complete.

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (708) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 301556
License No. 13-20329-01