

40-3392



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

February 12, 1997

Mr. M. D. Kosmider  
Plant Manager  
AlliedSignal, Inc.  
P.O. Box 430  
Metropolis, Illinois 62960

SUBJECT: AMENDMENT OF LICENSE SUB-526 (TAC NO. L30898)

Dear Mr. Kosmider:

In accordance with your application dated September 6, 1996, and supplements dated November 25, 1996, and pursuant to Part 40 to Title 10 of the Code of Federal Regulations, Materials License SUB-526 is hereby amended to include possession of depleted uranium and to reflect organizational, procedural and process changes. Accordingly, conditions 6D, 7D, and 8D, and 10 are modified to read:

6D. Depleted uranium      7D. Yellowcake,  $U_3O_8$ , 8D. 68 kg (150 lbs)  
 $UO_2$ ,  $UF_4$ ,  $UF_6$

10. Authorized use: For use in accordance with the statements, representations, and conditions in Chapters 1 through 7 of the application dated July 11, 1994, and supplements dated September 6, October 3, and November 16, 1994; and March 1, April 6, and April 19, 1995; and September 6 and November 25, 1996; and letter dated February 27, 1995.

All other conditions of the license shall remain the same.

Please note that on pages 2-3 and 2-6 of the amendment application, the position titles should be changed to reflect Allied's reorganization. For example, the "Health Physics Supervisor" is now the "Health Physics & Safety Supervisor." In addition, the license refers to "departmental managers" and the "Operational Excellence Team." It is not clear under the new management structure which positions are included in these references. This should be explained. Replacement pages should be submitted with your next license amendment application.

**NRC FILE CENTER COPY**

9702260083 970212  
PDR ADOCK 04003392  
C PDR

Mr. M. D. Kosmider

2

Enclosed are copies of the revised Materials License SUB-526 and the Safety Evaluation Report, which includes the Categorical Exclusion determination.

If you have any questions regarding this licensing action, please contact the Project Manager, Mr. Mike Lamastra, at (301) 415-8139.

Sincerely,

Original signed by:

Michael F. Weber, Chief  
Licensing Branch  
Division of Fuel Cycle Safety  
and Safeguards, NMSS

Docket 40-3392  
License SUB-526  
Amendment 1

Enclosures: 1. Materials License SUB-526  
2. Safety Evaluation Report

Distribution: w/encls. (Control No. 180S)

Docket 40-3392	PUBLIC	NRC File Center	FCSS r/f
Region III	PMDA	FCOB	
NMSS r/f	SHO	FCLB r/f	
TReidinger, RIII	KHardin		

OFC	FCLB	E	FCLB	E	FCLB	E	FCLB		FCLB	
NAME	SChotoo	SDC	PShea	PLS	MLamastra		GPangburn		MWeber	
DATE	2/5/97		2/6/97		2/11/97		2/11/97		2/12/97	

C = COVER

E = COVER & ENCLOSURE

N = NO COPY

OFFICIAL RECORD COPY


Mr. M. D. Kosmider

2

Enclosed are copies of the revised Materials License SUB-526 and the Safety Evaluation Report, which includes the Categorical Exclusion determination.

If you have any questions regarding this licensing action, please contact the Project Manager, Mr. Mike Lamastra, at (301) 415-8139.

Sincerely,



Michael F. Weber, Chief  
Licensing Branch  
Division of Fuel Cycle Safety  
and Safeguards, NMSS

Docket 40-3392  
License SUB-526  
Amendment 1

Enclosures: 1. Materials License SUB-526  
2. Safety Evaluation Report