

MATERIALS LICENSE

Amendment No. 02

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

301586

Licensee

1. Gamma Diagnostics

2. 6789 Ridge Road, Suite 100
Parma, OH 44129In accordance with the letter dated
July 29, 19963. License Number 34-26549-01 is amended in
its entirety to read as follows:

4. Expiration Date February 28, 2004

5. Docket or
Reference No. 030-334116. Byproduct, Source, and/or
Special Nuclear Material7. Chemical and/or Physical
Form8. Maximum Amount that Licensee
May Possess at Any One Time
Under This LicenseA. Any byproduct
material identified
in 10 CFR 35.100B. Any byproduct
material identified
in 10 CFR 35.200A. Any
radiopharmaceutical
identified in 10 CFR
35.100B. Any
radiopharmaceutical
identified in 10 CFR
35.200 (excluding
generators and
xenon-133)

A. As needed

B. As needed

9. Authorized Use:

A. Medical use described in 10 CFR 35.100.

B. Medical use described in 10 CFR 35.200 (excluding generators and xenon-133).

CONDITIONS10. Licensed material shall be used only at the licensee's facilities located at
6789 Ridge Road, Suite 100, Parma, OH 44129.

11. Radiation Safety Officer: Lawrence McNamee, M.D.

260053

9702260117 960815
PDR ADDCK 03033411
C PDR

COPY

2/1
230
50

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

34-26549-01

Docket or Reference Number

030-3341

Amendment No. 02

12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized UsersMaterial and Use

Lawrence McNamee, M.D.

10 CFR 35.100 and 35.200 (excluding generators and xenon-133)


13. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated December 20, 1993;
- B. Letter dated January 18, 1994; and
- C. Letter received December 5, 1994 (with attachments).

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date 8/15/96

By



Nuclear Materials Licensing Branch, Region III

COPY

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 02201
STATUS CODE: 0
FEE CATEGORY: 7C
EXP. DATE: 20040228
FEE COMMENTS:
DECOM FIN ASSUR REGD: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
APPLICANT/LICENSEE: GAMMA DIAGNOSTICS
RECEIVED DATE: 960711
DGCKET NO: 3033411
CONTROL NO.: 301586
LICENSE NO.: 34-26549-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: 0
CHECK NO.: 0

3. COMMENTS

SIGNED
DATE

2. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED ☒)

1. FEE CATEGORY AND AMOUNT: 7C \$440

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT ☒
RENEWAL ☐
LICENSE ☐

3. OTHER

SIGNED
DATE

FEB 10 1997

Log	<u>Jul 11 77</u>
Remitted	<u>No</u>
Check No.	<u>6457285663</u>
Amount	<u>\$440</u>
Fee Category	<u>7C</u>
Type of Fee	<u>AMD</u>
Date Check Rec'd	<u>1/29/97</u>
Date Completed	<u>1/29/97</u>
By:	<u>SC</u>

Money order
rec'd by
Jockhof

1996 JUL 22 PM 1:47

Anthony M. Passalaqua, M.D.

650 Graham Road, Suite 104, Cuyahoga Falls, Ohio 44221
Ph: (330) 920-3770 Fx: (330) 920-9770

Wednesday, July 03, 1996


Region III
United States Nuclear Regulatory Commission
801 Warrenville Road
Lisle, IL 60532-4351

To the United States Nuclear Regulatory Commission, Region III:

This letter serves as notice that effective today, July 3, 1996, I am no longer serving as the Radiation Safety Officer for Gamma Diagnostics, Inc. d.b.a. ImageCare, 6789 Ridge Road, Suite 100, Parma, Ohio 44129.

If you have any questions regarding this matter, please contact me at ⁶³⁰(330) ^{cellular}# 920-3770.

Sincerely,



Anthony M. Passalaqua, M.D.

cc: Joseph P. Monahan
Gamma Diagnostics, Inc.
d.b.a. ImageCare
6789 Ridge Road, Suite 100
Parma, OH 44129

Joseph P. Monahan
955 W. Bailey Road
Naperville, IL 60565

RECEIVED

JUL 11 1996

REGION III

pm: 7-5-96

JUL 11 1996

301586

Anthony M. Passalaqua, M.D.

650 Graham Road, Suite 104, Cuyahoga Falls, Ohio 44221

Ph: (330) 920-3770 Fx: (330) 920-9770

Wednesday, August 07, 1996

Shirley Crutchfield, License Fee Analyst
License Fee and Debt Collection Branch
Office of the Controller
United States Nuclear Regulatory Commission
Washington, DC 20555-0001

re: License Number 34-26549-01, Control Number 301586

Dear Ms. Crutchfield:


I am returning your license fee statement for \$440.00 regarding license number 34-26549-01, control number 301586.

I resigned from my position as Radiation Safety Officer for Gamma Diagnostics, Inc., d.b.a. ImageCare, 6789 Ridge Road, Suite 100, Parma, Ohio 44129 effective July 3, 1996. I am no longer affiliated with that organization. Subsequently, Gamma Diagnostics has been advised to name a new RSO, and to notify the NRC by submitting an amendment change and fee.

All expenses regarding amendments to this license are the responsibility of the owner of the license: Joseph Monahan, Gamma Diagnostics, Inc. d.b.a. ImageCare, 6789 Ridge Road, Suite 100, Parma, Ohio 44129.

If you have any questions regarding this matter, please contact me at (330) 920-3770.

Sincerely,



Anthony M. Passalaqua, M.D.

1205 AUG 12 AM 9:00

Fax # 600 369-0994 Joseph Monahan

18006058373

NRC FORM 577
(1-95)

U.S. NUCLEAR REGULATORY COMMISSION

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

DR. ANTHONY M. PASSALAQUA
650 GRAHAM ROAD
SUITE 104
GUYAHOGA FALLS, OHIO 44221

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

7-3-96

LICENSE NUMBER

34-26549-01

CONTROL NUMBER

301586

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
7C	\$	\$	\$ 440.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(S) DUE	\$	440.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	440.00

☒ Your request was received without the prescribed application fee.

☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:

☐ We received your Check No. _____ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.

☐ Your request was combined, prior to review, with your _____ request, Control No. _____.

III. CHECK RETURNED

☐ Enclosed is Check No. _____ which was returned to us by the bank for:

- ☐ INSUFFICIENT FUNDS
☐ ACCOUNT CLOSED
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. _____, Amendment No. _____, issued on _____ was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section I of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section I of this form.

SIGNATURE - LICENSE FEE ANALYST

Shirley Crutchfield
SHIRLEY CRUTCHFIELD

(LEAVE BLANK)

DATE

July 25, 1996

8/15/96

TELECOPIER TRANSMITTAL

WARNING: Most facsimile machines produce copies on thermal paper. The image produced is highly unstable and will deteriorate significantly in a few years. Reproduce copies onto plain paper prior to filing as a record.

TO

NAME

Mr. J. Monahan

TELEPHONE

NAME AND LOCATION OF COMPANY (If other than NRC)

TELECOPY NUMBER

630 369-0994

VERIFICATION NUMBER

FROM

NAME

Shirley Crutchfield

TELEPHONE

301 415-6097

MAIL STOP

TELECOPY DATA

NUMBER OF PAGES

PRIORITY

THIS PAGE + 2 PAGES = 3 TOTAL

IMMEDIATE

OTHER
(Specify)

SPECIAL INSTRUCTIONS

PROBLEMS

If any problems occur or if you do not receive all the pages, call:

TELEPHONE

PROCESSED BY (INITIALS)

DISPOSITION OF ORIGINAL

After telecopy has been sent, process the original as requested below. (If none are checked, the original will be discarded.)

RETURN TO SENDER

CALL AND SENDER WILL PICK UP

DISCARD

VERIFIED BY (INITIALS)

10/30/96 - Contacted Monahan's wife
ref. to Leslie due

COPY

NRC FORM 577
(1-95)

U.S. NUCLEAR REGULATORY COMMISSION

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

DR. ANTHONY M. PASSALAQUA
650 GRAHAM ROAD
SUITE 104
GUYAHOGA FALLS, OHIO 44221

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE
7-3-96

LICENSE NUMBER
34-26549-01

CONTROL NUMBER
301566

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
7C	\$	\$	\$ 440.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE \$ 440.00
PAYMENT RECEIVED \$ 0.00
AMOUNT DUE \$ 440.00

- ☒ Your request was received without the prescribed application fee.
- ☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.
- ☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

- ☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:
- ☐ We received your Check No. _____ in payment of the fee.
- ☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.
- ☐ Your request was combined, prior to review, with your _____ request, Control No. _____.

III. CHECK RETURNED

- ☐ Enclosed is Check No. _____ which was returned to us by the bank for:
- ☐ INSUFFICIENT FUNDS
☐ ACCOUNT CLOSED
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.


IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

- ☐ License No. _____, Amendment No. _____, issued on _____ was issued without the required fee being collected. The fee required is noted in Section I of this form.
- ☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section 1 of this form. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section 1 of this form.


SIGNATURE -- LICENSE FEE ANALYST
Shirley Brutchfield
SHIRLEY BRUTCHFIELD
LFDCB
7/25/96

Distribution: OC/DAF/RP
Pending Fee File OC/DAF/SF(LF-3.2.7)
LFARB R/F (2) Region 3
DATE
July 25, 1996

Anthony M. Passalaqua, M.D.
650 Graham Road, Suite 104
Cuyahoga Falls, Ohio 44221



Shirley Crutchfield, License Fee Analyst
License Fee and Debt Collection Branch
Office of the Controller
United States Nuclear Regulatory Commission
Washington, DC 20555-0001



A 9999-97
440.00

ImageCare

Nuclear Medicine Specialists

P.O. Box 6433
Aurora, Illinois 60598
Ph. / Fax: (630) 369-0994
Voice mail: (800) 505-8373

Certified/Priority Mail

January 24, 1997

Mrs. Shirley Crutchfield
U.S.N.R.C.
License Fee & Debt Collection
P.O. Box 954514
St. Louis, MO 63195-4514

RE: NRC License #34-26549-01
Gamma Diagnostics dba ImageCare

Dear Mrs. Crutchfield:

Enclosed you will find a money order in the amount of \$440.00. This is the amendment fee for the July 1996 amendment. We were unable to locate an Invoice Number for this fee. Would you please contact us to confirm that you are in receipt of the above amount.

Thank you for your help and assistance in this matter.

Sincerely,

Joseph P. Monahan/jmp

Joseph P. Monahan
General Manager

JPM/mp

Enclosure: M.O. #64572885663 \$440.00
c.c: Mr. Michael Weber, U.S.N.R.C. - Region III

JAN 30 1997

Joseph Monahan
General Manager
Gamma Diagnostics
6789 Ridge Road, Suite 100
Parma, OH 44129

Dear Mr. Monahan:

Enclosed is Amendment No. 02 to your NRC Material License No. 34-26549-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
 - b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).

301586

3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil

penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Michael F. Weber
Nuclear Materials Licensing Branch

License No.: 34-26549-01

Docket No.: 030-33411

Enclosure: Amendment No. 02

DOCUMENT NAME: M:\03033411.CL6

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII	E							
NAME	MFWEBER:jaw								
DATE	08/15/96								

OFFICIAL RECORD COPY

ImageCare

Nuclear Medicine Specialists

6789 Ridge Road, Suite 100
Parma, Ohio 44129
Ph: (216) 842-9970
Fax: (216) 842-9980

Monday, July 29, 1996

Michael Weber
United States Nuclear Regulatory Commission
Region III
801 Warrenville Road
Lisle, IL 60532

RE: NRC License # 34-26549-01
Gamma Diagnostics, Inc. d/b/a ImageCare

Dear Mr. Weber:


Per our conversation, enclosed is the notification of the change in our Radiation Safety Officer for the above referenced facility. Please change our license deleting Anthony Passalacqua, M.D. as Radiation Safety Officer and Joseph Crawford, M.D. as an authorized user. Please add Lawrence McNamee, M.D. as our new Radiation Safety Officer.

For training and experience for Dr. McNamee, refer to the enclosed supportive information.

Should you have any questions, please contact me.

We thank you for your assistance in this matter.

Sincerely,



Joseph Monahan
General Manager
800-505-8373 Voice Mail Pager

RECEIVED
AUG 16 1996
REGION III

AUG 16 1996

Pm: 8-14-96

NRC FORM 374
(7-94)

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Chapter 161, Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, hereby is issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below for use such material for the purposes, and at the place(s) designated below, to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 161 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee
REGIONAL RADIOLOGIC IMAGING
1. Northshore Radiology

3. License Number 34-26627-01

2. 25580 Aurora Road
Bedford Heights, OH 44146

4. Expiration Date March 31, 2000

5. Docket or Reference No. 030-33762

6. Byproduct, Source, and/or Special Nuclear Material:

7. Chemical and/or Physical Form

8. Maximum Amount that Licensee May Possess at Any One Time Under This License

A. Any byproduct material identified in 10 CFR 35.100

A. Any radiopharmaceutical identified in 10 CFR 35.100

A. As needed

B. Any byproduct material identified in 10 CFR 35.200

B. Any radiopharmaceutical identified in 10 CFR 35.200

B. As needed

C. Any byproduct material identified in 10 CFR 35.300

C. Any radiopharmaceutical identified in 10 CFR 35.300

C. 30 millicuries

9. Authorized Use:

A. Medical use described in 10 CFR 35.100.

B. Medical use described in 10 CFR 35.200.

C. Medical use described in 10 CFR 35.300 (excluding treatment of thyroid carcinoma).

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at Mentor Regional Center, 9710 Mentor Avenue, Mentor, Ohio, Innova, 7575 Northcliff Avenue, Brooklyn, Ohio and 16215 Madison Avenue, Lakewood, Ohio.

11. Radiation Safety Officer: Lawrence McNamee, M.D.

NUREG FORM 374A
(7-74)

MATERIALS LICENSE
SUPPLEMENTARY SHEET


Number
34-26627-01
Docket or Reference Number
030-33762

12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized Users	Material and Use
A. Lawrence McNamee, M.D.	10 CFR 35.100, 35.200, 35.300 (excluding treatment of thyroid carcinoma).
B. Brian F. McNamee, M.D.	10 CFR 35.100 and 35.200.

13. The licensee may not possess and use materials authorized in Items 6, 7, and 8 until:
1. The licensee has constructed the facilities and obtained the equipment described in the application and supporting documentation; and
 2. The U. S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Materials Licensing Section, 801 Warrenville Road, Lisle, IL 60532-4351 has been notified that activities authorized by the license will be initiated.
14. Within 30 days of the date of a decision not to complete the facility, acquire equipment, or possess and use authorized material, the licensee must notify the Commission in writing, of the decision.
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Letter and application dated January 5, 1995;
 - B. Letter received February 17, 1995 (excluding the Quality Management Program and
 - C. Facility diagrams received February 27, 1995 and March 6, 1995.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By 
Materials Licensing Section, Region

ImageCare

Nuclear Medicine Specialists

6789 Ridge Road, Suite 100
Parma, Ohio 44129
Ph: (216) 842-9970
Fax: (216) 842-9980

Friday, August 09, 1996

Michael Weber
United States Nuclear Regulatory Commission
Region III
801 Warrenton Road
Lisle, IL 60532

RE: NRC License # 34-26549-01
Gamma Diagnostics, Inc. d/b/a ImageCare
New RSO

Dear Mr. Weber:

Per our conversation, the following is the additional information that you have requested.

Presently Lawrence McNamee, M.D. is serving as an RSO at two active out patient nuclear medicine facilities. One facility is located in Mentor, Ohio which is approximately 30 minutes driving time from Parma, Ohio. The Mentor, Ohio facility is equipped with a single gamma camera and performs an average of 70 nuclear medicine procedures per month. The other active out patient facility is located in Brooklyn, Ohio which is approximately 10 minutes driving time from Parma, Ohio. The Brooklyn, Ohio facility is equipped with a single gamma camera and performs an average of 50 nuclear medicine procedures per month. Dr. McNamee has informed us that he has very limited duties at the Canfield, Ohio facility in that it is not a very active facility.

Our Parma, Ohio facility is equipped with a single gamma camera and presently performs an average of 40 nuclear medicine procedures per month. Our Chief Technologist and operations manager has over ten years experience in a hospital nuclear medicine department performing an average of 400 procedures per month.

Dr. McNamee presently splits his time between our Parma, Ohio facility and the Mentor and Brooklyn, Ohio facilities. He is present for approximately three hours at our Parma, Ohio facility a minimum of 3 days per week. When Dr. McNamee is not at our facility he is easily accessible at either the Mentor or Brooklyn, Ohio offices and can be at our office in less than 30 minutes.

As we have discussed, please change our license deleting Anthony Passalacqua, M.D. as Radiation Safety Officer and Joseph Crawford, M.D. as authorized users. Please add Lawrence McNamee, M.D. as our new Radiation Safety Officer and as an authorized user as follows.

Authorized Users

Lawrence McNamee, M.D.


Material and Use

10 CFR 35.100 and 35.200

Should you have any questions, please contact me.

We thank you for your assistance in this matter.

Sincerely,


Joseph Monahan
General Manager
800-505-8373 Voice Mail Pager

RECEIVED
AUG 16 1996
REGION III

UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
801 WARRENVILLE ROAD
LISLE, IL 60532-4351
708-829-9887 (phone)
708-515-1259 (fax)

CONVERSATION RECORD

TIME
3:00 pm

DATE
7/29/96

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☒ INCOMING
OUTGOING

NAME OF PERSON(S) CONTACTED

ORGANIZATION (OFFICE, DEPT. ETC.)

TELEPHONE NO.

Joseph Monahan - General Manager

Gamma Diagnostics

1-800-505-8373 (Pager)

SUBJECT

Amendment request (fax dated July 29, 1996) re: new RSO

SUMMARY

(NRC License No. 34-26549-01)

We have reviewed your amendment request dated July 29, 1996, requesting that Lawrence McNamee, M.D., be named as the Radiation Safety Officer (RSO) for Gamma Diagnostics, located in Parma, OH, and find that we need additional information, as follows.

1. We note that Dr. McNamee is currently serving as the RSO for NU Wave Diagnostics, located in Canfield, OH, as well as Northshore Radiology, with locations in Mentor, OH and Brooklyn, OH. Please provide a commitment that Dr. McNamee will have sufficient time to function as an RSO at each of the four locations (Parma, Canfield, Mentor, and Brooklyn). In support of your commitment, indicate how much time Dr. McNamee will spend performing RSO duties at each of the four locations, and describe his ability to respond to emergencies at each location.
2. Please indicate if you also wish to add Dr. McNamee as an authorized user at Gamma Diagnostics. If so, indicate which proposed uses are requested for him.

ACTION REQUIRED

Wait for response.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Michael F. Weber

1

Michael F. Weber

1

7/29/96

OPTIONAL FORM 99 (7-90)

FAX TRANSMITTAL

of pages ▶ 1

To *Joseph Monahan*

From *Michael Weber*

Dept./Agency

Phone #

Fax # *708-369-0994*

Fax #

NSN 7540-01-317-7388

5099-101

GENERAL SERVICES ADMINISTRATION

UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
801 WARRENVILLE ROAD
LISLE, IL 60532-4351
708-829-9887 (phone)
708-515-1259 (fax)

CONVERSATION RECORD

TIME

Various

DATE

7/19/96

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

NAME OF PERSON(S) CONTACTED

ORGANIZATION (OFFICE, DEPT. ETC.)

TELEPHONE NO.

Ray Wtulich, CNMT, and Joseph Monahan, President of Gamma Diagnostics

216-842-9970

SUBJECT

No RSO

SUMMARY

On July 11, 1996, RIII received a letter dated July 3, 1996, from Anthony Passalacqua, M.D., stating that effective July 3, 1996, he was no longer serving as RSO for Gamma Diagnostics.

Today I called the Gamma Diagnostics and spoke w/ Ray Wtulich, CNMT, who informed me that: (1) Dr. Passalacqua's departure was sudden and abrupt, and (2) Joseph Monahan had already spoken to someone in RIII who informed him that Gamma Diagnostics could take up to 30 days to name a new RSO, and, in the meantime, could continue to image patients. Per my request, Mr. Wtulich left a message for Mr. Monahan to call me.

After discussing this with John Madera, I called Mr. Wtulich back and informed him that the regs require a notification within 30 days after an RSO leaves, but a licensee should never be without an RSO for an extended period of time. Therefore, Gamma Diagnostics should find a qualified individual ASAP and send an amendment request to RIII ASAP (use fax or overnight mail!). Mr. Wtulich indicated that he would pass this info to Mr. Monahan.

Later, Mr. Monahan called. I repeated what I had already told Mr. Wtulich, and I emphasized the importance of naming a new RSO ASAP. Mr. Monahan indicated that he had apparently misinterpreted the earlier message from RIII, and he stated that he would fax an amendment request no later than early next week. He further indicated that he would request to have Mr. Wtulich named as the RSO. He added that Gamma Diagnostics' medical consultant had assured him that Mr. Wtulich was qualified to be RSO. I indicated that RIII could issue an amendment for an RSO in a few days in a situation like this if the applicant was qualified and if the amendment request was complete. He was very surprised to hear that - apparently his consultant had told him that such a request would take months to complete.

ACTION REQUIRED


Wait for amendment request.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Michael F. Weber

|  |

7/19/96



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

July 19, 1996

Joseph P. Monahan
Gamma Diagnostics
d/b/a ImageCare
6789 Ridge Road
Suite 100
Parma, OH 44129

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(☒ Letter ☐ Application ☐ Dated July 3, 1996)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required) ☐ QMP Revision
☐ Other _____

Administrative deficiencies were identified during this initial review as outlined below. However, it should be noted that a technical review may identify additional omissions in the submitted information, technical issues that require additional information, or policy/technical issues that require coordination with headquarters or other NRC regional offices.

It appears that your request is routine (see 1-3 below as, applicable); however, your request is incomplete.

Incomplete information is as follows: In order for us to complete your request the required fee is necessary. Please contact our License Fee & Debt Collection Branch, located in our headquarters office, as referenced below. Also, please provide us with the name of your new Radiation Safety Officer and his qualifications.

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however under timely timing (before expiration) you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (708) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch