

~~SAFEGUARDS INFORMATION~~

DNB

SEP 03 1985

Docket No. 50-10
Docket No. 50-237
Docket No. 50-249

Commonwealth Edison Company
ATTN: Mr. Cordell Reed
Vice President
Post Office Box 767
Chicago, IL 60690

Gentlemen:

This refers to the routine safeguards inspection conducted by Ms. G. M. Christoffer and Mr. J. L. Belanger of this office on August 12-16 and 19-20, 1985, of activities at Dresden Nuclear Power Station Units 1, 2 and 3 authorized by Licenses No. DPR-2, DPR-19 and No. DRP-25 and to the discussion of our findings with Mr. D. Scott and other members of your staff at the conclusion of the inspection.

The enclosed copy of our inspection report identifies areas examined during the inspection. Within these areas, the inspection consisted of a selective examination of procedures and representative records, observations, and interviews with personnel.

No items of noncompliance with NRC requirements were identified during the course of this inspection.

Areas examined during this inspection concern a subject matter which is exempt from disclosure according to Section 73.21(c)(2) of the NRC's "Rules of Practice," Part 73, Title 10, Code of Federal Regulations. This information must be handled and protected in accordance with the provisions of 10 CFR 73.21. Consequently our report of this inspection will not be placed in the Public Document Room.

8509090120 850903
PDR ADOCK 05000010
G PDR

1E04
111
Enclosure Contains
SAFEGUARDS INFORMATION
Upon Separation This
Page Is Decontrolled

~~SAFEGUARDS INFORMATION~~

~~SAFEGUARDS INFORMATION~~

SEP 03 1985

Commonwealth Edison Company

2

We will gladly discuss any questions you have concerning this inspection.

Sincerely,


W. L. Axelsson, Chief
Nuclear Materials Safety and
Safeguards Branch


Enclosure: Inspection Reports
No. 50-10/85012(DRSS)
No. 50-237/85027(DRSS)
No. 50-249/85022(DRSS)
(UNCLASSIFIED SAFEGUARDS
INFORMATION)

cc w/enclosure:
D. L. Farrar, Director
of Nuclear Licensing
D. J. Scott, Plant Manager
IE File
IE/DI/ORPB
IE/ES
NMSS/SGPL
NRR/DL/SSPB
ACRS


cc w/enclosure, w/o
UNCLASSIFIED SAFEGUARDS
INFORMATION:
DMB/Document Control Desk (RIDS)
Resident Inspector, RIII
Phyllis Dunton, Attorney
General's Office, Environmental
Control Division

Enclosure Contains
SAFEGUARDS INFORMATION
Upon Separation This
Page Is Decontrolled

RIII


Christoffer/pg
09/03/85

RIII


Belanger


RIII


Creed

RIII


Wright

RIII


Axelsson

~~SAFEGUARDS INFORMATION~~