

MATERIALS LICENSE

Amendment No. 04

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		301806	
1. Cancer Treatment Center Partners		In accordance with letter dated August 19, 1996	
2. 2376 Benden Drive Wooster, OH 44691		3. License Number 34-25978-01 is amended in its entirety to read as follows:	
		4. Expiration Date June 30, 2005	
		5. Docket or Reference No. 030-30843	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Cobalt-60	A. Sealed sources model designation Neutron Products, Inc. NPTT-C-146 or C-151 or General Electric Co. DWG No. 106D3912	A. 9,000 curies per source Series or AECL Model	
B. Uranium depleted in uranium-235	B. Cadmium plated metal	B. As needed	
9. Authorized Use:			
A. Medical use described in 10 CFR 35.600, in an Nordion (AECL) Theratron Models 80 and 780 teletherapy unit.			
B. Shielding in a teletherapy unit.			

CONDITIONS

10. Location of use:

Cancer Treatment Center Partners, Cobalt-60
Teletherapy room, 2376 Benden, Wooster, Ohio

11. Radiation Safety Officer: William F. Demas, M.D.

9612030112 961120
PDR ADOCK 03030843
C PDR

COPY 230 50

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

34-25978-01

Docket or Reference Number

030-30843

Amendment No. 04

12. A. Authorized Users: William F. Demas, M.D., Michael J. Seider, M.D. or Desiree Elaine Doncals, M.D.
- B. Teletherapy Physicists: Dale E. Starchman, Ph.D., David L. Hykes, M.S., Paul N. Shaheen, M.S., or Louis R. Milavickas, Ph.D.
13. Notwithstanding other authorizations and requirements of this license, the licensee shall have the cobalt-60 source described in Subitem 7.A of this license removed from the teletherapy head and returned to the supplier if the radiation levels permitted by Section 35.641 of 10 CFR Part 35 are exceeded.
14. The licensee is exempted from decommissioning financial assurance requirements for possession of licensed material in sealed sources in quantities greater than the limits in 10 CFR 30.35(d) for the purpose of source changes only. This exemption is granted for no more than 30 days for any one source change.
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated October 25, 1994; and
 - B. Letter dated August 19, 1996.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date November 20, 1996

By Loren J. Hunter
Nuclear Materials Licensing Branch, Region III

COPY

R8

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

Program Code: 02300
Status Code: 0
Fee Category: 7A
Exp. Date: 20050630
Fee Comments:
Decom Fin Assur Req: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: CANCER TREATMENT CENTER PARTNERS
Received Date: 960905
Docket No: 3030843
Control No.: 301806
License No.: 34-25978-01
Action Type: Amendment

2. FEE ATTACHED

Amount: ~~-----~~
Check No.: ~~-----~~

** mailing address change*

3. COMMENTS

Signed *S. Hersey*
Date *9-6-96*

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered ☒)

1. Fee Category and Amount: *7A* **FEE NOT REQUIRED**

2. Correct Fee Paid / Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed *SC*
Date *9/16/96*

SEP 19 1996

RECEIVED BY LFDCB	
Date	<i>Sept. 12, 1996</i>
Log	<i>Sept 4 III</i>
By	<i>SC</i>
Date Completed	<i>Sept. 16, 1996</i>

CANCER TREATMENT CENTER

William F. Demas, M.D.
Michael J. Seider, M.D.

August 19, 1996

United States Nuclear Regulatory Commission
Region III
Warrenville Road
Lisle, Illinois 60532-4351

RE: LN34-25978-01

Dear Sir or Madam:

This is to notify you of the following changes in the above referenced license.

Desiree E. Doncals is authorized by William F. Demas, M.D., R.S.O as a teletherapy radiation oncologist under 10 CFR 35.600 according to 10 CFR 35.13. Please find enclosed Dr. Doncals' American Board of Radiology radiation oncology registration certificate of June 7, 1995.

Please also change the licensee mailing address as shown:


FROM: 320 North Hametown Road
Akron, Ohio 44313

TO: 2376 Benden Drive
Wooster, Ohio 44691

This does not involve a change in the location of the Co-60 source or its use, but only a change in the mailing address for NRC correspondence.

Thank you for your attention to this matter.

Sincerely,


William F. Demas, M.D., R.S.O.
Cancer Treatment Center Partners

WFD/db

Enclosure

Mailing add chg.
FEE NOT REQUIRED

RECEIVED
SEP 05 1996
REGION III

pm: 9-3-96

SEP 05 1996

2376 Benden Drive • Wooster, Ohio 44691 • (216) 262-6060 • FAX (216) 262-5572

301806

The American Board of Radiology

Organized through the cooperation of the
American College of Radiology, the American Roentgen Ray Society,
the American Radiology Society, the Radiological Society of North America,
the Section on Radiology of the American Medical Association,
the American Society for Therapeutic Radiology and Oncology, the Association of
University Radiologists, and American Association of Physicists in Medicine

Thereby certifies that

Desiree Elaine Donrals, M.D.

Has pursued an accepted course of graduate study
and clinical work, has met certain standards and qualifications and
has passed the examinations conducted under the authority of

The American Board of Radiology

On this seventh day of June, 1995
Thereby demonstrating to the satisfaction of the Board
that she is qualified to practice the specialty of

Radiation Oncology

Walter H. Hays, M.D.
President
William H. Hays, M.D.
Secretary

Valid through: June 2005

NOV 21 1996

W. F. Demas, M.D.
Radiation Safety Officer
Cancer Treatment Center Partners
2376 Benden Drive
Wooster, OH 44691

Dear Dr. Demas:

Enclosed is Amendment No. 04 to your NRC Material License No. 34-25978-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note: we have added five years to the expiration date listed on your license. You should have recently received official notification from our headquarters office explaining the cause for the five-year extension. In the meantime, if you have any questions, please call me.

Please note that we have changed your mailing address as requested. Also, based on your notification and submittal of ABR certificate for radiation oncology for Dr. Desiree E. Doncals, we have added Dr. Doncals as an authorized user on License No. 34-25978-01.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user, Radiation Safety Officer, or Teletherapy Physicist permanently discontinues performance of duties under the license or has a name change; or
 - b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).

301806

3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers or Teletherapy Physicists;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements,

W. Demas

-3-

prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Loren J. Hueter
Nuclear Materials Licensing Branch

License No.: 34-25978-01

Docket No.: 030-30843

Enclosure: Amendment No. 04

DOCUMENT NAME: M:\03030843.CL6

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII	N							
NAME	LHUETER:jaw	LJH							
DATE	11/20/96								

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

September 6, 1996

William F. Demas, M.D.
Radiation Safety Officer
Cancer Treatment Center Partners
2376 Benden Drive
Wooster, OH 44691

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated 08/19/96)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required) ☐ QMP Revision
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 301806
License No. 34-25978-01