



BP CHEMICALS

DED Rec'd 4/10/97

40-7604

BP Chemicals Inc.
Ft. Amarda Road
P.O. Box 628
Lima, Ohio 45802-0628
(419) 226-1200

VIA OVERNIGHT MAIL

Mr. Sam Nalluswami
Low-Level Waste and Decommissioning Projects Branch
Division of Waste Management
Office of Nuclear Materials and Safeguards
United States Nuclear Regulatory Commission
Two White Flint North
11545 Rockville Road
North Bethesda, MD 20852

December 6, 1996

Re: License No. SIJB-908
Docket No. 040-07604

Subject: Mixed Waste Pond Closure Project
Field Change No. 013

Dear Sir:

In accordance with the mixed waste pond closure project field change approval procedure (BPCI Administrative Procedure AP-02), BP Chemicals, Inc. (BPCI) herewith submits for NRC review proposed Field Change No. 013. This field change will revise Project Specification 13200 to add Section 3.5.2 to require a peel test of a test seam each time seaming operations are started. This section was inadvertently removed during a previous document revision and is necessary to make the specification consistent with the QA/QC Plan.

Included for your review are Dames & Moore Engineering Change Notice No. BUF-006 and revised pages 13200-i, 13200-11, 13200-12 and 13200-13 of the specification. Also included is a complete revision of Specification 13200 including the changes described in Field Changes Nos. 011 and 012 as well as this field change.

A copy of this field change request has also been submitted to Ohio EPA. If there are any questions, please give me a call at (419) 226-1299.

Sincerely,

William M. Rupert, PE
Project Manager

cc: Ed Kulzer, NRC Region 3
Ruth Vandegrift, Ohio Dept. of Health
James Ottarson, Ohio EPA

110012

9704110197 961206
PDR ADOCK 04007604
C PDR

