

Duke Power Company
Catawba Nuclear Generation Department
4800 Concord Road
York, SC 29745

WILLIAM R. MCCOLLUM, JR.
Vice President
(803) 831-3200 Office
(203) 831-3426 Fax



DUKE POWER

April 4, 1997


U.S. Nuclear Regulatory Commission
ATTENTION: Document Control Desk
Washington, D.C. 20555

Subject: Catawba Nuclear Station Unit 2
Docket No.: 50-414
Core Operating Limits Report (COLR)

Attached, pursuant to Catawba Technical Specification 6.9.1.9, is an information copy of a revision to the Core Operating Limits Report for Catawba Unit 2 Cycle 8. This revision is being provided to update the maximum allowable boron concentrations in the Refueling Water Storage Tank (RWST) and Cold Leg Accumulators (CLA) for LCOs 3.1.2.5 and 3.1.2.6. The new maximum boron concentration is 3075 ppm.

Please direct any questions or concerns to Martha Purser at (803) 831-4015.

Sincerely,


W. R. McCollum, Jr.

ADD 1/1

Xc w/ Attachment:

L. A. Reyes, Regional Administrator, Region II

P.S. Tam, Senior Project Manager, ONRR

R. J. Freudenberger, Senior Resident Inspector, CNS

9704150124 970404
PDR ADOCK 05000414
P PDR

