



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

NOV 25 1985

Metalogic, A Div. of WTL, Inc.
ATTN: Radiation Safety Officer
275 S. Black Canyon Highway
Phoenix, AZ 85009

Gentlemen:

A recent survey of material licensees indicates that you do not have a Nuclear Regulatory Commission (NRC) approved quality assurance program. If you conduct activities under the General Licenses of Subpart C of 10 CFR Part 71, a quality assurance program approved by the Commission as satisfying the provisions of Subpart H of 10 CFR Part 71 is required.

The essential elements of a quality assurance program acceptable to the staff is contained in Annex 3 of NRC Regulatory Guide 7.10. This annex identifies guidance specifically applicable to users of radiographic exposure devices for activities related to procurement, use, repair, and transport of packages. Regulatory Guide 7.10 can be obtained by contacting TIDC, Publication Services Section, Office of Administration, NRC, Washington, D.C. 20555.

Unless an exemption is provided by 10 CFR Part 170.11, an application fee of \$150.00 for evaluation of your quality assurance program as specified in 10 CFR 170.31.10(f) must accompany your request. Your request should be made to Charles E. MacDonald, Chief, Transportation Certification Branch, NMSS.

If you have any questions in this matter, you should contact Mr. L. Gordon of my staff at 301/427-4122.

Sincerely,

Original Signed by
CHARLES E. MACDONALD

Distribution: ✓
FC Central File
NRC PDR
IE HQ
Region (V)
LLGordon
NMSS R/F
FCTC R/F

Charles E. MacDonald, Chief
Transportation Certification Branch
Division of Fuel Cycle and
Material Safety, NMSS

FCTC
LLGordon:alm
11/21/85

FCTC
CEMacDonald
11/21/85

8512090469 851125
NMSS SUBJ PDR