

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

12-17162-02

Docket or Reference number

030-18195

Amendment No. 03

Dielman Consultants, Inc.
Box 10305
Chicago, IL 60610

In accordance with letter dated June 25, 1985, License Number 12-17162-02 is amended as follows:

Conditions 10., 12. and 15. are amended to read:

10. Licensed material may be stored and used at 1320 Pickwick Court, Naperville, Illinois. Tests for leakage and/or contamination shall be performed only at temporary job-sites of the licensee anywhere in the United States where the Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed materials.
12. Licensed material shall be used by, or under the supervision and in the physical presence of, Ray W. Dielman, Larry Zimmer, Mahoud Hammoudah or Rohit Trivedi. Tests for contamination and/or leakage shall be performed by Ray W. Dielman, Larry Zimmer, Mahmoud Hammoudah or Rohit Trivedi.
15. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, and 8 of this license in accordance with statements, representations, and procedures contained in application dated March 19, 1982; and letters dated August 24, 1982, February 7, 1983, October 19, 1984 (with attachments) and June 25, 1985. The Nuclear Regulatory Commission's regulations shall govern the licensee's statements in applications or letters, unless the statements are more restrictive than the regulations.

For the U.S. Nuclear Regulatory Commission

SEP 19 1985

Date _____

Original Signed

By William J. Adam, Ph.D.

Materials Licensing Section, Region III

8510030403 850919
REG3 LIC30
12-17162-02 PDR

COPY

2
me30

85 9/19/85