



Allied Corporation
P.O. Box 430
Metropolis, Illinois 62960 USA
(618) 524-2111
Telex 204367

May 1, 1985

Certified: P603812341

Mr. A. G. Januska
US NRC Region III
799 Roosevelt Road
Glen Ellyn, IL 60137

Dear Mr. Januska:

In response to open item 40-3392/85-01-01 from your environmental inspection of February 25 - 28, 1985, we submit the following plan for reviewing and revising our "Health Physics Policy and Procedures Manual".

1. Review and revise as appropriate, those procedures directly applicable to the REMP. This would include procedures for measuring uranium and fluorine in environmental materials; instrument calibration for gross alpha and beta in environmental water samples; and development of a new procedure for review of environmental results. This portion of the manual will be completed by July 1, 1985.
2. The remaining procedures in the manual will be reviewed and revised at a rate of three (3) per month starting in the month following renewal of our operating license (SUB-526). This implementation schedule is necessary due to new conditions which may be required by our renewed license.

New alpha and beta standards were placed on order on April 1, 1985. This purchase will resolve open item 40-3392/85-01-02. In response to open item 40-3392/85-01-03, the split sample analytical results were mailed to you on March 27, 1985.

If you have any questions regarding these items, please contact R. W. Yates or H. C. Roberts of our Health Physics Department.

Sincerely,

A. J. Cipolla

A. J. Cipolla
Plant Manager

AJC:sam

8512100106 850501
PDR ADOCK 04003392
C PDR

TE07
1/0

MAY 3 1985