

March 28, 1997

Southeastern Imaging  
ATTN: Nayan Bhatt, M.D.  
President/Radiation Safety Officer  
379 Teel Brooke Road  
Rocky Mount, Virginia 24151

SUBJECT: NRC INSPECTION REPORT NO. 45-25272-01/97-01 AND NOTICE OF VIOLATION

Dear Dr. Bhatt:

This refers to the inspection conducted on March 3, 1997, at your Martinsville, Virginia facility. The purpose of the inspection was to determine whether activities authorized by the license were conducted safely and in accordance with Nuclear Regulatory Commission (NRC) requirements. At the conclusion of the inspection, the findings were discussed with you and those members of your staff identified in the enclosed report.

The inspection was an examination of activities conducted under your license with respect to radiation safety including compliance with NRC regulations and the conditions of your license. It included selective examinations of procedures and representative records, interviews with personnel, and direct observations by the inspector.

Based on the results of this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice).

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter, its enclosures, and any reply will be placed in the NRC Public Document Room.

9704180145 970328  
PDR ADOCK 03033303  
C PDR

11  
IEP7

Should you have any questions concerning this letter, please contact us.

Sincerely,

(original signed by  
T. R. Decker)

Thomas R. Decker, Acting Chief  
Materials Licensing/Inspection Branch 1  
Division of Nuclear Materials Safety

Docket No. 030-33303  
License No. 45-25272-01

Enclosures: 1. Notice of Violation  
2. NRC Inspection Report  
No. 45-25272-01/97-01

cc w/encls:  
Commonwealth of Virginia

Distribution w/encls:  
PUBLIC  
RII Docket Files, DNMS

OFFICE	RII:DNMS	RII:DNMS				
SIGNATURE						
NAME	WLoc	TDecker				
DATE	04 / / 97	04 / / 97	04 / / 97	04 / / 97	04 / / 97	04 / / 97
COPY?	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO

OFFICIAL RECORD COPY

DOCUMENT NAME: G:\DNMS\MLTBI\SEIMAGVA.WLI